Please see the **314 CMR 4.00 Summary and Notice to Reviewers** document, as well as the Fact Sheets on particular topics for additional information and explanatory detail associated with these proposed regulatory changes. These documents are available on the MassDEP Website.

4.06: continued

LIST OF TABLES AND FIGURES*

TABLES & FIGURE #	TABLE AND CORRESPONDING FIGURE TITLE	Page #
A (Figure only)	River Basins and Coastal Drainage Areas	<u>TF-2</u>
1	Blackstone River Basin Hudson River Basin (formerly Hoosie)	<u>TF-3</u>
2	Boston Harbor Drainage Area (formerly Boston Harbor Drainage System and Mystic, Neponset and Weymouth & Weir River Basins) Housatonie River Basin	<u>TF-8</u>
2	Kinderhook and Bashbish River Basins)	
3	Buzzards Bay Coastal Drainage Area Farmington River Basin	TF-17
4	Cape Cod Coastal Drainage Area Westfield River Basin	TF-22
5	Charles River Basin Deerfield River Basin	TF-30
6	Chicopee River Basin Connecticut River Basin	TF-34
7	Connecticut River Basin Millers River Basin	<u>TF-40</u>
8	Deerfield River Basin Chicopee River Basin	TF-49
9	Farmington River Basin Quinebaug River Basin	<u>TF-58</u>
10	French River Basin French River Basin	<u>TF-60</u>
11	Housatonic River Basin Blackstone River Basin	<u>TF-62</u>
12	Hudson River Basin (formerly Hoosic, Kinderhook and Bashbish) Ten Mile River Basin	<u>TF-70</u>
13	Ipswich River Basin Narragansett Bay/Mount Hope Bay Drainage Area	<u>TF-76</u>
14	Islands Coastal Drainage Area (formerly Martha's Vineyard and Nantucket) Taunton River Basin	<u>TF-79</u>
15	Merrimack River Basin Boston Harbor Drainage Area (formerly Boston Harbor Drainage System and Mystic, Neponset and Weymouth & Weir	<u>TF-81</u>
	River Basins)	
16	Millers River Basin Charles River Basin	<u>TF-86</u>
17	Narragansett Bay and Mount Hope Bay Drainage Area Nashua River Basin	<u>TF-90</u>
18	Nashua River Basin SuAsCo River Basin (formerly Concord River Basin)	<u>TF-93</u>
19	North Coastal Drainage Area Shawsheen River Basin	<u>TF-103</u>
20	Parker River Basin Merrimack River Basin	<u>TF-109</u>
21	Quinebaug River Basin Parker River Basin	<u>TF-113</u>
22	Shawsheen River Basin Ipswich River Basin	<u>TF-116</u>
23	South Coastal Drainage Area North Coastal Drainage Area	<u>TF-118</u>
24	Sudbury, Assabet, and Concord (SuAsCo) River Basin (formerly Concord) South Coastal Drainage Area	<u>TF-123</u>
25	Taunton River Basin Buzzards Bay Coastal Drainage Area	<u>TF-128</u>
26	Ten Mile River Basin Cape Cod Coastal Drainage Area Westfield River Basin Islands Coastal Drainage Area (formerly Martha's Vineyard and Nantucket)	<u>TF-132</u>
27		<u>TF-134</u>
28 (Table only)	Site-Specific Criteria	<u>TF-144</u>
29 (Table only)	Generally Applicable Criteria: 29a. Aquatic Life Criteria	TF-160

<u>TF-</u>1 | Page

4.06: continued


29b. Human Health Criteria TF-188

Names in parentheses are unofficial, locally used names


*DISCLAIMER: The river basin bounds, the coastal drainage area bounds, and the surface water classes depicted on the figures are approximations and may not be complete. They are intended for general orientation purposes, and should not be relied upon for precise locations of any such bounds or classifications. See 314 CMR 4.06(5).



4.06: continued



<u>TF-3 | Page</u>



4.06: continued

4.06: continued					
	TABLE 14 BLACKSTONE RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Kettle Brook	Source From outlet of Kettle Brook Reservoir #4, Paxton	66.0 61.0 14.7	A	Public Water	Formatted: No underline
	to dam at Reservoir #1, (flowing through and including Kettle Brook Reservoirs 1, 2 and 3) and those tributaries thereto	- 9.7		SupplyPWS ORW	
	From dDam at Reservoir #1 to outlet of Waite Pond outlet	61.0 59.3 <u>9.7 -</u> 8.0	В	Warm Water	
	From outlet of Waite Pond to inlet of Leesville Pond outlet of Curtis Pond	59.3 51.3 <u>8.0 -</u> 0.0	В	Warm Water	
Leesville Pond	Entire pond in Auburn and Worcester		<u>B</u>	Warm Water	
Unnamed stream	From outlet of Leesville Pond, Worcester, to inlet of Curtis Ponds, Worcester		<u>B</u>	Warm Water	
<u>Curtis Ponds</u>	Entire ponds (North and South), Worcester		<u>B</u>	Warm Water	
Middle River	From outlet of Coes Pond, Worcester, to confluence with an unnamed stream (Mill Brook) Entire Length	<u>51.3 48.82.5 -</u> <u>0.0</u>	В	Warm Water	Formatted: No underline
Blackstone River	Source-From confluence of Middle River and unnamed stream (Mill Brook), Worcester to outlet of Fisherville Pond	48.8 - 39.8	В	Warm Water CSO	Formatted: No underline
	Outlet of Fisherville Pond to MA-RI state line Remainder of Massachusetts portion	39.8 - 20.0	В	Warm Water	
Unnamed stream (Mill Brook)	Entire LengthFrom outlet of Indian Lake, Worcester, to confluence with Middle River, Worcester	3.0 - 0.0	В	Warm Water CSO	Formatted: No underline

<u>TF- **5**</u> | Page

4.06: continued

Quinsigamond River	Entire <u>l</u> Length	5.3 - 0.0	В	Warm Water	Formatted: No underline

1	TABLE 14				
	BLACKSTONE RIVER BASIN (continued)				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Mumford River	Source to Douglas WWTFPOTW discharge	14.5 - 9.0	В	Warm Water	Formatted: No underline
				High Quality Water	
	From Douglas WWTFPOTW discharge to confluence with the Blackstone River	9.0 - 0.0	В	Warm Water	
West River	Source to Upton WWTFPOTW discharge	-	В	Cold Water	Formatted: No underline
		,		High Quality Water	
	From the Upton WWTFPOTW discharge to confluence with the Blackstone River, Uxbridge	8.8 - 0.0	В	Warm Water	
Mill River	Entire LengthFrom the outlet of North Pond, Milford, to	11.0 0.0	В	Warm Water	Formatted: No underline
	the Mendon/Blackstone town line				
	From the Mendon/Blackstone town line to a line 1000 feet		<u>B</u>	Warm Water	
	northerly of and parallel to the MA-RI state line, Blackstone			Treated Water Supply	
Beaver Brook	Entire <u>l</u> Length, Worcester	3.0 - 0.0	В	Warm Water	Formatted: No underline
				High Quality Water	
Weasel Brook	Entire <u>l</u> Length, <u>Worcester</u>	3.0 - 0.0	В	Warm Water	Formatted: No underline
	-			High Quality	

<u>TF-6|Page</u>

4.06: continued

	TABLE 14 BLACKSTONE RIVER BASIN (continued)				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
				Water	
Kettle Brook Reservoir Nos. 1-4	Source to outlets Entire reservoir in Leicester and Paxton	_	A	Public Water	 Formatted: No underline
	and those tributaries thereto			SupplyPWS ORW	
Lynde Brook Reservoir	Source to outlet Entire reservoir in Leicester and those	-	A	Public Water	 Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
#2 Holden Reservoir	Source to outlet Entire reservoir in Holden and those	_	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
#1 Holden Reservoir	Source to outletEntire reservoir in Holden and those	_	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Wallum Lake	The northern portion of the lLake in Douglas to a line	_	В	Treated Water	Formatted: No underline
	1000 feet northerly of and parallel to the MA-RI state line			Supply	
Mill River	in Blackstone		₽	Treated Water	 Formatted: No underline
				Supply	
All-MA iInterstate surface	From a line in MA which is 1000 feet upstream from and	-	A	Public Water	
waters that are public water	parallel to the MA-RI state line, to that state line			Supply PWS	
supply in flow into Rhode Island PWSs from 1000 feet upstream	(including, but not limited to, the relevant portions of Wallum Lake in Douglas, Mill River in Blackstone, and			<u>ORW</u>	
of the State Line	the entirety of Robin Hollow Pond in North Attleborough)				

<u>TF- **7** | Page</u>

4.06: continued

	4.00. Commucu								
		TABLE 14 BLACKSTONE RIVER BASIN (continued)							
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*				
	Coal Mine Brook	Source in Worcester to inlet of Lake Quinsigamond, Worcester		<u>B</u>	Cold Water				
ĺ	Cold Spring Brook	Entire length, Uxbridge	entire length	<u>B</u>	Cold Water				
	Scott Brook	Source in Holden to inlet of Holden Reservoir No 1, Holden		<u>A</u>	Cold Water PWS ORW				
İ	Warren Brook	Entire length, Upton ²	entire length	<u>B</u>	Cold Water				

¹Names cited in parentheses are unofficial, locally-used names

²Note that all or a portion of this surface water is within the Miscoe, Warren and Whitehall Watersheds Area of Critical Environmental Concern


*Acronyms:

<u>CSO</u> = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued

	TABLE <u>152</u> BOSTON HARBOR DRAINAGE	AREA		
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*
Boston Harbor	Entire harbor, from the respective seaward boundaries of Boston Inner Harbor, and Pleasure, Dorchester, Quincy, and Hingham bays, easterly to Inside a straight line drawn from the southerly tip of Deer Island to Boston Lighthouse on Little Brewster Island, then south to Point Allerton in Hull, except as denoted below		SB	Shellfishing
Pleasure Bay	Entire semi-enclosed bay, its seaward boundary formed by a straight line drawn from the southerly tip of Castle Island to the northerly tip of Head Island, Boston.		<u>SB</u>	Shellfishing
Boston Inner Harbor	Boston Inner Harbor Entire inner harbor, inclusive of the Reserved, Fort Point and Little Mystic channels, from the respective mouths of the Charles, Mystic, and Chelsea rivers, southeasterly to its seaward boundary formed by westerly inside a straight line drawn from the southern tip of Governors Island to Fort Independence, Boston, including the Charles, Mystic, Island End and Chelsea (Creek) Rivers and Reserved, Fort Point and Little Mystic Channels	-	SB(CSO)	
<u>Island End River</u>	Entire river, Everett/Chelsea, to confluence with the Mystic River		SB(CSO)	

<u>TF-</u> **10** | Page

	TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA	(continued)		
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*
Chelsea River (Chelsea Creek)	Entire river, from the confluence of Mill Creek, Chelsea/Revere to its mouth at Boston Inner Harbor, Boston/Chelsea.		SB(CSO)	
Dorchester Bay	Entire bay, from the mouth of the Neponset River, Boston/Quincy, northeasterly to the bay's seaward boundary formed by straight lines drawn from the southerly tip of Head Island, Boston, to the north side of Thompson Island, Boston; and from the southerly tip of Thompson Island to Chapel Rocks, Quincy.	-	SB	Shellfishing CSO
Quincy Bay	The southern portion of Quincy Bay in Quincy, southerly of a seaward boundary formed by a straight line drawn from Bromfield Street near 692 Quincy Shore Drive (the Wallaston Wollaston Yacht Club) northerly-northeast to 42° 17' 3" N, 71° 00' 1" W (bouy buoy "C 1") southeasterly to Houghs Neck near Sea Street and Peterson Road (formerly referred to as the "Willows"), sometimes known as Lord's Point on the northerly shore of Houghs Neck in Quincy	-	SA	Shellfishing

	TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA	(continued)		
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*
	Remainder-The northern portion of Quincy Bay: northeasterly from the seaward boundary of the southern portion, to a seaward boundary formed by a straight line drawn from the eastern tip of Moon Head to the northern tip of Nut Island, Quincy.		SB	Shellfishing
Hingham Harbor	Hingham-Entire hHarbor in Hingham, southerly of the seaward boundary formed by a straight line drawn inside a line from from Crows Point to Worlds End Promonteory	-	SA	Shellfishing
Hingham Bay	Entire bay, westerly of the seaward boundaries of Hull Bay and Hingham Harbor and of the mouth of the Weir River; and northerly of the mouths of the Weymouth Fore and Weymouth Back rivers; to its northwest and seaward boundary formed by a straight line drawn from the northerly tip of Nut Island, Quincy, to Peddocks Island at the southerly point of West Head, Hull; and from the northeastern point of Peddocks Island, Hull, toWindmill Point, Hull.		<u>SB</u>	Shellfishing

	TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*		
Hull Bay	Entire bay, its western and seaward boundary formed by straight lines drawn from Windmill Point, Hull, to Bumkin Island (Bumpkin Island), Hingham; and from the easterly point of Bumkin Island to the westerly point of Sunset Point, Hull.		SB	Shellfishing		
Other coastal and marine waters	Other coastal and marine waters Iin the Boston Harbor Drainage Area	-	SB	Shellfishing		
Aberjona River	Source in Woburn to outlet of Mishawum Lake	118.4 15.1 9.5 - 5.9	В	Warm Water		
Aberjona River (cont.)	Outlet of Mishawum Lake to inlet of Upper Mystic Lake	15.1 9.2 <u>5.9</u> - 0.0	В	Warm Water		
Upper Mystic Lake	Entire lake, Winchester/Arlington/Medford	9.2 8.1	В	Warm Water		
Lower Mystic Lake	Entire lake, Arlington/Medford	8.1 7.4	В	Warm Water		
Mystic River	From Ooutlet of Lower Mystic Lake to Amelia Earhart Dam, Somerville/Everett	7.4 - 2.0	В	Warm Water CSO		
	Amelia Earhart Dam, Somerville/Everett to confluenceits mouth at Boston Inner Harbor, Chelsea/Charlestownwith the Chelsea River	2.0 - 0.0	SB(CSO)	Shellfishing		
Malden River	Entire <u>l</u> Length, <u>Everett/Malden/Medford</u>	1.9 - 0.0	В	Warm Water		

	TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Alewife Brook	Entire Length, source in Cambridge to confluence with Mystic River, Arlington/Somerville	2.0 0.0	В	Warm Water CSO			
Little River	From 150 feet upstream of the confluence with Alewife Brook, Cambridge, to the confluence with Alewife Brook, Cambridge		<u>B</u>	Warm Water CSO			
Horn Pond	Entire pond Source to outlet in Woburn Warm Water		<u>B</u>	BWarm Water			
Belle Isle Inlet	Entire inlet and those tributaries thereto ² , Boston/Winthrop	-	SA	Shellfishing -Outstanding Resource WaterORW			
North Reservoir and Middle Reservoir	Entire reservoir Source to outlet in Winchester Stoneham and Medford and those tributaries thereto	7	A	Public Water SupplyPWS ORW			
Middle Reservoir	Entire reservoir to outlet in Medford and those tributaries thereto		<u>A</u>	PWS ORW			
South Reservoir	Entire reservoir Source to outlet in Medford and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Fresh Pond	Entire pond Source to outlet in Cambridge and those tributaries thereto	-	A	Public Water SupplyPWS ORW			

TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*		
Neponset Reservoir	Entire reservoir to Upstream of dam at-outlet-of into Crackrock Pond, Foxborough	Above 29.5	В	Warm Water High Quality Water		
Neponset River	Source-From outlet of Neponset Reservoir, Foxborough, to confluence with Mother Brook, Boston (inclusive of Crackrock Pond)	29.5 7.9	В	Warm Water		
	From confluence with Mother Brook, Boston, to Milton Lower Falls Dam (Neponset River Baker Chocolate Dam, NAT ID: MA0193), Milton/Boston	7.9 - 4.2	В	Warm Water		
	Tidal pPortion, from Milton Lower Falls Dam (Neponset River Baker Chocolate Dam, NAT ID: MA0193), Milton/Boston to its mouth at Dorchester Bay, Boston/Quincy	4.2 - 0.0	SB	Shellfishing		
Weymouth Fore River	Entire river to its mouth at Hingham Bay formed by a straight line between Lower Neck, Weymouth and Wall Street on Houghs Neck, Quincy.	-	SB* <u>,</u> B* <u>*</u>	Shellfishing† Warm Water†		
Weymouth Back River	From the base of the fish ladder north of Commercial Street, Weymouth, to its mouth at Hingham Bay formed by a straight line between Lower Neck. Weymouth and Wompatuck Road, Hingham. ³	-	SA*, B**_	Shellfishing† Warm Water† Outstanding Resource WaterORW		

4.06: continued

TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Weir River	From confluence of Crooked Meadow River and Fulling Mill Brook to its mouth at Hingham Bay formed by a straight line from the northerly point of Worlds End, Hingham, to Nantasket Road near Beech Avenue, Hull.		SA* <u>.</u> B* <u>*</u>	Shellfishing† Outstanding Resource Water ORW			
Fresh River	Entire river in Weymouth/Hingham ³ , to confluence with the Weymouth Back River	-	<u>SA, B**</u>	Warm Water <u>†</u>			
Cranberry Brook	From the outlet of Cranberry Pond, Braintree, to confluence with the Cochato River, Braintree ⁵	-	В	Outstanding Resource WaterORW			
Cranberry Pond	Entire pond Source to outlet in Braintree ⁵	-	В	Outstanding Resource Water ORW			
Bouve Pond and Brewer Pond	Entire pond in Hingham ³	-	В	Warm Water Outstanding Resource WaterORW			
Brewer Pond	Entire pond in Hingham ³		<u>B</u>	Warm Water ORW			
Straits Pond	Entire pond in Hull and Cohasset ⁴	-	В	Warm Water Outstanding Resource Water ORW			
Great Pond	Entire pond Source to outlet in Braintree and those tributaries thereto	-	A	Public Water SupplyPWS ORW			

<u>TF-</u> **16** | Page

TABLE <u>152</u> BOSTON HARBOR DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*		
Upper Reservoir of Great Pond	Entire reservoir Source to outlet in Braintree and those tributaries thereto	-	A	Public Water SupplyPWS ORW		
Whitmans Pond	Entire pondSource to outlet in Weymouth and those tributaries thereto	-	A	Public Water SupplyPWS ORW		
Richardi Reservoir	Entire reservoir Source to outlet in Braintree and those tributaries thereto	-	A	Public Water SupplyPWS ORW		
Weymouth Great Pond (Great Pond)	Source Entire pond to outlet in Weymouth and those tributaries thereto		A	Public Water SupplyPWS ORW		
Accord Pond	Source Entire pond to outlet in Hingham and those tributaries thereto	-	A	Public Water SupplyPWS ORW		
Accord Brook	From Ooutlet of Accord Pond, Hingham, to water supply intake, Hingham, and those tributaries thereto	-	A	Public Water SupplyPWS ORW		

¹ Names cited in parentheses are unofficial, locally-used names

² Note that all or a portion of these surface waters are within the Rumney Marshes Area of Critical Environmental Concern (ACEC)

³ Note that all or a portion of these surface waters are within the Weymouth Back River ACEC

⁴ Note that all or a portion of these surface waters are within the Weir River ACEC

Note that all or a portion of these surface waters are within the Cranberry Brook Watershed ACEC

4.06: continued

*Acronyms:

CSO = Combined Sewer Overflow

ORW = Outstanding Resource Water

*Acronyms (cont.):

PWS = Public Water Supply

**Coastal and mMarine waters Class SA or SB as designated; fresh waters Class B

†Shellfishing applies to coastal and marine waters only; warm water applies to fresh waters only

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.




TABLE 253 BUZZARDS BAY COASTAL DRAINAGE AREA						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Cape Cod Canal ,	The portion of the canal in Sandwich	-	SB	Shellfishing		
Cape Cod Canal,	The portion of the canal in Bourne	-	SB	Shellfishing		
Buttermilk Bay	Entire bay in Bourne/Plymouth		SA	Shellfishing		
Onset Bay	Entire bay in Wareham	-	SA	Shellfishing		
Pocasset River ²		-	SA	Shellfishing		Formatted: No underline
				Outstanding Resource Water ORW		Formatted: No underline
Agawam River	Source to Wareham WWTF-POTW discharge	Above 2.2	В	Warm Water		Formatted: No underline
				High Quality Water		
	From Wareham WWTF-POTW discharge to confluence	2.2 - 0.0	SB	Shellfishing		
	with the Wareham River					
Wareham River	Entire Llength, from confluence of Wankinko and Agawam	_	SA	Shellfishing		Formatted: No underline
	Rivers at Route 6 bridge, Wareham to confluence with			High Quality Water		
	Buzzards Bay, Wareham (inclusive of Marks Cove).					
Weweantic River	Source to inlet outlet of Horseshoe Pond	Above 4.4	В	Warm Water		Formatted: No underline
				High Quality Water		
	From the Ooutlet of Horseshoe Pond to confluence with Buzzards Bay	4.4 - 0.0	SA	Shellfishing High Quality Water		

4.06: continued

TABLE 253 BUZZARDS BAY COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Sippican River	Source to County Road, Marion/-Wareham	Above 2.1	В	Warm Water		
				High Quality Water		
	From County Road, Marion/Wareham to confluence with the Weweantic River	2.1 - 0.0	SA	Shellfishing High Quality Water		
Sippican Harbor	Entire harbor	-	SA	Shellfishing		
Aucoot Cove	Entire cove	-	SA	Shellfishing		
Mattapoisett Harbor	Entire harbor	-	SA	Shellfishing		
Nasketucket Bay	Entire bay	-	SA	Shellfishing		
New Bedford Reservoir	Source to outletEntire reservoir	Above 8.2	В	Warm Water		
				High Quality Water		
Acushnet River	From Ooutlet of New Bedford Reservoir to Tarkiln Hill	8.2 4.5 <u>7.0 -</u>	В	Warm Water		
	Road/Main Street, New Bedford/Acushnet	3.3		High Quality Water		
	From Tarkiln Hill Road/Main Street, New	4.5 <u>1.2</u> 3.3 -	SB	Shellfishing		
	Bedford/Acushnet to Rt. 6, New Bedford/ Fairhaven	0.0		CSO		
Inner New Bedford Harbor		1.2 - 0.0	SB	Shellfishing CSO		
Outer New Bedford Harbor	Entire harbor	_	SA	Shellfishing		

Formatted: No underline

Formatted: No underline

Formatted: No underline

4.06: continued

TABLE 253 BUZZARDS BAY COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Clarks Cove,	New Bedford/Dartmouth	-	SA	Shellfishing CSO		
Apponagansett Bay-	New Bedford/Dartmouth		SA	Shellfishing		
Slocums River	From confluence with the Paskamanset River, Dartmouth, to confluence with Buzzards Bay, Dartmouth	-	SA	Shellfishing High Quality Water		
Westport River, East Branch	From the Ooutlet of Noquochoke Lake to Old County Road, Westport	12.0 - 10.0	В	Warm Water High Quality Water		
	From Old County Road, Westport to confluence with Westport Harbor and Horseneck Channel	10.0 - 0.0	SB	Shellfishing High Quality Water		
Westport River, West Branch	Entire Lengthlength	_	SA	Shellfishing High Quality Water		
Freeman Pond , Mill Pond, Shop Pond and Upper Pond	Entire pond in Bourne ²	-	<u>SA,</u> B* <u>*</u>	Warm Water‡ Outstanding Resource WaterORW		
Mill Pond	Entire pond in Bourne ²		<u>SA, B**</u>	Warm Water† ORW		
Shop Pond	Entire pond in Bourne ²		<u>SA, B**</u>	Warm Water† ORW		

Formatted: No underline

Formatted: No underline

4.06: continued

TABLE 253 BUZZARDS BAY COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
<u>Upper Pond</u>	Entire pond in Bourne ²		<u>S</u> A, B**	Warm Water† ORW		
Copicut Reservoir	Source Entire reservoir to outlet in Fall River and Dartmouth and those tributaries thereto	1	A	Public Water SupplyPWS ORW		
Sand Pond Reservoir	Entire reservoir Source to outlet in Wareham and those tributaries thereto		A	Public Water SupplyPWS ORW		

¹Names cited in parentheses are unofficial, locally-used names

²Note that all or a portion of these surface waters are within the Pocasset River Area of Critical Environmental Concern

*Acronyms:

<u>CSO</u> = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

**Coastal and Mmarine waters Class SA; fresh waters Class B

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

†Warm water applies to fresh waters only




	TABLE 264 CAPE COD COASTAL DRAINAGE AREA						
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
	Scorton Harbor	Entire harbor	-	SA	Shellfishing		
•	Scorton Creek	Source in Sandwich to confluence with Scorton Harbor and those tributaries thereto		SA <u>, B**</u>	Shellfishing <u>†</u>		
	Barnstable Harbor	Entire area excluding Freezer Point and the developed marina ² Water	-	SA	Shellfishing Outstanding Resource ORW		
	Broad Sound	Entire sound	-	SA	Shellfishing		
	Bass Creek , Brickyard Creek, Mill Creek and Wells Creek	Entire creek	-	SA	Shellfishing		
	Brickyard Creek	Entire creek		<u>SA, B**</u>	Shellfishing†		
	Mill Creek	Entire creek		<u>SA</u>	Shellfishing		
	Wells Creek	Entire creek		<u>SA</u>	Shellfishing		
	Namskaket Creek, Little Namskaket Creek, Rock Harbor Creek, Boat Meadow River and Herring River	Entire creek ³	-	SA <u>, B**</u>	Shellfishing† Outstanding Resource WaterORW		
	Little Namskaket Creek	Entire creek ³		<u>SA, B**</u>	Shellfishing† ORW		

Rock Harbor Creek	Entire creek ³	<u>SA, B**</u>	Shellfishing† ORW
Boat Meadow River	Entire river ³	<u>SA, B**</u>	Shellfishing ORW



TABLE 264 CAPE COD COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Herring River	Entire river ³		SA, B**	Shellfishing† ORW		
Pleasant Bay	Entire bay and those tributaries thereto ⁴		SA <u>, B**</u>	Shellfishing† Outstanding Resource WaterORW		
Ryder Cove, Bassing Harbor, Frost Fish Creek, and Muddy Creek	in ChathamPortion of the surface water within the Pleasant Bay ACEC, Chatham		<u>SA</u>	Outstanding Resource WaterORW		
Bassing Harbor	Portion of the surface water within the Pleasant Bay ACEC, Chatham		<u>SA</u>	ORW		
Frost Fish Creek	Portion of the surface water within the Pleasant Bay ACEC, Chatham		SA, B**	ORW		
Muddy Creek	Portion of the surface water within the Pleasant Bay ACEC, Chatham		<u>SA</u>	ORW		
Round Cove in Harwich	Portion of the surface water within the Pleasant Bay ACEC, Harwich		<u>SA</u>	Outstanding Resource WaterORW		

	TABLE 264 CAPE COD COASTAL DRAINAGE AREA (continued)							
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	<u>QUALIFIERS*</u>			
	Namequoit River, The River, The Horseshoe, the Narrows, Frostfish Cove, Hog Island Creek, and Broad Creek in Orleans	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	Outstanding Resource WaterORW			
	The River	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	ORW			
i	The Horseshoe	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	ORW			
	The Narrows	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	<u>ORW</u>			
	Frostfish Cove	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	<u>ORW</u>			
	Hog Island Creek	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	ORW			
	Broad Creek	Portion of the surface water within the Pleasant Bay ACEC, Orleans		<u>SA</u>	ORW			
	Waquoit Bay	Entire bay and those tributaries thereto ⁵	-	SA <u>.</u> <u>B</u> **	Shellfishing† Outstanding Resource WaterORW			

4.00. Continued	TABLE 264 CAPE COD COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Childs River , Quashnet River, and Red Brook	Portion of the surface water within the Waquoit Bay ACEC, Falmouth		<u>SA, B**</u>	Outstanding Resource WaterORW			
Quashnet River	Portion of the surface water within the Waquoit Bay ACEC, Falmouth		<u>SA, B**</u>	ORW			
Red Brook	Portion of the surface water within the Waquoit Bay ACEC, Mashpee		<u>SA, B**</u>	ORW			
Falmouth Inner Harbor ,	Falmouth	-	SB	Shellfishing			
Herring Pond (Coles Pond) and Cedar Pond	Entire pond in Eastham ³	-	<u>SA,</u> B* <u>*</u>	Warm Water† Outstanding Resource WaterORW			
Cedar Pond	Entire pond in Orleans ³		<u>SA, B**</u>	Warm Water† ORW			
Stillwater Pond , Lovers Lake, Mill Pond, Ministers Pond and Crows Pond	Entire pond in Chatham ⁴	-	B*	Warm Water Outstanding Resource WaterORW			
Lovers Lake	Entire lake in Chatham ⁴		<u>B</u>	Warm Water ORW			

4.06: continued

TABLE 264 CAPE COD COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Mill Pond	Entire pond in Chatham/East Harwich ⁴		<u>B</u>	Warm Water ORW		
Ministers Pond	Entire pond in Chatham ⁴		<u>B</u>	Warm Water ORW		
Crows Pond	Entire pond in Chatham ⁴		<u>B*SA</u>	Warm Water ORW		
Pilgrim Lake (Dean Sparrows Pond), Quanset Pond, Crystal Lake, Paw Wah Pond, Uncle Seths Pond, Sarahs Pond, Areys Pond, Gould Pond, Kescago Gansett Pond and Meeting House Pond	Entire lake in Orleans ⁴		B*	Warm Water Outstanding Resource WaterORW		
Quanset Pond	Entire pond in Orleans ⁴		SA B*	Warm Water-ORW		
Crystal Lake (Fresh Pond)	Entire lake in Orleans ⁴		<u>B*</u>	Warm Water ORW		
Paw Wah Pond	Entire pond in Orleans ⁴		SA B*	Warm Water-ORW		
Uncle Seths Pond	Entire pond in Orleans ⁴		<u>B*</u>	Warm Water ORW		

<u>TF-</u> **30** | P a g e

TABLE 264 CAPE COD COASTAL DRAINAGE AREA (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Sarahs Pond	Entire pond in Orleans ⁴		<u>B*</u>	Warm Water ORW			
Areys Pond	Entire pond in Orleans ⁴		<u>B*SA</u>	Warm Water ORW			
Gould Pond	Entire pond in Orleans ⁴		<u>B*</u>	Warm Water ORW			
Kescayo Gansett Pond	Entire pond in Orleans ⁴		<u>B*SA</u>	Warm Water ORW			
Meeting House Pond	Entire pond in Orleans ⁴		<u>B*SA</u>	Warm Water ORW			
Bourne Pond, Bog Pond, Caleb Pond and Hamblin Pond	Entire pond in Falmouth ⁵	-	B*	Warm Water Outstanding Resource WaterORW			
Bog Pond	Entire pond in Falmouth ⁵		SA, B**	Warm Water† ORW			
Caleb Pond	Entire pond in Falmouth ⁵		<u>B*SA</u>	Warm Water ORW			
<u>Hamblin Pond</u>	Entire pond in Falmouth/Mashpee ⁵		<u>B*SA</u>	Warm Water ORW			

4.06: continued

TABLE 264 CAPE COD COASTAL DRAINAGE AREA (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Flat Pond, Jehu Pond, Jim Pond, Lily Pond (Little Flat Pond), Sagelot Pond, and Witch Pond	Entire pond in Mashpee ⁵	-	<u>SA</u> , B* <u>*</u>	Warm Water <u>†</u> Outstanding Resource WaterORW			
Jehu Pond	Entire pond in Mashpee ⁵		<u>B*SA</u>	Warm Water ORW			
Jim Pond	Entire pond in Mashpee ⁵		<u>B*</u>	Warm Water ORW			
Lily Pond (Little Flat Pond)	Entire pond in Mashpee ⁵		SA, B**	Warm Water† ORW			
Sage Llot Pond	Entire pond in Mashpee ⁵		<u>B*SA</u>	Warm Water ORW			
Witch Pond	Entire pond in Mashpee ⁵		<u>B*</u>	Warm Water ORW			
Long Pond (Long Pond Reservoir)	Entire pond Source to its to outlet in Falmouth and those tributaries thereto	_	A	Public Water SupplyPWS ORW			
Atlantic Ocean and other surface waters within/bordering the Cape Cod National Seashore	Waters inwithin and adjacent** (within 1,000 feet seaward of mean low water) to the Cape Cod National Seashore	-	SA. <u>B</u> **	Shellfishing† Outstanding Resource WaterORW			

<u>TF-</u> **32** | P a g e

Names cited in parentheses are unofficial, locally-used names

Note that all or a portion of these surface waters are within the Sandy Neck Barrier Beach System ACEC

4.06: continued

³Note that all or a portion of these surface waters are within the Inner Cape Cod Bay ACEC

⁴Note that all or a portion of these surface waters are within the Pleasant Bay ACEC

⁵Note that all or a portion of these surface waters are within the Waquoit Bay ACEC

*Acronyms:

ACEC = Area of Critical Environmental Concern

ORW = Outstanding Resource Water

PWS = Public Water Supply

**Coastal and mMarine waters Class SA; fresh waters Class B

**Area within 1.000 feet seaward of mean low water

Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of

"0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

†Shellfishing applies to marine and coastal waters only; warm water applies to fresh waters only.




TABLE 516 CHARLES RIVER BASIN						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Charles River	Source to Dilla Street, Milford and those tributaries thereto	78.9 76.5 <u>78.2</u> - 75.8	A	Public Water SupplyPWS ORW		
	From Dilla Street, Milford to Milford WWTFPOTW discharge	76.5 73.4 <u>75.8</u> - 72.7	В	Aquatic Life		
	From Milford WWTF POTW discharge to outlet of Populatic Pond, Medway	73.4 58.9 <u>72.7</u> - 58.2	В	Warm Water		
	From Ooutlet of Populatic Pond, Medway, to South Natick Dam	<u>58.9 41.058.2</u> <u>- 40.3</u>	В	Warm Water		
	From South Natick Dam to Watertown Dam	<u>41.0 9.840.3 -</u> <u>9.1</u>	В	Warm Water		
	From Watertown Dam to BU Bridge	9.8 3.7 <u>9.1 -</u> 3.0	В	Warm Water CSO		
Charles Basin	From BU Bridge to its mouth at the New Charles River Dam (inclusive of Charles River Basin)	3.7 0.73.0 - 0.0	В	Warm Water CSO		
Muddy River	Entire <u>l</u> Length	2.7 - 0.0	B(CSO)	Warm Water		
Mine Brook	Source to former Franklin STP-POTW discharge	7.2 - 4.0	В	Warm Water High Quality Water		

4.06: continued

TABLE 165 CHARLES RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Mine Brook (cont.)	From Fformer Franklin STP POTW discharge to confluence with the Charles River, Franklin	4.0 - 0.0	В	Warm Water			
Unnamed tributary (Sugar Brook)	Entire LengthSource in Millis to confluence with the Charles River, Millis		В	Warm Water High Quality Water			
Stony Brook Reservoir (Turtle Pond)	Source-Entire reservoir to outlet in Weston/Waltham and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Cambridge Reservoir (Hobbs Brook Upper and Lower Reservoirs)	Source-Entire reservoir to outlet in Waltham and those tributaries thereto (this reservoir is a "feeder" to Fresh Pond, Cambridge)		A	Public Water SupplyPWS ORW			
Sandy Pond (Flint's Pond)	Source-Entire pond to outlet in Lincoln and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Echo Lake	Entire lake Source to outlet in Hopkinton and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Louisa Lake	Entire ILake to outlet in Milford and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Shepards Brook	Source in Franklin to confluence with Charles River,		<u>B</u>	<u>Cold Water</u>			

<u>TF-</u> **36** | P a g e

4.06: continued

	1.00. Continued				
		TABLE <u>165</u> CHARLES RIVER BASIN (continued)			
l	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*
		Franklin			

¹Names cited in parentheses are unofficial, locally-used names


*Acronyms:

<u>CSO</u> = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued

4.00. Conti		TABLE <mark>86</mark> CHICOPEE RIVER BASIN			
SURFA	CE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*
Ware Rive	er	Source to MDC intake and those tributaries thereto	34.0 - 29.1	A	Public Water
					SupplyPWS ORW
		From MDC intake to dam at South Barre	29.1 - 27.3	В	Cold Water High Quality Water
		From Dam dam at South Barre to confluence with Quaboag River	27.3 - 0.0	В	Warm Water CSO
Prince Riv	ver	Entire LlengthSource in Barre to confluence with the Ware River, Barre	26.4 + 8.4 	В	Cold Water High Quality Water
Swift Rive	er	Upstream of Winsor Dam and tributaries thereto	0.8 + Above 9.8	A	Public Water Supply
Swift Rive	er	From Winsor Dam, Ware/Belchertown, to confluence with Ware River, PalmerRailroad Bridge Crossing, Bondsville (Palmer)	9.8 – 5.9 0.0	В	Cold Water
		Railroad Bridge Crossing, Bondsville to confluence with Ware River	5.9 0.0	₽	Cold Water, CSO
Sevenmile	e River	Source to confluence with Cranberry River	8.6 - 2.4	В	Warm Water
					High Quality Water

Formatted: No underline

Formatted: No underline

4.06: continued					
	From confluence with Cranberry River to confluence with East Brookfield River	2.4 - 0.0	В	Warm Water	
East Brookfield River	Entire Llength, East Brookfield	2.2 - 0.0	В	Warm Water	Formatted: No underline
Quaboag River	Source to Rt. 67	24.9 - 19.2	В	Warm Water	Formatted: No underline
	Rt. 67 to Warren WWTF_POTW discharge	19.2 - 13.1	В	Warm Water	
	TABLE <u>86</u> CHICOPEE RIVER BASIN (continue	ed)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Quaboag River (cont.)	From Warren WWTF POTW discharge to confluence with Ware River	13.1 - 0.0	В	Warm Water CSO	
Forget-Me-Not Brook	Source to North Brookfield WWTFPOTW discharge	25.0 + 4.9	В	Cold Water	Formatted: No underline
Forget Me Not and Dunn Brook		-3.3		High Quality Water	
	From North Brookfield WWTF-POTW discharge to confluence with Quaboag RiverDunn Brook	25.0 + 3.3 -0.0	В	Warm Water	
Dunn Brook	From confluence with Forget-Me-Not Brook to confluence with the Quaboag River	2.4 – 0.0	<u>B</u>	Warm Water	
Chicopee Brook	Entire <u>Ll</u> ength, <u>Monson</u>	4.5 + 7.0 0.0	В	Cold Water	Formatted: No underline
Chicopee River	Confluence of Ware and Quaboag Rivers to confluence with the Connecticut River	17.9 - 0.0	В	Warm Water CSO	Formatted: No underline

Lake Mattawa	Source Entire lake to outlet in Orange and those	_	A	Public Water	Formatted: No underline
(North Pond Brook Reservoir)	tributaries thereto			SupplyPWS ORW	
Allen Hill Reservoir	Source Entire reservoir to outlet in Barre and those	_	A	Public Water	Formatted: No underline
(Barre Town Reservoir)	tributaries thereto			SupplyPWS ORW	
Ludlow Reservoir	Source Entire reservoir to outlet in Ludlow and those	-	A	Public Water	Formatted: No underline
(Springfield Reservoir)	tributaries thereto			SupplyPWS ORW	

SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	<u>QUALIFIERS*</u>	
Doane Pond	Source-Entire pond to outlet in North Brookfield and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Horse Pond (North Pond)	Entire pond and those tributaries thereto		A	Public Water SupplyPWS ORW	Formatted: No underline
Palmer Reservoir (Graves Brook Upper Reservoir)	Source Entire reservoir to outlet in Palmer and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline

	4.06: continued					
		TABLE <u>86</u> CHICOPEE RIVER BASIN (continue	d)			
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Ì	Shaw Pond	Source-Entire pond to outlet in Leicester and -those	_	A	Public Water	Formatted: No underline
		tributaries thereto			SupplyPWS ORW	
	Mare Meadow Reservoir	Source-Entire reservoir to outlet in Hubbardston and	-	A	Public Water	Formatted: No underline
		those tributaries thereto			SupplyPWS ORW	
	Bickford Pond	Source-Entire pond to outlet in Hubbardston and those	-	A	Public Water	Formatted: No underline
		tributaries thereto			SupplyPWS ORW	
	Palmer Reservoir (Unnamed	Entire rReservoir to outlet in Palmer and those	_	A	Public Water	Formatted: No underline
	Reservoir, Graves Brook Lower Reservoir, Palmer Lower Reservoir)	tributaries thereto			SupplyPWS ORW	
	O 11: P				D 11' W (Formatted: No underline
	Quabbin Reservoir	Entire rReservoir to outlet in Ware and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline
	Bradish Brook	Source in West Brookfield to inlet of Wickaboag Pond, West Brookfield		<u>B</u>	Cold Water	
Ĭ	<u>Cadwell Brook</u>	Source in Wilbraham to confluence with Twelvemile Brook, Wilbraham		<u>B</u>	Cold Water	

4.06: continued

TABLE 86 CHICOPEE RIVER BASIN (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	<u>QUALIFIERS*</u>		
<u>Cadwell Creek</u>	Source in Pelham to inlet of Quabbin Resevoir, Belchertown		<u>A</u>	Cold Water PWS ORW		
Camel Brook	Source in Shutesbury to confluence with West Branch Swift River, Shutesbury		<u>A</u>	Cold Water PWS ORW		
Cobb Brook	Source in Shutesbury to inlet of Quabbin Resevoir, Shutesbury		<u>A</u>	Cold Water PWS ORW		
Pinnacle Creek	Source in Monson to confluence with Twelvemile Brook, Monson		<u>B</u>	Cold Water		
Popple Camp Brook	Source in Phillipston to confluence with East Branch Swift River, Phillipston		<u>A</u>	Cold Water PWS ORW		
Rocky Run	Source in Shutesbury to confluence with West Branch Swift River, Shutesbury		<u>A</u>	Cold Water PWS ORW		
Smith Brook	Source in Barre to confluence with Prince River, Barre		<u>B</u>	Cold Water		
Turkey Brook	Source in Brimfield to confluence with Penny Brook, Brimfield		<u>B</u>	Cold Water		

<u>TF-</u> **43** | P a g e

4.06: continued

1.00. Commuca							
TABLE <u>86</u> CHICOPEE RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
<u>Underhill Brook</u>	Source in New Salem to inlet of Quabbin Resevoir, New Salem		<u>A</u>	Cold Water PWS ORW			

¹Names cited in parentheses are unofficial, locally-used names

*Acronyms:


CSO = Combined Sewer Overflow

MDC = Massachusetts District Commission

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued

	TABLE <u>76</u> CONNECTICUT RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Connecticut River	From MA-NH-VT New Hampshire, Vermont, Massachusetts state line to Turner's Falls Dam	138.2 - 123.4	В	Warm Water	Formatted: No underline
	From Turner's Falls Dam to Holyoke Dam	123.4 - 85.7	В	Warm Water CSO	
	Holyoke Dam to MA-CT state line. Longmeadow/Agawam	85.7 - 69.8	В	Warm Water CSO	
Bachelor Brook, Weston	From the Belchertown SchoolWWTFPOTW discharge to	12.4 0.0 1.1 –	В	Warm Water	Formatted: No underline
Brook and Lampson Brook	confluence with the Weston Brook Connecticut River	0.0			
Weston Brook	From confluence with Lampson Brook to inlet of Forge Pond (through which Bachelor Brook flows)	1.4 – 0.0	<u>B</u>	Warm Water	
Bachelor Brook	From the inlet of Weston Brook to Forge Pond (through which Bachelor Brook flows) to the confluence with the Connecticut River	11.3 – 0.0	<u>B</u>	Warm Water	
Atktins Reservoir	Source-Entire reservoir to outlet in Shutesbury and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline
Unnamed reservoir (Amethyst	Entire reservoir to outlet in Pelham and tributaries		A	Public Water	Formatted: No underline
Brook, (Hawley/Hill PWS Intake)	thereto			SupplyPWS ORW	
Hawley Reservoir	Source-Entire reservoir to outlet in Pelham and those	_	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	

<u>TF-</u> **46** | P a g e

4.06: continued		

	TABLE 67 CONNECTICUT RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Hill Reservoir	Source-Entire reservoir to outlet in Pelham and those	-	A	Public Water		Formatted: No underline		
	tributaries thereto			SupplyPWS ORW				
Unnamed Reservoir (Running	Source-Entire reservoir to outlet in Hatfield and those	_	A	Public Water		Formatted: No underline		
Gutter Brook Reservoir, Hatfield Reservoir)	tributaries thereto			SupplyPWS ORW				
White Reservoir	Source-Entire reservoir to outlet in Southampton and	-	A	Public Water		Formatted: No underline		
	those tributaries thereto			SupplyPWS ORW				
Tighe Carmody Reservoir	Source-Entire reservoir to outlet in Southampton and	_	A	Public Water		Formatted: No underline		
(Manhan Reservoir)	those tributaries thereto			SupplyPWS ORW				
Whiting Street Reservoir	Source Entire reservoir to outlet in Holyoke and those	_	A	Public Water		Formatted: No underline		
	tributaries thereto			SupplyPWS ORW	-			
Green Pond	Source Entire pond to outlet in Montague and those	_	A	Public Water		Formatted: No underline		
	tributaries thereto			SupplyPWS ORW				

<u>TF-</u> **47** | P a g e

4.00: continued	TABLE 67 CONNECTICUT RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Lake Pleasant	Source Entire lake to outlet in Montague and those	_	A	Public Water		Formatted: No underline
	tributaries thereto			SupplyPWS ORW		
Roberts Meadow Reservoir	Source-Entire reservoir to outlet in Northampton and	-	A	Public Water		Formatted: No underline
	those tributaries thereto			SupplyPWS ORW		
Mt.ountain Street Reservoir	Source-Entire reservoir to outlet in Williamsburg and	-	A	Public Water		Formatted: No underline
	those tributaries thereto			SupplyPWS ORW		
Unnamed Reservoir	Source-Entire reservoir to outlet in Whately and those	-	A	Public Water		Formatted: No underline
(Northampton Reservoir [New], Ryans Reservoir)	tributaries thereto			SupplyPWS ORW		
West Whately Reservoir	Source Entire reservoir to outlet in Whately and those	_	A	Public Water		Formatted: No underline
(Northampton Reservoir [Old])	tributaries thereto			SupplyPWS ORW		
Unnamed Reservoir (Louisiana	Source-Entire reservoir to outlet in Northfield and those	_	A	Public Water		Formatted: No underline
Brook Reservoir, Grandin Reservoir, Upper Reservoir)	tributaries thereto			SupplyPWS ORW		
Lythia Lithia Springs	Source-Entire reservoir to outlet in South Hadley and		A	Public Water		Formatted: No underline
Reservoir	those tributaries thereto	_		Supply ORW		

4.06: continued					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Reservoir (Mt. Brook	Source to outlet in Westhampton and those tributaries	_	A	Public Water	Formatted: No underline
Reservoir)	thereto			Supply	
Unquomonk Brook Reservoir	Source Entire reservoir to outlet in Williamsburg and	_	A	Public Water	Formatted: No underline
	those tributaries thereto			Supply ORW	
Unnamed Reservoir (Roaring	Entire rReservoir to outlet in Conway and those	-	A	Public Water	Formatted: No underline
Brook Reservoir)	tributaries thereto			SupplyPWS ORW	
Conway Reservoir	Entire reservoir and those tributaries thereto		A	Public Water	Formatted: No underline
•				SupplyPWS ORW	
Mill River	From Walnut Street Bridge, inSpringfield, to confluence with the Connecticut River, Springfield		<u>B</u>	CSO	Formatted: No underline
Buttery Brook				CSO	
Stony Brook				CSO	
Adams Brook	Source in Shutesbury to confluence with Fort River, Amherst		<u>B</u>	Cold Water	
Bradford Brook	Source to confluence with East Branch Mill River, Williamsburg		<u>B</u>	Cold Water	

	TABLE 67 CONNECTICUT RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Broad Brook	Entire length (from source in Holyoke to the inlet of Nashawannuck Pond, Easthampton)	entire length	<u>B</u>	Cold Water				
Buffum Buffam Brook (Buffum Brook)	Entire length, Pelham	entire length	<u>B</u>	Cold Water				
Couch Brook	Source in Leyden to confluence with Fall River, Bernardston		<u>B</u>	Cold Water				
Day Brook	Source in Williamsburg to confluence with unnamed tributary to the Mill River, Northampton (such unnamed tributary flowing from the confluence of Roberts Meadow and Clark brooks, Northampton, to the Mill River, Northampton)		<u>B</u>	Cold Water				
Dean Brook	Entire length, Shutesbury	entire length	<u>A</u>	Cold Water PWS ORW				
<u>Dry Brook</u>	Source in Bernardston to confluence with Connecticut River, Gill		<u>B</u>	Cold Water				
Esther Brook	Source in Whately to confluence with Mill River, Whately		<u>B</u>	Cold Water				
Fall River	From the MA-VT state line, Bernardston, to confluence with the Connecticut River, Greenfield	entire length	<u>B</u>	Cold Water				

	TABLE 67 CONNECTICUT RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Fourmile Brook	Entire length, Northfield	entire length	<u>B</u>	Cold Water				
Gates Brook	Entire length, Pelham	entire length	<u>B</u>	Cold Water				
Grass Hill Brook	Source in Whately to confluence with Beaver Brook, Williamsburg		<u>B</u>	Cold Water				
Goddard Brook	Source in Montague to confluence with Sawmill River, Montague		<u>B</u>	Cold Water				
Hearthstone Brook	Source in Pelham to confluence with Adams Brook, Amherst		<u>B</u>	Cold Water				
Hannigan Brook	Source in Montague to inlet of Lake Pleasant, Montague		<u>A</u>	Cold Water PWS ORW				
Harris Brook	Source in Pelham to the outlet of Intake Reservoir Dam, Pelham (inclusive of the Hawley Reservoir and the Amethyst Brook Hawley/Hill PWS Intake, also listed separately)	entire length	<u>A</u>	Cold Water PWS ORW				
	From the outlet of Intake Reservoir Dam, Pelham to confluence with Amethyst Brook, Pelham		<u>B</u>	Cold Water				
Joe Wright Brook	Entire length, Williamsburg	entire length	<u>B</u>	Cold Water				

4.00: continued	TABLE 67 CONNECTICUT RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Manhan River, North Branch	Source in Chesterfield to confluence with the Manhan River		<u>B</u>	Cold Water		Formatted: No underline
Meekin Brook	Source in Chesterfield to confluence with West Branch Mill River, Williamsburg		<u>B</u>	Cold Water		
Mill Brook (2)	Entire length (from the outlet of Stevens Swamp Dam, Warwick, to confluence with the Connecticut River, Northfield)	entire length	<u>B</u>	Cold Water		
Mill River, East Branch	Source in Williamsburg to confluence with West Branchthe Mill River, Williamsburg		В	Cold Water		Formatted: No underline
Mill River, West Branch	From East St., Goshen, to confluence with Meekin Brook, Williamsburg		<u>B</u>	Cold Water		Formatted: No underline
Millers Brook	Source in Northfield to confluence with Connecticut River, Northfield		<u>B</u>	Cold Water		
Mohawk Brook	Source in Sunderland to confluence with Connecticut River, Hadley		<u>B</u>	Cold Water		
Moose Brook	Entire length, Southampton	entire length	<u>B</u>	Cold Water		
Mountain Brook	Source in Leverett to confluence with Doolittle Brook, Leverett		<u>B</u>	Cold Water		

4.06: continued

	TABLE 67 CONNECTICUT RIVER BASIN (continued)							
SURFACE WATER NAME	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*				
Nurse Brook	Entire length, Shutesbury	entire length	<u>A</u>	Cold Water PWS ORW				
Spaulding Brook	Source in Montague to confluence with Sawmill River, Montague		<u>B</u>	Cold Water				
Red Brook	Source in Wendell to confluence with Sawmill River, Leverett		<u>B</u>	Cold Water				
Rice Brook	Entire length, Westhampton	entire length	<u>B</u>	Cold Water				
Roaring Brook	Source in Conway to South Deerfield Water Supply Dam, Whately		<u>A</u>	Cold Water PWS ORW				
	From South Deerfield Water Supply Dam, Whately, to confluence with Mill River, Whately		<u>B</u>	Cold Water				
Rogers Brook	Entire length, Goshen	entire length	<u>B</u>	Cold Water				
Sachet Sacket Brook	Entire length, Montgomery	entire length	<u>B</u>	Cold Water				
Sawmill River	From Dudleyville Rd., Leverett, to confluence with the Connecticut River, Montague		<u>B</u>	Cold Water				
Scarboro Brook	Entire length, Belchertown	entire length	<u>B</u>	Cold Water				
Schneelock Brook	Entire length, Springfield	entire length	<u>B</u>	Cold Water				

<u>TF-</u>53 | Page

Formatted: No underline

4.06: continued

	TABLE 67 CONNECTICUT RIVER BASIN (continued)								
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*					
Schoolhouse Brook	Entire length, West Springfield/Holyoke	entire length	<u>B</u>	Cold Water					
Shattuck Brook	Entire length, Leyden/Bernardston	entire length	<u>B</u>	Cold Water					
Sodom Brook	Entire length, Westhampton	entire length	<u>B</u>	Cold Water					
Tripple Brook	Entire length, Southampton	entire length	<u>B</u>	Cold Water					
West Brook	Entire length (from the outlet of West Whately Reservoir Dam, Whately, to confluence with the Mill River, Hatfield)	entire length	<u>B</u>	Cold Water					
Williams Brook	Source in Wendell to confluence with Sawmill River, Leverett		<u>B</u>	Cold Water					

Names cited in parentheses are unofficial, locally-used names

*Acronyms:


CSO = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

TF- **54** | Page



4.06: continued

4.06: continued	TABLE <u>58</u> DEERFIELD RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Deerfield River	Vermont Massachusetts-From the MA-VT state line, Monroe/Rowe, to confluence with the North River, Charlemont	42.9 - 18.2	В	Cold Water	Formatted: No underline
	From confluence with the North River, Charlemont, confluence to confluence with the Connecticut River, Greenfield/Deerfield	18.2 - 0.0	В	Warm Water	
West Branch North River	From source in Heath to confluence with the North River, Colrain		<u>B</u>	Cold Water High Quality Water	
East Branch North River	From the MA-VT state line, Colrain, to confluence with the North River, Colrain		<u>B</u>	Cold Water High Quality Water	
North River	East and West Branches from the Vermont- Massachusetts state line to their confluence	-	₽	Cold Water High Quality Water	Formatted: No underline
North River	From Confluence of East and West Branches of the North River, Colrain, to the treatment works discharge, Colrain, located approximately 0.3 river miles south of the Adamsville Road and Route 112 intersection BBA Fiberweb, Inc. WWTF	3.1 - 2.7	В	Cold Water High Quality Water	
	From BBA Fiberweb, Inc. the WWTF treatment works discharge, Colrain, located approximately 0.3 river miles south of the Adamsville Road and Route 112 intersection, to confluence with the Deerfield River.	2.7 - 0.0	В	Cold Water	

<u>TF-</u> **56** | Page

	TABLE <u>58</u> DEERFIELD RIVER BASIN			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*
	Charlemont/Shelburne/Buckland			



4.06: continued

	TABLE <u>58</u> DEERFIELD RIVER BASIN (continued	1)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Green River	Vermont Massachusetts-From the MA-VT state line to Green River water supply intake and tributaries thereto	14.5 – 8.4	A	Cold Water Public-Water Supply High Quality Water ORW	Formatted: No underline
	From Green River water supply intake to the former Greenfield Treatment Plant POTW's former discharge	8.4 - 0.6	В	Cold Water High Quality Water	
	From Former the Greenfield Treatment PlantPOTW's former discharge to confluence with the Deerfield River	0.6 - 0.0	В	Cold Water	
Highland Springs Reservoir	Source-Entire reservoir to outlet in Ashfield and those	_	A	Public Water	 Formatted: No underline
(Upper Reservoir)	tributaries thereto			SupplyPWS ORW	
Unnamed Reservoir (Mountain Spring Reservoir or Mountain Brook Reservoir)	Source Entire reservoir to outlet in Colrain and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Greenfield Reservoir (Leyden	Source Entire reservoir to outlet in Leyden and those	_	A	Public Water	Formatted: No underline
Glen Reservoir, Glen Brook Upper Reservoir)	tributaries thereto			SupplyPWS ORW	
Fox Brook Reservoir	Source Entire reservoir to outlet in Colrain and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline

<u>TF-</u> **58** | Page

4.06: continued

4.00. Commucu	TABLE 58 DEERFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*				
Phelps Brook Reservoir	Entire reservoir to outlet in Monroe and those tributaries thereto	-	A	Public Water SupplyPWS ORW				
Albee, Brook	Entire length, Hawley/Charlemont	entire length	<u>B</u>	Cold Water				
Avery Brook	Entire length, Heath/Charlemont	entire length	<u>B</u>	Cold Water				
Bear BrookRiver	Entire length, Ashfield/Conway	entire length	<u>B</u>	Cold Water				
Bear Swamp Outflow	Entire length, Rowe	entire length	<u>B</u>	Cold Water				
Black Brook	Entire length, Savoy	entire length	<u>B</u>	Cold Water				
Bozrah Brook	Entire length, Hawley/Charlemont	entire length	<u>B</u>	Cold Water				
Brown Brook	Source in Savoy to confluence with Chickley River, Savoy		<u>B</u>	Cold Water				
Burrington Brook	Source in Heath to confluence with West Branch Brook, Heath		<u>B</u>	Cold Water				
Cary Brook	Source in Colrain to confluence with West Branch North River, Colrain		<u>B</u>	Cold Water				

Formatted: No underline

	TABLE 58 DEERFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*				
<u>Cascade Brook</u>	Source in Florida to confluence with Deerfield River, Florida		<u>B</u>	Cold Water				
Chapel Brook	Entire length, Ashfield/Conway	entire length	<u>B</u>	Cold Water				
Chickley River	Entire length (from source in Savoy to confluence with the Deerfield River, Charlemont)	entire length	<u>B</u>	Cold Water				
<u>Clesson Brook</u>	Source in Hawley to confluence with Deerfield River, Buckland		<u>B</u>	Cold Water				
Cold River	Entire length (from source in Florida to confluence with the Deerfield River, Charlemont)	entire length	<u>B</u>	Cold Water				
Cooley Brook	Source in Hawley to confluence with Clesson Brook, Buckland		<u>B</u>	Cold Water				
Creamery Brook	Entire length, Ashfield	entire length	<u>B</u>	Cold Water				
<u>Dickenson Brook</u>	Source in Heath to confluence with West Branch Brook, Heath		<u>B</u>	Cold Water				
Drakes Brook	Entire length (from source in Buckland to confluence with Bear River, Conway)	entire length	<u>B</u>	Cold Water				
Dunbar Brook	From the MA-VT state line, Florida, to confluence with the Deerfield River, Monroe	entire length	<u>B</u>	Cold Water				

4.06: continued

TABLE 58 DEERFIELD RIVER BASIN (continued)								
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*				
Fife Brook	Entire length, Monroe/Florida	entire length	<u>B</u>	Cold Water				
First Brook	Entire length, Buckland	entire length	<u>B</u>	Cold Water				
Foundry Brook	Source in Colrain to confluence with East Branch North River, Colrain		<u>B</u>	Cold Water				
Fuller Brook	Source in Hawley to confluence with Chickley River, Hawley		<u>B</u>	Cold Water				
Hartwell Brook	Source in Charlemont to confluence with Deerfield River, Charlemont		<u>B</u>	Cold Water				
Hawkes Brook	Entire length, Shelburne	entire length	<u>B</u>	Cold Water				
Hinsdale Brook	From source in Colrain to confluence with Punch Brook, Greenfield	entire length	<u>B</u>	Cold Water				
Houghton Brook	Source in Colrain to confluence with North River, Colrain		<u>B</u>	Cold Water				
Hunt Brook	Source in Florida to confluence with Fife Brook, Florida		<u>B</u>	Cold Water				
Johnny Bean Brook	Source in Conway to confluence with South River, Conway		<u>B</u>	Cold Water				
Kinsman Brook	Entire length, Heath	entire length	<u>B</u>	Cold Water				

<u>TF-</u>**61** | Page

TABLE 58 DEERFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Manning Brook	Source in Florida to confluence with Cold River, Florida		<u>B</u>	Cold Water			
Mccard Brook	Source in Leyden to confluence with Mill Brook, Greenfield		<u>B</u>	Cold Water			
Mill Brook (2)	Entire length, Heath/Charlemont	entire length	<u>B</u>	Cold Water			
Mill Brook (3)	Entire length, Hawley	entire length	<u>B</u>	Cold Water			
Miller Brook	Source in Colrain to confluence with Borden Brook, Colrain	\	<u>A</u>	Cold Water PWS ORW			
Maxwell Brook	Entire length, Rowe/Charlemont	entire length	<u>B</u>	Cold Water			
North Brook	Entire length, Hawley	entire length	<u>B</u>	Cold Water			
Nye Brook	Source in Conway to confluence with Poland Brook, Conway		<u>B</u>	Cold Water			
Pelham Brook	Entire length, Rowe/Charlemont	entire length	<u>B</u>	Cold Water			
Poland Brook	Entire length, Conway	entire length	<u>B</u>	Cold Water			
Reed Brook	Entire length, Florida	entire length	<u>B</u>	Cold Water			
Rice Brook	Entire length, Rowe/Charlemont	entire length	<u>B</u>	Cold Water			

TABLE 58 DEERFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Ruddock Brook	Source in Hawley to confluence with Clesson Brook, Buckland		<u>B</u>	Cold Water			
Second Brook	Entire length, Buckland	entire length	<u>B</u>	Cold Water			
Sheldon Brook	Source in Shelburne to confluence with Deerfield River, Deerfield		<u>B</u>	Cold Water			
Smead Brook	Source in Greenfield to confluence with Wheeler Brook, Greenfield		<u>B</u>	Cold Water			
Smith Brook	Source in Florida to confluence with the Deerfield River (inlet to Lower Reservoir), Florida	\	<u>B</u>	Cold Water			
South River	Source to confluence with Johnny Bean Brook		<u>B</u>	Cold Water			
Stewart Brook	Source in Colrain to confluence with Hinsdale Brook, Shelburne		<u>B</u>	Cold Water			
Tannery Brook	Entire length, Savoy	entire length	<u>B</u>	Cold Water			
Taylor Brook	Entire length, Rowe	entire length	<u>B</u>	Cold Water			
Third Brook	Entire length, Buckland	entire length	<u>B</u>	Cold Water			
Todd Brook	Entire length, Charlemont	entire length	<u>B</u>	Cold Water			
Unnamed Stream (within Hog Hollow) Brook	Entire length, Buckland	entire length	<u>B</u>	Cold Water			

4.06: continued

ı	TADLE 50								
I	TABLE 58 DEEDELE D DIVED DASIN (continued)								
	DEERFIELD RIVER BASIN (continued)								
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
	West Branch Brook	From the MA-VT state line, Heath, to confluence with	entire length	<u>B</u>	Cold Water				
		West Branch North River, Heath							
	Wilder Brook	Entire length, Heath/Charlemont	entire length	<u>B</u>	Cold Water				
	Willis Brook	Entire length, Heath/Charlemont	entire length	<u>B</u>	Cold Water				
	Wheatherby Brook	Source in Hawley to confluence with Deerfield River, Charlemont		<u>B</u>	Cold Water				
	Wheeler Brook	From MA-NH state line, Rowe, to inlet of Sherman Reservoir, Rowe		<u>B</u>	Cold Water				
	Whitcomb Brook	Entire length, Florida	entire length	<u>B</u>	Cold Water				
	White Brook	Source in Florida to confluence with Cold River, Florida		<u>B</u>	Cold Water				


¹Names cited in parentheses are unofficial, locally-used names

*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply


† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued

1.00. continued						
TABLE <u>93</u> FARMINGTON RIVER BASIN						
SURFACE WATER NAME	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	<u>QUALIFIERS</u>		
All-Ssurface waters within the Farmington River Basin with the exception of those designated otherwise	All surface waters with the exception of those that may be designated otherwise		В	Cold Water High Quality Water		

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued


	TABLE 10 FRENCH RIVER BASIN				
SURFACE WATER NAME	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
French River	From the oOutlet of Greenville Pond, Leicester, to the Connecticut MA-CT state line, Dudley	17.8 – 0.0	В	Warm Water	Formatted: No underline
Unnamed tributary to Town Meadow Brook	From the oOutlet of Sargent Pond to the inlet of Dutton Pond	0.5 – 0.0	В	Warm Water High Quality Water	Formatted: No underline
Town Meadow Brook	From the oOutlet of Dutton Pond to the inlet of Greenville Pond	1.9 – 0.0	В	Warm Water	Formatted: No underline
Henshaw Pond	Source Entire pond to outlet in Leicester and those tributaries thereto		A	Public Water SupplyPWS ORW	Formatted: No underline

*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued

4.06: Continued	TABLE <u>112</u> HOUSATONIC RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
East Branch Housatonic River	Source in Washington to outlet of Center Pond,	69.0 60.9 <u>13.6</u>	В	Cold Water	Formatted: No underline
	Dalton	<u>- 5.5</u>		High Quality Water	
	From oOutlet of Center Pond, Dalton to confluence with the Housatonic River, Pittsfield	60.9 55.4 <u>5.5</u> - 0.0	В	Warm Water	
Housatonic River	From Confluence of the Southwest and West	55.4 - 50.9	В	Warm Water	Formatted: No underline
	Branches Housatonic River, Pittsfield, to Pittsfield WWTF POTW discharge				
	From Pittsfield WWTFPOTW discharge to the MA-CT state line, Sheffield	50.9 - 0.0	В	Warm Water	
West Branch Housatonic River	Entire Llength, Pittsfield	55.4 +36.0 -	В	Cold Water	Formatted: No underline
		0.0		High Quality Water	
Southwest Branch Housatonic	Entire <u>Llength</u> , <u>Pittsfield</u>	55.4 + 0.8 +	В	Cold Water	Formatted: No underline
River		34.1 - 0.0		High Quality Water	
Goose Pond Brook	Entire <u>Llength</u> , <u>Lee/Tyringham</u>	2.3 - 0.0	В	Cold Water	Formatted: No underline
				High Quality Water	
Williams River	Entire Llength, Great Barrington	10.0 - 0.0	В	Cold Water	Formatted: No underline
				High Quality Water	
Green River	Entire Llength, Alford, Egremont, and Great	9.5 - 0.0	В	Cold Water	Formatted: No underline
	Barrington			High Quality Water	

<u>TF-</u> **70** | Page

TABLE 112 HOUSATONIC RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	<u>QUALIFIERS*</u>	
Hubbard Brook	Entire Llength, Egremont and Sheffield	6.6 - 0.0	В	Cold Water	Formatted: No underline
				High Quality Water	
Fenton Brook	Entire Llength, Egremont	2.9 - 0.0	В	Cold Water	Formatted: No underline
				High Quality Water	
Karner Brook (includes	Source to unnamed reservoir (Karner Brook	4.2 0.0	A	<u>PWS</u>	Formatted: No underline
unnamed reservoir (Karner	Reservoir) PWS intake dam and those tributaries			Tributary to Public	
Brook Reservoir)	thereto, Mount Washington/Egremont ²			Supply ORW	 Formatted: No underline
	Entire LengthFrom unnamed reservoir (Karner Brook Reservoir) PWS intake to the inlet of Mill Pond, Egremont ²		<u>B</u>	Outstanding Resource Water ORW	
East Mountain Reservoir	Source-Entire reservoir to outlet in Great Barrington	_	A	Public Water	Formatted: No underline
	and those tributaries thereto			SupplyPWS ORW	
Long Pond	Source-Entire pond to outlet in Great Barrington and	_	A	Public Water	Formatted: No underline
	those tributaries thereto			SupplyPWS ORW	
Belmont Reservoir	Source-Entire reservoir to outlet in Hinsdale and	_	A	Public Water	Formatted: No underline
	those tributaries thereto			SupplyPWS ORW	
Lower Reservoir (Codding	Source Entire reservoir to outlet in Lee and those	-	A	Public Water	Formatted: No underline
Brook Lower Reservoir, Vanetti Reservoir)	tributaries thereto			SupplyPWS ORW	

4.06: continued

4.06: continued					-	
TABLE 112 HOUSATONIC RIVER BASIN (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Leahey Reservoir (Codding	Source Entire reservoir to outlet in Lee and those	-	A	Public Water		Formatted: No underline
Brook Upper Reservoir)	tributaries thereto			SupplyPWS ORW		
Mt. Washington Brook	Source to outlet in Washington and those tributaries	-	A	Public Water Supply		Formatted: No underline
	thereto					
Lenox Reservoir (Lower Root	Source Entire reservoir to outlet in Lenox and those)-	A	Public Water		Formatted: No underline
Reservoir)	tributaries thereto			SupplyPWS ORW		
Lenox Reservoir (Upper Root	Source Entire reservoir to outlet in Lenox and those	-	A	Public Water		Formatted: No underline
Reservoir)	tributaries thereto			SupplyPWS ORW		
Ashley Lake (Ashley Lake	Source Entire lake to outlet in Washington and those	-	A	Public Water		Formatted: No underline
Reservoir)	tributaries thereto			SupplyPWS ORW		
Sandwash Reservoir	Source Entire reservoir to outlet in Washington and	_	A	Public Water		Formatted: No underline
	those tributaries thereto			SupplyPWS ORW		
Farnham Reservoir	Source Entire reservoir to outlet in Washington and	-	A	Public Water		Formatted: No underline
	those tributaries thereto			SupplyPWS ORW		
School House Lake	Entire lake to outlet in Washington and those	_	A	Public Water		Formatted: No underline
	tributaries thereto (inclusive of Washington Mountain Brook upstream of the lake)			SupplyPWS ORW		

<u>TF-</u> **72** | P a g e

4.06: continued

	TABLE <u>112</u> HOUSATONIC RIVER BASIN (conti	nued)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	<u>QUALIFIERS*</u>	
Cleveland Brook Reservoir	Source Entire reservoir to outlet in Hinsdale and	_	A	Public Water	Formatted: No underline
(Cleveland Reservoir)	those tributaries thereto			SupplyPWS ORW	
Lake Averic (Echo Lake,	Source Entire lake to outlet in Stockbridge and those	-	A	Public Water	Formatted: No underline
Mountain Mirror Lake)	tributaries thereto			SupplyPWS ORW	
Egypt Pond	Entire Reservoir pond to outlet in Dalton and those	-	Α	Public Water	Formatted: No underline
(Egypt Brook Reservoir)	tributaries thereto			SupplyPWS ORW	
Windsor Reservoir (Cady	Entire reservoir to outlet in Windsor and those	-	A	Public Water	Formatted: No underline
Brook Reservoir)	tributaries thereto			SupplyPWS ORW	
Upper Sackett Reservoir	Entire reservoir to outlet in Hinsdale and those	-	A	Public Water	Formatted: No underline
(Sackett Brook Reservoir)	tributaries thereto			SupplyPWS ORW	
Anthony Pond Unnamed	The entire unnamed reservoir (known as Anthony	_	A	Public Water	Formatted: No underline
reservoir (Anthony Brook	Brook Reservoir) pondto outlet in Dalton and those			Supply PWS	
Reservoir)	tributaries thereto (inclusive of Anthony Pond)			ORW Cold Water	
	From the outlet of unnamed reservoir (Anthony Brook Reservoir), Dalton, to confluence with Wahconah Falls Brook, Dalton		<u>B</u>	Cold Water	

<u>TF-</u> **73** | Page

4.06: continued

TABLE 112 HOUSATONIC RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Ashley WTP Intake Reservoir (Ashley Intake Reservoir)	Entire reservoir to outlet in Dalton-Washington and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Karner Brook Reservoir	and tributaries thereto		A	Public Water Supply			
Sandisfield Road Reservoir	Entire reservoir and those tributaries thereto		A	Public Water SupplyPWS ORW			
<u>Alford Brook</u>	Source in West Stockbridge to confluence with Seekonk Brook, Alford		<u>B</u>	Cold Water			
Barton Brook	Source in Dalton to confluence with East Branch Housatonic River, Pittsfield		<u>B</u>	Cold Water			
Bear Rock Stream	Source in Mount Washington to confluence with Schenob Brook, Sheffield		<u>B</u>	Cold Water			
Brattle Brook	Source in Dalton to confluence with East Branch Housatonic River, Pittsfield		<u>B</u>	Cold Water			
Churchill Brook	eEntire length, Lanesboro/Pittsfield		<u>B</u>	Cold Water			
Cleveland Brook	From the outlet of Cleveland Brook Reservoir, Hinsdale, to confluence with East Branch Housatonic River, Dalton		<u>B</u>	Cold Water			

Formatted: No underline

Formatted: No underline

Formatted: No underline

TABLE 112 HOUSATONIC RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Commons Brook	Source in Lee to confluence with Codding Brook, Lee		<u>A</u>	Cold Water PWS ORW			
Crystal Brook	Source in Tyringham to confluence with Hop Brook, Tyringham		<u>B</u>	Cold Water			
<u>Dry Brook</u>	Source in Mount Washington to confluence with Schenob Brook, Sheffield		<u>B</u>	Cold Water			
Hathaway Brook	Source in Washington to confluence with Sackett Brook, Dalton		<u>B</u>	Cold Water			
Muddy Brook	Source in Great Barrington to confluence with Stony Brook, Great Barrington		<u>B</u>	Cold Water			
Race Brook	Source in Mount Washington to confluence with Dry Brook, Sheffield		<u>B</u>	Cold Water			
Russo Brook	Source in Hinsdale to confluence with East Branch Housatonic River, Hinsdale		<u>B</u>	Cold Water			
Swann Brook	Source in Monterey to confluence with Konkapot River, Monterey		<u>B</u>	Cold Water			
Sykes Brook	Source in Pittsfield to confluence with Housatonic River, Pittsfield		<u>B</u>	Cold Water			

4.06: continued

TABLE <u>112</u> HOUSATONIC RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Tom Ball Brook	Source in West Stockbridge to confluence with Alford Brook, Alford		<u>B</u>	Cold Water			
Tyler Brook	eEntire length, Windsor (Tyler Brook is a tributary to Windsor Brook which flows into Windsor Reservoir and ultimately to Cleveland Reservoir)		<u>A</u>	Cold Water PWS ORW			
Welch Brook	eEntire length, Hinsdale ³		<u>B</u>	Cold Water			
Weston Brook	Source in Windsor to confluence with Wahconah Falls Brook, Dalton		<u>B</u>	Cold Water			

¹Names cited in parentheses are unofficial, locally-used names

*Acronyms:

ACEC = Area of Critical Environmental Concern

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

²Note that all or a portion of these surface waters are within the Karner Brook Watershed ACEC

³Note that all or a portion of these surface waters are within the Hinsdale Flats Watershed ACEC




	TABLE 1 <u>2</u> HUDSON RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
North Branch Hoosic River	From the Vermont MassachusettsMA-VT state line	9.9 - 0.0	В	Cold Water	Formatted: No underline
	to confluence with the Hoosic River (South Branch Hoosic River)			High Quality Water	
Hoosic River (South Branch	From the oOutlet of Cheshire Reservoir to Adams	23.5 - 15.4	В	Cold Water	Formatted: No underline
Hoosic River)	WWTF POTW discharge			High Quality Water	
	From Adams WWTFPOTW discharge to confluence with the North Branch Hoosic River	15.4 - 10.3	В	Warm Water	
Hoosic River	Confluence of North Branch Hoosic River and	10.3 - 0.0	В	Warm Water	Formatted: No underline
	Hoosic River (South Branch Hoosic River) to MA- VT state line				
Green River	Entire length, New Ashford/Williamstown	10.8 - 0.0	В	Cold Water	Formatted: No underline
Basset Brook Reservoir	Source-Entire reservoir to outlet in Cheshire and		A	Public Water	Formatted: No underline
	those tributaries thereto			SupplyPWS ORW	
Unnamed Reservoir (Kitchen	Source-Entire reservoir to outlet in Cheshire and		A	Public Water	Formatted: No underline
Brook Reservoir)	those tributaries thereto			SupplyPWS ORW	
Notch Reservoir	Source Entire reservoir to outlet in North Adams and		A	Public Water	Formatted: No underline
	those tributaries thereto			SupplyPWS ORW	

4.06: continued

Mt. Williams Reservoir	Source-Entire reservoir to outlet in North Adams and	A	Public Water
	those tributaries thereto		SupplyPWS
			<u>ORW</u>

Formatted: No underline

TABLE 12 HUDSON RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Williamstown Reservoir (Sherman Springs Reservoir)	Source-Entire reservoir to outlet in Williamstown and those tributaries thereto		A	Public Water SupplyPWS ORW			
Thunder Brook	Entire length in Cheshire and those tributaries thereto		A	Public Water Supply ORW			
Bashbish Brook	Source to the MA-NY state borderline, Mount Washington		В	Cold Water High Quality Water			
Bear Swamp Brook	Source in Clarksburg to confluence with Hudson Brook, Clarksburg		<u>B</u>	Cold Water			
Birch Brook	Source in Williamstown to confluence with Buxton Brook, Williamstown		<u>B</u>	Cold Water			
Buxton Brook	Eentire length, Williamstown		В	Cold Water			
East Branch Green River	Source in New Ashford to confluence with Green River, New Ashford		<u>B</u>	Cold Water			
Gore Brook	Source in Dalton to inlet of Cheshire Reservoir, Cheshire		<u>B</u>	Cold Water			

Formatted: No underline

Formatted: No underline

<u>TF-</u> **79** | P a g e

4.06: continued

4.00. Continued	TABLE 12 HUDSON RIVER BASIN (continued)							
SURFACE WATER NAM	E ¹ SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Hemlock Brook	entire lengthFrom the MA-NY state line to confluence with the Hoosic River, Williamstown		<u>B</u>	Cold Water				
Hopper Brook	Source in Williamstown to confluence with Green River, Williamstown		<u>B</u>	Cold Water				
Hoxie Brook	Source in Adams to confluence with Hoosic River, Adams		<u>B</u>	Cold Water				
Hunterfield Brook	Source in Clarksburg to confluence with North Branch Hoosic River, North Adams		<u>B</u>	Cold Water				
Kinderhook Creek	Source to the MA-NY state borderline, Hancock		В	Cold Water High Quality Water				
Kitchen Brook	Source in Cheshire to inlet of unnamed reservoir (Kitchen Brook Reservoir)		<u>A</u>	Cold Water PWS ORW				
	From Kitchen Brook Dam [outlet of unnamed reservoir (Kitchen Brook Reservoir)] to confluence with South Branch Hoosic River, Cheshire		<u>B</u>	Cold Water				
McDonald Brook	Eentire length, Windsor/Cheshire		<u>B</u>	Cold Water				
Miller Brook	Source in Adams to confluence with Tophet Brook, Adams		<u>B</u>	Cold Water				

<u>TF-</u> **80** | P a g e

Formatted: No underline

4.06: continued

	TABLE 12 HUDSON RIVER BASIN (continued)							
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
·	Mitchell Brook	Source in New Ashford to confluence with East Branch Green River, New Ashford		<u>B</u>	Cold Water			
	Money Brook	Source in Williamstown to confluence with Hopper Brook, Williamstown		<u>B</u>	Cold Water			
	Notch Brook	Source in Adams to inlet of Notch Reservoir, North Adams		<u>A</u>	Cold Water PWS ORW			
		From Notch Reservoir Dam (outlet of Notch reservoir) to confluence with Hoosic River, North Adams		<u>B</u>	Cold Water			
	Patton Brook	Source in Savoy to confluence with Tophet Brook, Adams		<u>B</u>	Cold Water			
	Penniman Brook	Source in Cheshire to confluence with Hoosic River, Cheshire		<u>B</u>	Cold Water			
	Pettibone Brook	Source in Cheshire to inlet of Cheshire Reservoir, Lanesborough		<u>B</u>	Cold Water			
	Reed Brook	Source in Adams to confluence with Tophet Brook, Adams		<u>B</u>	Cold Water			

Formatted: Not Highlight

4.06: continued

i	+.00. Continued						
	TABLE 12						
		HUDSON RIVER BASIN (contin	ued)				
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	<u>QUALIFIERS*</u>		
	South Brook	Source in Dalton to confluence with Hoosic River and South Branch Hoosic River, Cheshire		<u>B</u>	Cold Water		
	Sherman Brook	Source to confluence with Hoosic River, North Adams		<u>B</u>	Cold Water		
	Sweet Brook	Source in Williamstown to confluence with Hemlock Brook, Williamstown		<u>B</u>	Cold Water		
	Tunnel Brook	entire Entire length, North Adams		<u>B</u>	Cold Water		
	Wheeler Brook	Source in Clarksburg to confluence with Hunterfield Brook, Clarksburg		<u>B</u>	Cold Water		

¹Names cited in parentheses are unofficial, locally-used names


*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

Formatted: No underline



4.06: Continued	TABLE <u>2213</u> IPSWICH RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Ipswich River	Source to the Salem Beverly Waterway Canal	41.1 - 16.4	В	Treated Water Supply Warm Water High Quality Water	Formatted: No underline
	From the Salem Beverly Waterway Canal to the tidal portion	16.4 - 4.5	В	Warm Water High Quality Water	
	Tidal portion and those tributaries thereto	4.5 - 0.0	SA	Shellfishing	
Middleton Pond	Source-Entire pond to outlet in Middleton and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Swan Pond	Source Entire pond to outlet in North Reading and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline
Mill Pond Reservoir	Source-Entire reservoir to outlet in Burlington and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline
Longham Reservoir	Entire reservoirSource to outlet in Wenham and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Wenham Lake	Source-Entire lake to outlet in Wenham and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Putnamville Reservoir	Entire reservoir Source to outlet in Danvers and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline

4.06: continued

4.00. Continued										
TABLE 2213										
IPSWICH RIVER BASIN (continued)										
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*						
Suntaug Lake	Source Entire lake to outlet in Lynn and Peabody and	_	A	Public Water						
	those tributaries thereto			Supply PWS ORW						
Winona Pond	Entire pond to outlet in Peabody and those tributaries	-	A	Public Water						
	thereto			Supply PWS ORW						
Unnamed Reservoir (Emerson	Entire reservoir to outlet in Middleton and those	-	A	Public Water						
Brook Reservoir)	tributaries thereto			Supply PWS ORW						
Fox Creek, Neck Creek and	Portion in Parker River/Essex Baythe Great Marsh		<u>SA</u>	Outstanding Resource						
Treadwell Island Creek	ACEC <u>†</u>			Water ORW						
Neck Creek	Portion in the Great Marsh ACEC†		<u>SA, B**</u>	<u>ORW</u>						
<u>Treadwell Island Creek</u>	Portion in the Great Marsh ACEC†		<u>SA, B**</u>	<u>ORW</u>						

¹Names cited in parentheses are unofficial, locally-used names

*Acronyms:

ACEC = Area of Critical Environmental Concern

ORW = Outstanding Resource Water

PWS = Public Water Supply

**Coastal and marine waters Class SA; fresh waters Class B

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

TF- **85** | Page

Formatted: No underline


Formatted: No underline

Formatted: No underline

4.06: continued

†Formerly the Parker River/Essex Bay ACEC






4.06: continued

TABLE <u>2714</u> ISLANDS COASTAL DRAINAGE AREA								
SURFACE WATER NAME	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Atlantic Ocean and other surface waters	All sSurface waters within and adjacent* to the Elizabeth Islands subject to the rise and fall of the tide and within 1,000 feet seaward of mean low water	-	SA	Shellfishing, Outstanding Resource WaterORW				
	All surface waters subject to the rise and fall of the tide, within the off-shore boundaries of the towns within Nantucket and Dukes counties of Dukes County and Nantucket Drainage Areas		SA	Shellfishing				

[†] Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

*Acronym:

ORW = Outstanding Resource Water



4.06: continued

4.06: continued	TABLE <u>2015</u> MERRIMACK RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Merrimack River	From the MA-NH sState line to Pawtucket Dam	49.8 - 40.6	В	Warm Water Treated Water Supply CSO	Formatted: No underline
	From Pawtucket Dam to Essex Dam, Lawrence	40.6 - 29.0	В	Warm Water Treated Water Supply CSO	
	From Essex Dam, Lawrence to confluence with the Little River, Haverhill	29.0 - 21.9	В	Warm Water CSO	
	From confluence with the Little River, Haverhill to the Atlantic Ocean; includes the Back River, Salisbury	21.9 - 0.0	SB	Shellfishing CSO	
	The Basin in the Merrimack River Estuary, Newbury and Newburyport	-	SA	Shellfishing	
Stony Brook	Entire LengthFrom outlet of Forge Pond, Westford to confluence with the Merrimac River, Chelmsford	10.3 - 0.0	В	Warm Water	Formatted: No underline
Beaver Brook	From the MA-NH Sstate line, Dracut, to confluence with the Merrimack River	4.2 - 0.0	В	Cold Water	Formatted: No underline
Spicket River	From the MA-NH State line, Methuen, to the General Street Bridge, Lawrence confluence with Merrimack River	6.4 0.0	В	Warm Water	Formatted: No underline

<u>TF-</u> **90** | Page

	TABLE 20 15 MERRIMACK RIVER BASIN (continu	ıed)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Spicket River (cont.)	From the General Street Bridge, Lawrence, to confluence with the Merrimack River, Lawrence		<u>B</u>	Warm Water CSO	
Little River	From the MA-NH sState line, Rosemont, to confluence with the Merrimack River, Haverhill	4.3 - 0.0	В	Warm Water	Formatted: No underline
Cobbler Brook	Entire LengthSource in Merrimac to confluence with the Merrimac River	3.7 - 0.0	В	Cold Water	Formatted: No underline
Powwow River	From outlet of Tuxbury Pond, Amesbury, to inlet of Lake Gardner and those tributaries thereto		<u>A</u>	PWS ORW	Formatted: No underline
	From Ooutlet of Lake Gardner to tidal portion Tidal portion	6.4 - 1.3 1.3 - 0.0	B SB	Warm Water Shellfishing	
Plum Island River	North of High Sandy sand bar ² , Newbury		SA	Shellfishing Outstanding Resource WaterORW	Formatted: No underline
<u>Little Pine Island Creek</u>	Entire length ² , Newbury		<u>SA, B**</u>	<u>ORW</u>	
Plumbush Creek			SA <u>.</u> * B* <u>*</u>	Outstanding Resource WaterORW	Formatted: No underline

4.06: continued

4.06: continued					Ī	
	TABLE 2015 MERRIMACK RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Lake Attitash	Source Entire lake to outlet in Amesbury and those	_	A	Public Water		Formatted: No underline
	tributaries thereto			SupplyPWS ORW		
Tuxbury Pond	Entire pondSource to outlet in Amesbury and those	-	A	Public Water		Formatted: No underline
	tributaries thereto			SupplyPWS ORW		
Powwow River	Outlet of Tuxbury Pond to inlet Lake Gardner and	-	A	Public Water		Formatted: No underline
	tributaries thereto			Supply	-	
Millvale Reservoir	Entire reservoir Source to outlet in Haverhill and	-	A	Public Water		Formatted: No underline
	those tributaries thereto			SupplyPWS ORW		
Kenoza Lake	Entire lake Source to outlet in Haverhill and those	-	A	Public Water		Formatted: No underline
	tributaries thereto			SupplyPWS ORW		
Crystal Lake	Entire lake Source to outlet in Haverhill and those	_	A	Public Water		Formatted: No underline
	tributaries thereto			SupplyPWS ORW		
Haggets Pond	Source-Entire pond to outlet in Andover and those tributaries thereto	-	A	Public Water SupplyPWS ORW		
Fish Brook	Entire length and those tributaries thereto	4.0 - 0.0	A	Public Water SupplyPWS ORW		

<u>TF-</u> **92** | P a g e

4.06: Continued	TABLE 2015 MERRIMACK RIVER BASIN (continu	ed)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Lake Cochichewick	Source Entire lake to outlet in North Andover and	_	A	Public Water	Formatted: No underline
	those tributaries thereto			SupplyPWS ORW	
Artichoke Reservoir	Entire reservoirSource to outlet in West Newbury and	-	A	Public Water	Formatted: No underline
(Upper and Lower Artichoke Reservoir)	those tributaries thereto			SupplyPWS ORW	
Unnamed Reservoir	Source Entire reservoir to outlet in West Newbury	_	A	Public Water	Formatted: No underline
(Indian Hill Reservoir)	and those tributaries thereto			SupplyPWS ORW	
Chadwick Pond	Entire pPond to outlet in Haverhill and those	-	A	Public Water	Formatted: No underline
(Little Pond)	tributaries thereto			SupplyPWS ORW	
Hoveys Pond	Entire pPond to outlet in Boxford and those	_	A	Public Water	Formatted: No underline
(Mitchell Pond, Johnson Pond)	tributaries thereto			SupplyPWS ORW	
Johnsons Pond	Entire pPond to outlet in Groveland and those	-	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Round Pond	Entire Lake to outlet in Haverhill and those	_	A	Public Water	Formatted: No underline
(Lake Pentucket)	tributaries thereto			SupplyPWS ORW	

4.06: continued

TABLE 2015 MERRIMACK RIVER BASIN (continued)								
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Crooked Springs Brook	Source in Chelmsford to confluence with Stony Brook, Chelmsford		<u>B</u>	Cold Water				
Reed Brook	Source in Westford to confluence with Stony Brook, Westford		<u>B</u>	Cold Water				

¹Names cited in parentheses are unofficial, locally-used names

‡ Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

*Acronyms:


CSO = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

**Coastal and mMarine waters Class SA; fresh waters Class B

²Note that all or a portion of these surface waters are within the Great Marsh Area of Critical Environmental Concern (ACEC), formerly Parker River/Essex Bay ACEC



4.06: continued						
	TABLE <u>16</u> 7					
	MILLERS RIVER BASIN					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Millers River	Source to Winchendon WWTFPOTW discharge	42.2 - 35.7	В	Cold Water		Formatted: No underline
	From Winchendon WWTFPOTW discharge to confluence with the Connecticut River	35.7 - 0.0	В	Warm Water		
Otter River	Source to Gardner POTW discharge	12.2 - 9.7	В	Aquatic Life		Formatted: No underline
	From Gardner WWTFPOTW discharge to confluence with the Millers River	9.7 - 0.0	В	Warm Water		
Beaver Brook	Source in Phillipston to confluence with the Millers River. Royalston	entire length	В	Cold Water		Formatted: No underline
Upper Naukeag Lake	SourceEntire lake to outlet in Ashburnham and those tributaries	_	A	Public Water	-	Formatted: No underline
	thereto			SupplyPWS ORW		
Newton Reservoir	SourceEntire reservoir to outlet in Athol and those tributaries	_	A	Public Water		Formatted: No underline
	thereto			SupplyPWS ORW		
Crystal Lake	Entire lakeSource to outlet in Gardner and those tributaries	_	A	Public Water		Formatted: No underline
(Crystal Lake Reservoir)	thereto			SupplyPWS ORW		
Cowee Pond	SourceEntire pond to outlet in Gardner and those tributaries	_	Α	Public Water		Formatted: No underline
(Mamjohn Pond)	thereto			SupplyPWS ORW		
				l .	_	

4.06: continued

Perley Brook Reservoir	Source Entire reservoir to outlet in Gardner and those tributaries	_	A	Public Water
	thereto			Supply PWS
				<u>ORW</u>

Formatted: No underline

TABLE <u>167</u> MILLERS RIVER BASIN (continued)									
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*					
Lake Ellis (Ellis Pond)	Entire 1Lake to outlet in Athol and those tributaries thereto	-	A	Public Water					
				Supply ORW					
Boyce Brook	From New Hampshire state line at Royalston to confluence with East Branch Tully River, Royalston		<u>B</u>	Cold Water					
Briggs Brook	Source in Erving to confluence with Millers River, Erving		<u>B</u>	Cold Water					
<u>Cheney Brook</u>	Source in Warwick to confluence with West Brook, Orange		<u>B</u>	Cold Water					
Collar Brook	Source in Royalston to confluence with West Branch Tully River, Orange		<u>B</u>	Cold Water					
Coolidge Brook	Source in Orange to confluence with North Pond Brook, Orange		<u>B</u>	Cold Water					
Crow Hill Brook	Source in Templeton to confluence with Trout Brook, Templeton		<u>B</u>	Cold Water					
<u>Dunn Brook</u>	Source in Phillipston to confluence with Chickering Brook, Phillipston		<u>B</u>	Cold Water					

Formatted: No underline

4.06: continued

TABLE 167 MILLERS RIVER BASIN (continued)									
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*					
Fish Brook	Source in Royalston to confluence with West Branch Tully River, Orange		<u>B</u>	Cold Water					
Gate Hill Brook	Source in Wendell to confluence with Mormon Hollow Brook, Wendell		<u>B</u>	Cold Water					
Hoyt Brook	Source in Phillipston to confluence with Beaver Brook, Phillipston		<u>B</u>	Cold Water					
Jacks Brook	Source in Northfield to confluence with Keyup Brook, Erving		<u>B</u>	Cold Water					
Kenny Brook	Source in Royalston to confluence with Millers River, Royalston		<u>B</u>	Cold Water					
Keyup Brook	Source in Northfield to confluence with Millers River, Erving		<u>B</u>	Cold Water					
Lyons Brook	From the outlet of Ruggles Pond, Wendell, to confluence with the Millers River, Montague	entire length	<u>B</u>	Cold Water					
Mormon Hollow Brook	Source in Wendell to confluence with Millers River, Wendell		<u>B</u>	Cold Water					
Packard Brook	Source in Erving to confluence with Millers River, Erving		<u>B</u>	Cold Water					
Rich Brook	Source in Royalston to confluence with Millers River, Athol		<u>B</u>	Cold Water					
Thrower Brook	Source in Athol to inlet of South Athol Pond, Athol		<u>B</u>	Cold Water					
Tully Brook	From MA-NH state line at Royalston to confluence with East Branch Tully River, Royalston		<u>B</u>	Cold Water					
Wilson Brook	Source in Warwick to confluence with Darling Brook, Warwick		<u>B</u>	Cold Water					

<u>TF-</u> **98** | P a g e

4.06: continued

¹Names cited in parentheses are unofficial, locally-used names


† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply





4.06: continued

	TABLE 1 <mark>37</mark> NARRAGANSETT BAY/MOUNT HOPE BAY D	RAINAGE AREA			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*	
Barrington River	Source to the MA-RI state borderline	_	SA	Shellfishing	Formatted: No underline
Palmer River	Source to inlet of Shad Factory Pond dam	_	В	Cold Water	Formatted: No underline
	From the outlet of Shad Factory Pond dam-to the MA-RI state borderline	SB	SB Shellfishing	Shellfishing	
Mount Hope Bay	East of a straight line from Brayton Point to Buoy 4	-	SB	Shellfishing CSO	Formatted: No underline
	West of <u>a straight</u> line from Brayton Point to Buoy 4	-	SA	Shellfishing	
Lee and Cole Rivers	Source to estuary		В	Warm Water	Formatted: No underline
	Estuary	-	SA	Shellfishing	
Quequechan River	Entire <u>l</u> Length	2.5 - 0.0	В	Warm Water CSO	Formatted: No underline
North Watuppa Pond	SourceEntire pond to outlet in Fall River and those		A	Public Water	Formatted: No underline
North Watuppa Folid	tributaries thereto	_	A	Supply PWS ORW	Pormatted: No underline
Shad Factory Pond Reservoir	Entire pond to outlet in Rehoboth		В	Treated Water Supply	
Warren Upper Reservoir (Anawan Reservoir)	Entire reservoir to outlet in Rehoboth		В	Treated Water Supply	
Warren Reservoir (Swansea Reservoir)	Entire reservoir to outlet in Swansea		В	Treated Water Supply	

<u>TF-</u> **101** | P a g e

nderline nderline nderline nderline nderline

4.06: continued

¹Names cited in parentheses are unofficial, locally-used names

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

*Acronyms: CSO = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply






TABLE 178 NASHUA RIVER BASIN					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Nashua River	From oOutlet of Lancaster Millpond, Clinton, to confluence with the North Nashua River, Lancaster (this segment is also known as the South Branch Nashua River)	41.0 - 36.4	В	Warm Water	
	From cConfluence with the North Nashua River, Lancaster, to Pepperell Dam, Pepperell	36.4 - 14.1	В	Warm Water	
	From the Pepperell Dam, Pepperell, to New Hampshirethe MA-NH state Line, Pepperell	14.1 - 10.5	В	Warm Water	
North Nashua River	Source to Leominster POTW discharge	54.8 48.5 <u>18.3</u> - 12.0	В	Warm Water CSO	
	From the Leominster POTW discharge to confluence with the Nashua River	48.5 36.5 <u>12.0</u> - 0.0	В	Warm Water	
Phillips Brook	From Fitchburg to confluence with the North Nashua River, Fitchburg	1.0 - 0.0	В	Warm Water CSO	
Squannacook River	Source to Hollingsworth & Vose Dam, Shirley ²	14.3 - 3.3	В	Cold Water Outstanding Resource WaterORW	
	From the Hollingsworth & Vose Dam, Shirley to confluence with the Nashua River ²	3.3 - 0.0	В	Warm Water	

Nissitissit River	From the MA-NH sState line, Pepperell, to confluence with the Nashua River ²	В	Cold Water Outstanding Resource
			Water ORW
Baker Brook	In Fitchburg/Lunenburg, to confluence with the Nashua River, Fitchburg	В	CSO

TABLE 178 NASHUA RIVER BASIN (continued)				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*
Unnamed stream (Punch Brook)	From CSO discharge (FIT082) at Oliver Street between Adams and Elm Street, Fitchburg, to confluence with the North Nashua River, Fitchburg (this entire segment is culverted)		В	CSO
Beaver Brook, Bixby, Locke, Mason, Mine, Pearl Hill, Pumpkin, Stewart, Sucker, Trap Swamp, Trapfall, Trout in Townsend, Walker, Willard, Witch, and Wolf Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	Outstanding Resource WaterORW
Bixby Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW
Locke Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW

4.06: continued

	TABLE 178 NASHUA RIVER BASIN (continued)					
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
	Mason Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Mine Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Pearl Hill Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Pumpkin Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Stewart Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Sucker Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Trap Swamp Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
-	<u> Trapfall Brook</u>	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	<u> Trout Brook</u>	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
	Walker Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	

<u>TF-</u> **106** | P a g e

4.06: continued

TABLE 178 NASHUA RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Willard Brook (includes Ashby Reservoir)	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
Witch Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
Wolf Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	ORW	
Bayberry Hill Brook and Gulf Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	Cold Water Outstanding Resource WaterORW	
Gulf Brook	Portion within the Squannacook and Nissitissit Rivers Sanctuary		<u>B</u>	Cold Water ORW	
Lovell Reservoir	Entire reservoir Source to outlet in Fitchburg and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Scott Reservoir	Entire reservoir Source to outlet in Fitchburg and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Wachusett Lake	Entire lake Source to outlet in Westminster and those tributaries thereto	_	A	Public Water SupplyPWS ORW	
Overlook Reservoir	Entire reservoir Source to outlet in Fitchburg and those tributaries thereto	-	A	Public Water SupplyPWS ORW	

<u>TF-</u> **107** | P a g e

4.06: continued

TABLE 178 NASHUA RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Falulah Reservoir	Entire reservoirSource to outlet in Fitchburg and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Muschopauge Pond (Muschopauge Pond Reservoir)	Entire pond to outlet in Rutland and those tributaries thereto		A	Public Water SupplyPWS ORW	
Notown Reservoir	Entire reservoirSource to outlet in Leominster and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Simonds Pond (Simonds Pond Reservoir)	Entire pond Source-to outlet in Leominster and those tributaries thereto	5	A	Public Water SupplyPWS ORW	
Goodfellow Pond	Entire pond Source to outlet in Leominster and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Haynes Reservoir	Entire reservoir Source to outlet in Leominster and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Morse Reservoir	Entire reservoir Source to outlet in Leominster and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Distributing Reservoir	Entire reservoir Source to outlet in Leominster and those tributaries thereto	-	A	Public Water	

<u>TF-</u> **108** | P a g e

TABLE 178 NASHUA RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
				SupplyPWS ORW	
Fall Brook Reservoir	Entire reservoir Source to outlet in Leominster and those tributaries thereto		A	Public Water SupplyPWS ORW	
Meetinghouse Pond (Meeting House Reservoir)	Entire pond Source to outlet in Westminster and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Asnebumskit Pond	Entire pond Source to outlet in Paxton and those tributaries thereto	5	A	Public Water SupplyPWS ORW	
Fitchburg Reservoir	Entire reservoir Source to outlet in Ashby and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Kendall Reservoir	Entire reservoir Source to outlet in Holden and those tributaries thereto	-	A	Public Water SupplyPWS ORW	
Pine Hill Reservoir	Entire reservoir Source to outlet in Holden and those tributaries thereto	-	A	Public Water SupplyPWS ORW	

4.06: continued

	TABLE 17 <u>8</u> NASHUA RIVER BASIN (continued)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*
Quinapoxet Reservoir	Entire reservoir Source to outlet in Holden and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Wachusett Reservoir	Entire reservoir Source to outlet in Clinton and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Shattuck Reservoir	Reservoir to outlet in Fitchburg and those tributaries thereto	-	A	Public Water Supply
Bixby Reservoir, and Coon Tree, Damon, Flat, Graves, Harbor, Heald, Pearl Hill Brook, Pork Barrel, and Walker Ponds, and Wright Pond (Lower Wright Pond & Upper Wright Pond)	Portion in within the Squannacook and Nissitissit Rivers Sancturary Sanctuary, Townsend		<u>B</u>	Outstanding Resource WaterORW
Coon Tree Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Pepperell		<u>B</u>	ORW
Damon Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Ashby		<u>B</u>	ORW
Flat Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Groton		<u>B</u>	ORW
Graves Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Townsend		<u>B</u>	ORW

<u>TF-</u> **110** | P a g e

	TABLE 178 NASHUA RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Harbor Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Townsend		<u>B</u>	ORW		
Heald Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Pepperell		<u>B</u>	ORW		
Pearl Hill Brook Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Townsend		<u>B</u>	ORW		
Pork Barrel Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Pepperell		<u>B</u>	ORW		
Walker Pond	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Townsend		<u>B</u>	ORW		
Wright Pond (Lower Wright Pond & Upper Wright Pond)	Portion within the Squannacook and Nissitissit Rivers Sanctuary, Ashby		<u>B</u>	ORW		
Ball Brook	Source in Holden to confluence with Stillwater River, Sterling		<u>A</u>	Cold Water PWS ORW		
Bumbo Brook	Source in Paxton to inlet of Pine Hill Reservoir, Paxton		<u>A</u>	Cold Water PWS ORW		
Unnamed Stream (Burnt Mill Pond Brook)	From outlet of Round Meadow Pond Dam, Westminster, to confluence with the Whitman River, Westminster	entire length	<u>B</u>	Cold Water		

4.00. Continued	TABLE 1 <mark>78</mark> NASHUA RIVER BASIN (continued)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*
Goodridge Goodrich-Brook	Entire length, Lancaster/Clinton	entire length	<u>B</u>	Cold Water
Malden Brook	Source in West Bolyston to inlet of Wachusett Reservoir, West Bolyston		<u>A</u>	Cold Water PWS ORW
Morse Brook	Source in Shirley to confluence with Nashua River, Shirley		<u>B</u>	Cold Water
Mulpus Brook	Source in Lunenburg to confluence with the Nashua River, Shirley ²	entire length	<u>B</u>	Cold Water
Ponakin Brook	Source in Lancaster to confluence with North Nashua River, Lancaster		<u>B</u>	Cold Water
Poor Farm Brook	Source to inlet of Chaffin Pond, Holden		<u>A</u>	Cold Water PWS ORW
Reedy Meadow Brook	Source in Groton to confluence with the Nashua River, Pepperell ⁴	entire length	<u>B</u>	Cold Water
Scanlon Brook	Source in Sterling to confluence with Stillwater River, Sterling		<u>A</u>	Cold Water PWS ORW
South Meadow Brook	From outlet of Fitch Pond, Sterling, to inlet of South Meadow Pond, Clinton	entire length	<u>B</u>	Cold Water

4.06: continued

TABLE 178 NASHUA RIVER BASIN (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Steam Mill Brook	Source in Princeton to confluence with Bartlett Pond Brook, Sterling		<u>A</u>	Cold Water PWS ORW	
Still River	Source to Rte. 117, Bolton ³		<u>B</u>	Cold Water	

¹Names cited in parentheses are unofficial, locally-used names

*Acronyms:

CSO = Combined Sewer Overflow

ORW = Outstanding Resource Water


PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

²Note that all or a portion of these surface waters are within the Squannacook and Nissitissit Rivers Sanctuary and/or the Squannassit Area of Critical Environmental Concern (ACEC)

³Note that all or a portion of these surface waters are within the Central Nashua River Valley ACEC

⁴Note that all or a portion of these surface waters are within the Petapawag ACEC



4.06: Continued	TABLE 23 <u>19</u> NORTH- COASTAL DRAINAGE AREA					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT‡	<u>CLASS</u>	<u>QUALIFIERS*</u>		
Essex River	The coastal and marine portions of tThe Essex River and thoseits tributaries thereto in the Town of Essex ²		SA*	Shellfishing Outstanding Resource Water ORW		
Ebben <u>Creek</u> , <u>Lufkin</u> , and <u>Soginese Creek</u>	Portion of the surface water within the Great Marsh Parker River/Essex Bay ACEC†	-	SA	Shellfishing Outstanding Resource Water ORW		
Lufkin Creek	Portion of the surface water within the Great Marsh ACEC†		<u>SA</u>	Shellfishing ORW		
Soginese Creek	Portion of the surface water within the Great Marsh ACEC†		<u>SA</u>	Shellfishing ORW		
Essex Bay			SA	Shellfishing Outstanding Resource Water ORW		
Castle Neck River	Portion in of the surface water within the Parker River /Essex BayGreat Marsh ACEC†		SA	Shellfishing Outstanding Resource Water ORW		
Walker Creek, Lanes Creek and Farm Creek		-	SA	Shellfishing Outstanding Resource Water ORW		
<u>Lanes Creek</u>			<u>SA</u>	Shellfishing ORW		

Farm Creek		<u>SA</u>	Shellfishing ORW
Annisquam River		SA	Shellfishing

	TABLE 2319 NORTH COASTAL DRAINAGE AREA (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Rockport Harbor <u>(including Back Harbor and a portion of Sandy Bay)</u>	The waters landward from the boundary formed by a straight line drawn between Gully Point, Rockport, and Granite Pier, Rockport (including Back Harbor and a portion of Sandy Bay)		SB	Shellfishing		
Gloucester Harbor		-	SB	Shellfishing CSO		
Manchester Harbor		-	SB	Shellfishing		
Beverly Harbor	The waters landward from the boundary formed by a straight line drawn between Juniper Point, Salem, to Hospital Point, Beverly (excluding the Danvers River).	-	SB	Shellfishing		
Salem Harbor (including a portion of Salem Sound and Salem Channel)	The waters landward from the boundary formed by a straight line drawn from Naugus Head, Marblehead, to the northwest point of Bakers Island, Salem, to Hospital Point, Beverly, to Juniper Point, Salem (including a portion of Salem Sound and Salem Channel and excluding Forest River)	-	SB	Shellfishing		

4.06: continued

TABLE 2319 NORTH COASTAL DRAINAGE AREA (continued)					
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Marblehead Harbor		-	SA	Shellfishing	
Massachusetts Bay		-	SA	Shellfishing	
Nahant Bay		-	SA	Shellfishing CSO	
Lynn Harbor		-	SB	Shellfishing CSO	
Saugus River	Source to <u>confluence with the Ccanal which</u> discharges into Hawkes Pondthe Saugus River Dam	13.6 - 10.5	<u> </u>	Treated Water SupplyPWS ORW	
	From confluence with the Canal which discharges into Hawkes Pondthe outlet of the Saugus River Dam to Saugus Iron Works/Bridge Street	10.5 - 5.1	В		
	From Saugus Iron Works/-Bridge Street to Boston Street bBridge	5.1 - 3.1	SB	Shellfishing	
	Boston Street bBridge to mouth ³	3.1 - 0.0	SB Outstanding Resource	Shellfishing WaterCSO ORW	
Pines River	Source to mouth at confluence with the Saugus River and Lynn Harbor, Saugus/Revere ³		SB	Outstanding Resource Water ORW	
Diamond Creek			SA	Outstanding Resource	

<u>TF-</u> **117** | P a g e

	TABLE <u>2319</u> NORTH COASTAL DRAINAGE AR	EA (continued)		
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*
				Water ORW
Spring Pond and Griswold Pond	Entire pond Source to outlet in Saugus ⁴	-	В	Outstanding Resource Water ORW
<u>Griswold Pond</u>	Entire pond to outlet in Saugus ⁴		<u>B</u>	ORW
Babson Reservoir	Entire reservoir Source to outlet in Gloucester and those tributaries thereto		A	Public Water SupplyPWS ORW
Haskell Pond (Haskell Reservoir)	Entire pondSource to outlet in Gloucester and those tributaries thereto		A	Public Water SupplyPWS ORW
Goose Cove Reservoir	Entire reservoir Source to outlet in Gloucester and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Dykes Pond (Dykes Reservoir)	Entire pondSource to outlet in Gloucester and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Wallace Pond (Wallace Reservoir)	Entire pondSource to outlet in Gloucester and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Fernwood Lake	Entire lake Source to outlet in Gloucester and those tributaries thereto	-	A	Public Water SupplyPWS

4.06: continued

	TABLE <u>2319</u> NORTH COASTAL DRAINAGE AR	EA (continued)		
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*
				ORW
Klondike Reservoir (Quarry Reservoir)	Entire reservoir Source to outlet in Gloucester and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Hawkes Pond	Entire pondSource to outlet in Saugus and those tributaries thereto		A	Public Water SupplyPWS ORW
Birch Pond	Entire pondSource to outlet in Saugus and Lynn and those tributaries thereto		A	Public Water SupplyPWS ORW
Breeds Pond	Entire pond Source to outlet in Lynn and those tributaries thereto		A	Public Water SupplyPWS ORW
Walden Pond	Entire pond Source to outlet in Lynn and those tributaries thereto	-	A	Public Water Supply PWS ORW
Gravelly Pond	Entire pondSource to outlet in Hamilton and those tributaries thereto	-	A	Public Water SupplyPWS ORW
Spring Pond	Entire pondSource to outlet in Peabody and those tributaries thereto	-	A	Public Water SupplyPWS ORW

<u>TF-</u> **119** | P a g e

4.06: continued

	TABLE 2319 NORTH COASTAL DRAINAGE AREA (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Cape Pond	Entire pondSource to outlet in Rockport and those tributaries thereto		A	Public Water SupplyPWS ORW				
Quarry Reservoir (Carlson's Quarry)	Entire reservoir Source-to outlet in Rockport and those tributaries thereto	-	A	Public Water SupplyPWS ORW				
Crystal Lake	Entire lakeSource to outlet in Wakefield and those tributaries thereto	-	A	Public Water SupplyPWS ORW				

Names cited in parentheses are unofficial, locally-used names

²Note that all or a portion of these surface waters are within the Great Marsh ACEC (formerly the Parker River/Essex Bay ACEC)

³Note that all or a portion of these surface waters are within the Rumney Marshes ACEC

⁴Note that all or a portion of these surface waters are within the Golden Hills ACEC

*Acronyms:

ACEC = Area of Critical Environmental Concern

CSO = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

*marine waters Class SA

‡ Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

†Formerly the Parker River/Essex Bay ACEC




	TABLE 2 <u>0</u> 4 PARKER RIVER BASIN				
$\underline{\text{SURFACE WATER NAME}^1}$	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Parker River	Source in Boxford to tidal portion east of Parker	23.1 - 9.0	В	Warm Water	Formatted: No underline
	River Dam #1, Newbury			High Quality Water	
	Tidal portion east of Parker River Dam #1, Newbury, to confluence with Plum Island Sound and those tributaries thereto ²	9.0 - 0.0	SA	Shellfishing Outstanding Resource Water ORW	
Mill River	Source in Boxford to tidal portion and those	9.6 - 2.3	В	Warm Water	Formatted: No underline
	tributaries thereto			Outstanding Resource Water ORW	
	Tidal portion and those tributaries thereto ²	2.3 - 0.0	SA, B**	Shellfishing Outstanding Resource WaterORW	
Eagle Hill River	Entire length and those tributaries thereto ²	_	SA, B* <u>*</u>	ORW Outstanding Resource Water	Formatted: No underline
Third Creek	Entire Length, Ipswich ²	_	SA,_B* <u>*</u>	ORW Outstanding	Formatted: No underline
Roger Island River	Entire length and those tributaries thereto ²	_	SA, B* <u>*</u>	Resource Water ORWOutstanding Resource Water	Formatted: No underline

4.06: continued

Rowley River	Entire length and those tributaries thereto ²	-	SA, B* <u>*</u>	<u>ORW</u>	Formatted: No underline
				Outstanding	
				Resource Water	
Egypt River	Entire <u>l</u> Length, Ipswich/Rowley ²	7	SA, B* <u>*</u>	<u>ORW</u>	Formatted: No underline
				Outstanding	
				Resource Water	
Mud Creek	Entire length, Newbury/Rowley, and those tributaries		SA, B* <u>*</u>	ORW	Formatted: No underline
Widd Creek	2		5A, D	Outstanding	Tornatted. No underline
	thereto ⁴			Resource Water	
Bull Brook Reservoir	Reservoir to outlet in Ipswich and those tributaries	-	A	Public Water	Formatted: No underline
	thereto			Supply	
	Reservoir to outlet in Ipswich and those tributaries	_	A	Public Water	Formatted: No underline
Dow Brook Reservoir	thereto			Supply	

Formatted: No underline

TABLE 240 PARKER RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Plum Island River	South of High Sandy sand bar to confluence with		SAOutstanding	Shellfishing			
	Plum Island Sound, Newbury ²		Resource	ORW			
			Water				
Pine Island Creek, Little Pine	Entire length, Newbury ²	_	SA*, B**	Outstanding			
Island Creek and Jericho				Resource			
Creek				Water ORW			
Jericho Creek	Entire length, Newbury ²		<u>SA, B**</u>	ORW			

4.06: continued

Plum Island Sound	Entire sound, Newbury/Rowley/Ipswich ²		SA	Shellfishing				
				Outstanding				
				Resource				
				Water ORW				
Broad Creek, Carolton, Club	Portion within the Great Marsh ACEC†, Ipswich			Outstanding				
Head, Laws, Lords, Metcalf,	Parker River/Essex Bay ACEC			Resource				
Paine, Sand, Sawyer, Shad,			SA	Water ORW				
Six Goose, Stacy, and West								
Creek								
Carolton Creek	Portion within the Great Marsh ACEC†, Rowley		<u>SA</u>	ORW				
	D (id d C (M LAGRGED 1		G.4	ODW				
Club Head Creek	Portion within the Great Marsh ACEC†, Rowley		<u>SA</u>	<u>ORW</u>				
<u>Laws Creek</u>	Portion within the Great Marsh ACEC†, Ipswich		SA	ORW				
Landa Consta	Portion within the Great Marsh ACEC†, Ipswich		CA	ODW				
Lords Creek	Portion within the Great Marsh ACEC1, Ipswich		<u>SA</u>	<u>ORW</u>				
Metcalf Creek	Portion within the Great Marsh ACEC†, Ipswich	,	<u>SA, B**</u>	<u>ORW</u>				
Paine Creek	Portion within the Great Marsh ACEC†, Ipswich		SA	ORW				
Sand Creek	Portion within the Great Marsh ACEC†, Rowley		<u>SA, B**</u>	<u>ORW</u>				
Sawyer Creek	Portion within the Great Marsh ACEC†, Rowley		SA, B**	ORW				
CI 1.C. 1	Davis Chinds Cost March ACECT David		CA DVV	ODW				
Shad Creek	Portion within the Great Marsh ACEC†, Rowley		<u>SA, B**</u>	<u>ORW</u>				
Six Goose Creek	Portion within the Great Marsh ACEC†, Ipswich		<u>SA</u>	<u>ORW</u>				
	TABLE 240							
	PARKER RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				

<u>TF-</u> **124** | P a g e

Formatted: No underline

4.06: continued

.oo. commuca			
Stacy Creek	Portion within the Great Marsh ACEC†, Ipswich	<u>SA</u>	ORW
West Creek	Portion within the Great Marsh ACEC†, Rowley	<u>SA</u>	<u>ORW</u>
Ox Pasture Brook	Portion within Parker River/Essex Baythe Great	<u>SA, B**</u>	Outstanding
	Marsh ACEC†, Rowley		Resource WaterORW
Bull Brook Reservoir	Entire reservoir to outlet in Ipswich and those tributaries thereto	<u>A</u>	PWS ORW
Dow Brook Reservoir	Entire reservoir to outlet in Ipswich and those tributaries thereto	Ä	PWS ORW

Formatted: No underline

*Acronyms:

ACEC = Area of Critical Environmental Concern

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.


†Formerly Parker River/Essex Bay ACEC

TF- 125 | Page

¹Names cited in parentheses are unofficial, locally-used names

²Note that all or portions of these surface waters are within the Great Marsh ACEC (formerly Parker River/Essex Bay ACEC)

^{**}Coastal and -mMarine waters Class SA; fresh waters Class B



4.06: continued

4.00. continued					
	TABLE <u>21</u> 9				
	QUINEBAUG RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Quinebaug River	From outlet of Hamilton Reservoir to Sturbridge	0.7 - 19.7	В	Cold Water	Formatted: No underline
	WWTFPOTW discharge			High Quality Water	
	From Sturbridge WWTFPOTW discharge to confluence with Cady Brook confluence	19.7 - 13.4	В	Cold Water	
	From confluence with Cady Brook confluence to Southbridge WWTFPOTW discharge	13.4 - 12.2	В	Warm Water	
	From Southbridge WWTFPOTW discharge to MA-CT state line	12.2 - 7.9	В	Warm Water	
Cady Brook	From Ooutlet toof Glen Echo Lake to Charlton City	6.1 - 5.1	В	Warm Water	Formatted: No underline
	WWTFPOTW discharge			High Quality Water	
	From Charlton City WWTF-POTW discharge to confluence with Quinebaug River	5.1 - 0.0	В	Warm Water	
Cohasse Brook Reservoir	Source Entire reservoir to outlet in Southbridge and	-	A	Public Water	Formatted: No underline
(Lo Cohasse Brook Reservoir)	those tributaries thereto			SupplyPWS	Formatted: No underline
				<u>ORW</u>	
No. 3 Reservoir	Entire reservoir Source to outlet in Southbridge and	-	Α	Public Water	Formatted: No underline
(Hatchet Brook Reservoir #3)	those tributaries thereto			SupplyPWS	Formatted: No underline
				<u>ORW</u>	
Tufts Branch	From source in Dudley to the MA-CT state line	entire length	В	Cold Water	

¹Names cited in parentheses are unofficial, locally-used names

*Acronyms:

ORW = Outstanding Resource Water


<u>TF-</u> **127** | P a g e

4.06: continued

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.





4.06: continued

1.00. continued							
TABLE <u>2219</u> SHAWSHEEN RIVER BASIN							
SURFACE WATER NAME	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	<u>QUALIFIERS</u>			
Shawsheen River	Source to <u>drinking</u> water- <u>withdrawal point intake</u> in Billerica (approximately Cook Street and Alexander Road)	25.0 - 18.0	В	Treated Water Supply Warm Water			
	From drinking wWater-withdrawal point intake in Billerica to confluence with the Merrimack River	18.0 - 0.0	В	Warm Water			

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

Formatted: No underline




	TABLE 24 <u>3</u> SOUTH COASTAL DRAINAGE ARE	A			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Cohasset Harbor		_	SA	Shellfishing	
Little Harbor		-	SA	Shellfishing	
The Gulf		-	SB	Shellfishing	
Scituate Harbor		-	SA	Shellfishing	
French Stream	Entire Llength, Rockland/Abington/Hanover	20.6 15.7	В	Warm Water	Formatted: No underline
Drinkwater River	Entire <u>Llength</u> , <u>Hanover</u>	15.7 13.9	В	Warm Water	Formatted: No underline
Indian Head River	Source to Curtis Crossing Dam, Hanover/Hanson/	_	В	Warm Water	Formatted: No underline
	Pembroke From the Curtis Crossing Dam to confluence with		В	Warm Water	
	Herring Brook, Hanover/Pembroke ²		2	Outstanding Resource	
				Water ORW	
North River	From the Cconfluence of Indian Head River and	11.6 - 9.6	SA	Shellfishing	 Formatted: No underline
	Herring Brook to confluence with Third Herring Brook ²			Outstanding	
	P100K			Resource WaterORW	
	From the confluence with Third Herring Brook to	9.6 - 2.0	SA	Shellfishing	
	Main Street, Marshfield ²			Outstanding Resource	
				Water ORW	

4.06: continued

	Main Street, Marshfield to Massachusetts Bay	2.0 - 0.0	SA	Shellfishing
South River	Source in Duxbury to dam at Main Street, Marshfield ²		В	Outstanding
				Resource WaterORW

Formatted: No underline

TABLE 243 SOUTH COASTAL DRAINAGE AREA (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*		
South River (cont.)	From the dDam at Main Street, Marshfield to confluence with North River, Marshfield ²		SA	Shellfishing Outstanding Resource WaterORW		
Green Harbor		-	SA	Shellfishing		
Jones River	Source to former Wapping Road Dam Pond, Kingston	7.0 - 3.4	В	Warm Water High Quality Water		
	From former Wapping Road Dam, Kingston, to Elm Street Dam, Kingston	3.4 - 2.5	В	Warm Water		
Cove Brook, Herring, Iron Mine, Second Herring, Stony, and Third Herring Brook and Robinson Creek	Portion of this surface water within the North River Corridor, Marshfield ²		<u>SA, B**</u>	Outstanding Resource WaterORW		

Formatted: No underline

Formatted: No underline

4.06: continued

	TABLE 24 <u>3</u> SOUTH COASTAL DRAINAGE AREA (continued)								
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	CLASS	QUALIFIERS*					
Herring Brook	Portion of this surface water within the North River Corridor, Pembroke ²		<u>SA, B**</u>	ORW					
Iron Mine Brook	Portion of this surface water within the North River Corridor, Hanover ²		SA, B**	ORW					
Second Herring Brook	Portion of this surface water within the North River Corridor, Norwell ²		SA, B**	ORW					
Stony Brook	Portion of this surface water within the North River Corridor, Norwell ²		SA, B**	ORW					
Third Herring Brook	Portion of this surface water within the North River Corridor, Norwell ²		SA, B**	ORW					
Robinson Creek	Portion of this surface water within the North River Corridor, Pembroke ²		SA, B**	ORW					
Furnace Pond	Entire pPond to outlet in Pembroke and those tributaries thereto	_	A	Public Water SupplyPWS ORW					
Silver Lake	Entire Lake to outlet in Kingston and those tributaries thereto		A	Public Water SupplyPWS ORW					

Formatted: No underline

Formatted: No underline

4.06: continued

4.06: Continued	TABLE 24 <u>3</u> SOUTH COASTAL DRAINAGE AREA (cor	ntinued)			
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Mounce Pond	Portion of this surface water within inthe North River Corridor		SA, B**	Outstanding Resource WaterORW	Formatted: No underline
Great Sandy Bottom Pond	Entire pPond to outlet in Pembroke and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Great South Pond	Entire pPond to outlet in Plymouth and those tributaries thereto	-	A	Public Water SupplyPWS ORW	Formatted: No underline
Lily Pond	Entire pPond to outlet in Cohasset and those tributaries thereto		A	Public Water SupplyPWS ORW	Formatted: No underline
Little South Pond (South Pond)	Entire pPond to outlet in Plymouth and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline
Old Oaken Bucket Pond (Herring Brook Pond)	Entire pPond to outlet in Scituate and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline
Aaron River Reservoir	Entire rReservoir to outlet in Cohasset and those tributaries thereto	_	A	Public Water SupplyPWS ORW	Formatted: No underline

<u>TF-</u> **135** | P a g e

4.06: continued

100. Continued							
TABLE 243 SOUTH COASTAL DRAINAGE AREA (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Abington Rockland Reservoir (Hingham Street Reservoir)	Entire rReservoir to outlet in Rockland and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Huldah Brook	Source in Marshfield to confluence with Pudding Brook, Pembroke		<u>B</u>	Cold Water			

Formatted: No underline

¹Names cited in parentheses are unofficial, locally-used names

²Note that all or a portion of these surface waters are within the North River Corridor as defined by the "Scenic and Recreational River Protective Order for the North River", issued pursuant to M.G.L. 21, § 17B, and Section 62 of Chapter 367 of the Acts of 1978.


† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply

**Coastal and marine waters Class SA; fresh waters Class B



4.06: continued

TABLE <u>1824</u> <u>SUDBURY ASSABET CONCORD (</u> SuAsCo) RIVER BASIN							
SURFACE WATER NAME ^{1*}	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*			
Sudbury River	From outlet of Cedar Swamp Pond Source to Fruit Street Bridge in Hopkinton ²	Above 29.1	В	Warm Water Outstanding Resource WaterORW			
	From Fruit Street Bridge, Hopkinton to Ooutlet toof Saxonville Pond	29.1 - 16.2	В	Warm Water High Quality Water			
	From oOutlet of Saxonville Pond to confluence with Hop Brook, Wayland confluence	16.2 - 10.6	В	Aquatic Life High Quality Water			
	From confluence with Hop Brook, Wayland confluence to confluence with the Assabet River forming the headwaters of the Concord River confluence	10.6 - 0.00	В	Aquatic Life			
Denney Brook, Jackstraw Brook, Picadilly Brook, Rutters Brook and Whitehall Brook	Entire brook ²	-	В	Outstanding Resource WaterORW			
Jackstraw Brook	Source in Westborough to Upton Road, first crossing south of Hopkinton Road, Westborough ²		В	Cold Water ORW			
	From Upton Road, first crossing south of Hopkinton Road, Westborough, to the inlet of Cedar Swamp Pond, Westborough ²		В	ORW			
Picadilly Brook	Entire brook ²		<u>B</u>	ORW			

<u>TF-</u> **138** | P a g e

Formatted: No underline

4.06: continued

Rutters Brook	Entire brook ²	<u>B</u>	ORW
Whitehall Brook	Entire brook ²	<u>B</u>	ORW

TABLE 1824 SUDBURY ASSABET CONCORD (SuAsCo) RIVER BASIN (continued)						
SURFACE WATER NAME ^{1*}	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*		
Hop Brook	Source From Carding Mill Pond Dam to confluence with the Sudbury River confluence	9.7 - 0.0	В	Warm Water		
Concord River	From cConfluence of Assabet and Sudbury Rivers to the Billerica Water Supply Intake	15.4 - 5.9	В	Warm Water Treated Water Supply		
	From the Billerica Water Supply Intake to Rogers Street, Lowell	5.9 - 1.0	В	Warm Water		
	From Rogers Street, Lowell to confluence with the Merrimack River	1.0 - 0.0	В	Warm Water CSO		
Assabet River	Source to the Westborough WWTFPOTW discharge	31.8 - 30.4	В	Warm Water High Quality Water		
	From the Westborough WWTF-POTW discharge to outlet to of Boones Pond (Lake Boon)	30.4 - 12.4	В	Warm Water		
	From oOutlet of Boones Pond to confluence with the Sudbury River, forming the headwaters of the Concord River	12.4 - 0.0	В	Warm Water		

Formatted: No underline

Formatted: No underline

Formatted: No underline

<u>TF-</u> **139** | Page

4.06: continued

4.06: continued <u>S</u>	TABLE <u>1824</u> <u>UDBURY ASSABET CONCORD (</u> SuAsCo <u>)</u> RIVER F	BASIN (continued)		
SURFACE WATER NAME ^{1*}	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
Nagog Pond	Source-Entire pond to outlet in Acton and those	_	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Westborough Reservoir	Source Entire reservoir to outlet in Westborough and	-	Α	Public Water	Formatted: No underline
(Sandra Pond)	those tributaries thereto			SupplyPWS	Formatted: No underline
				<u>ORW</u>	
Gates Pond	Source Entire pond to outlet in Berlin and those	-	A	Public Water	Formatted: No underline
(Gates Pond Reservoir)	<u>tributaries thereto</u>			SupplyPWS	Formatted: No underline
				<u>ORW</u>	
White Pond	Source Entire pond to outlet in Hudson and those	_	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Millham Reservoir	Source Entire reservoir to outlet in Marlborough and	-	A	Public Water	Formatted: No underline
	those tributaries thereto			SupplyPWS ORW	
Lake Williams Reservoir	Source-Entire reservoir to outlet in Marlborough and	_	A	Public Water	Formatted: No underline
(Williams Lake)	those tributaries thereto			SupplyPWS ORW	
Sudbury Reservoir	Entire reservoir Lin Westborough, Marlborough,	_	A	Public Water	Formatted: No underline
	Southborough, and Framingham and those tributaries thereto			SupplyPWS ORW	
MWRA Open Canal	Entire length and those tributaries thereto	_	A	Public Water	Formatted: No underline
				SupplyPWS	

<u>TF-</u> **140** | Page

4.06: continued

<u>SI</u>	TABLE <u>1824</u> <u>UDBURY ASSABET CONCORD (</u> SuAsCo) RIVER B	ASIN (continued)		
SURFACE WATER NAME ^{1*}	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
(Wachusett Aqueduct)				ORW	Formatted: No underline
Framingham Reservoir No. 3	Entire rReservoir to outlet in Framingham and those tributaries thereto		A	Public Water SupplyPWS ORW	Formatted: No underline
Cedar Swamp Pond	Portion The portion of the surface water within the Westborough Cedar Swamp ACEC		<u>B</u>	Outstanding Resource WaterORW	Formatted: No underline
Pine Brook	Source in Wayland to confluence with Sudbury River, Wayland		<u>B</u>	Cold Water	
Sheep Fall Brook	Source in Marlborough to confluence with Flagg Brook, Marlborough		<u>B</u>	Cold Water	
Unnamed tributary- to Assabet River	Entire length from source south of Athens St. in Stow to confluence with the Assabet River, Stow	entire length	<u>B</u>	Cold Water	
Jacksaw Brook	Source to Upton Rd 1 st crossing south of Hopkington Rd.			Cold Water	Formatted: No underline

¹Names cited in parentheses are unofficial, locally-used names

²Note that all or a portion of these surface waters are within the Westborough Cedar Swamp ACEC

*Acronyms:

ACEC = Area of Critical Environmental Concern

CSO = Combined Sewer Overflow

MWRA = Massachusetts Water Resources Authority

ORW = Outstanding Resource Water


<u>TF-</u> **141** | P a g e

4.06: continued

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.





4.06: continued

4.06: continued					
	TABLE <u>1425</u> TAUNTON RIVER BASIN				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Taunton River	Source From confluence with the Town River to Rt. 24 Bridge	40.8 - 21.2	В	Warm Water	Formatted: No underline
	From Rt. 24 Bridge to its mouth at confluence with Mt. Hope Bay	21.2 - 0.0	SB	Shellfishing CSO	
Salisbury Plain & Matfield Rivers	From Brockton WWTFPOTW discharge to confluence with the Matfield River, East Bridgewater	-	В	Warm Water	Formatted: No underline
Matfield River	From confluence with the Salisbury Plain River, East Bridgewater, to confluence with the Town River, East Bridgewater		<u>B</u>	Warm Water	Formatted: No underline
Town River	From Bridgewater WWTFPOTW discharge to confluence with the Matfield and Taunton Rivers	2.4 - 0.0	В	Warm Water	Formatted: No underline
Nemasket River	From Middleborough WWTFPOTW discharge to confluence with the Taunton River	_	В	Warm Water	Formatted: No underline
Saw Mill Brook	Entire Lengthlength	1.5 - 0.0	В	Warm Water	 Formatted: No underline
Mill River	From Ooutlet of Lake Sabbatia, Taunton, to confluence with the Taunton River	3.4 - 0.0	В	Warm Water	Formatted: No underline
Three Mile River	Source to confluence with the Taunton River	15.8 - 0.0	В	Warm Water	 Formatted: No underline
Wading River (Attleboro Reservoir)	Source to water supply PWS intake in Mansfield and those tributaries thereto		A	Public Water SupplyPWS ORW	Formatted: No underline

<u>TF-</u> **144** | Page

4.06: continued

	TABLE 1425 TAUNTON RIVER BASIN (continued)				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*	
Wading River (Attleboro Reservoir) (cont.)	From water supply intake, Mansfield to confluence with Three Mile River B		BWarm Water	Warm Water	
Assawompset Pond	Source-Entire pond to outlet in Lakeville and those	-	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Great Quittacas Pond	Source Entire pond to outlet in Lakeville and those	-	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Little Quittacas Pond	Source Entire pond to outlet in Lakeville and those	-	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Long Pond	Source Entire pond to outlet in Lakeville and those	_	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Pocksha Pond	Source Entire pond to outlet in Lakeville and those	-	A	Public Water	Formatted: No underline
	tributaries thereto			SupplyPWS ORW	
Somerset Reservoir	Source-Entire reservoir to outlet in Somerset and those	_	A	Public Water	 Formatted: No underline
	tributaries thereto, including Segreganset River from pumping station, Dighton, to source			SupplyPWS ORW	
Monponsett Pond	Source-Entire pond to outlet in Halifax and those	_	A	Public Water	Formatted: No underline
	tributaries thereto (inclusive of east and west basins;			Supply PWS	
	feeder to Silver Lake water supply listed in the South Coastal drainage area)			ORW	

TF- 145 | Page

4.06: continued

	70. Continued							
	TABLE <u>1425</u> TAUNTON RIVER BASIN (continued)							
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
El	lders Pond	Source Entire pond to outlet in Lakeville and those tributaries thereto	-	A	Public Water SupplyPWS ORW			
Re	rockton Reservoir (Avon eservoir, Salisbury Brook eservoir)	Entire rReservoir to outlet in Avon and those tributaries thereto		A	Public Water SupplyPWS ORW			

Formatted: No underline

Formatted: No underline

¹Names cited in parentheses are unofficial, locally-used names


*Acronyms:

<u>CSO</u> = Combined Sewer Overflow

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.



4.06: continued

	4.00. Continued			i			
l		TABLE <u>2612</u> TEN-MILE RIVER BASIN					
		I EN-WILLE RIVER DASIN	ı				
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY	MILE POINT:	<u>CLASS</u>	<u>QUALIFIERS*</u>		Formatted: No underline
	Ten Mile River	Source to Plainville CenterWest Bacon Street,	23.1 - 19.9	В	Warm Water		Formatted: No underline
		<u>Plainville</u>			High Quality Water		
ļ							
		From West Bacon Street, Plainville Center to	19.9 - 19.3	В	Warm Water		
		Whiting Pond Dam			High Quality Water		
ı		From Whiting Pond Dam to MA-RI state line	19.3 - 0.0	В	Warm Water		
		FIOH WHITING FORD Dail to MA-KI state line	19.3 - 0.0	D	waiii watei		
İ	Bungay River	Entire <u>l</u> Length, North Attleborough/Attleboro	4.5 - 0.0	В	Warm Water		Formatted: No underline
	Speedway Brook (or Thacher	Entire <u>l</u> Length, <u>Attleboro</u>	2.0 - 0.0	В	Warm Water		Formatted: No underline
	Brook)						
-							
	Orrs Pond	Source Entire pond to outlet Orrs Pond outlet in	-	A	Public Water		Formatted: No underline
	(Sevenmile River, City Pond,	Attleboro and those tributaries thereto			Supply PWS		
	Upper Pond, Orrs Reservoir)				<u>ORW</u>		
•							

¹Names cited in parentheses are unofficial, locally-used names


† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply

TF- 148 | Page



	+.00. continued	TABLE 4 <u>27</u> WESTFIELD RIVER BASIN				
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*	
	Middle Branch Westfield River	Source to Kinnebrook Road, Dayville	Above 3.0	<u>A</u>	Cold Water PWS ORW	Formatted: No underline
		From Kinnebrook Road, Dayville Sourceto Littleville Dam, Chester/Huntington (inclusive of Littleville Lake) and those tributaries thereto	27.1 + 18.0 3.0 - 1.0	A	Public Water SupplyPWS ORW	
		From outlet of Littleville Dam to confluence with the Westfield River	27.1 +1.0 - 0.0	В	Warm Water High Quality Water	
	West Branch Westfield River	Source to Chester Center	25.0 + 17.5- 7.5	В	Cold Water High Quality Water	Formatted: No underline
		From Chester Center to confluence with the Westfield River	25.0 + 7 .5 - 0.0	В	Cold Water	
	Westfield River	Source to confluence with the Middle Branch Westfield River (includes the former segment of river known locally as the Westfield River East Branch)	62.5 - 27.1	В	Cold Water High Quality Water	Formatted: No underline
		From cConfluence with the Middle Branch Westfield River to confluence with the Connecticut River	27.1- 0.0	В	Warm Water	
	Westfield River East Branch	Source to confluence with Dead Branch			Cold Water	Formatted: No underline

4.06: continued

					=	
	Dead Branch (Brook)	From oOutlet of Long Pond to confluence with the	<u>B</u>	Cold Water		Formatted: No underline
		East Branch Westfield River				
J						

TABLE 427 WESTFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Little River	From Cobble Mt. Reservoir Dam to hydroelectric dam		A	Cold Water			
	(this river is a tributary to a PWS)			Tributary to public water supply PWS ORW			
	From Hydroelectric dam to confluence with Westfield River		В	Cold Water			
Long Pond (Long Pond Reservoir,	Source to outlet in Blandford and those tributaries	_	A	Public Water			
Tucker Healy Pond, Lincoln Pond)	thereto			SupplyPWS ORW			
Unnamed Reservoir (Austin Brook	Source-Entire reservoir to outlet in Chester and those	_	A	Public Water			
Reservoir)	tributaries thereto			SupplyPWS ORW			
Horn Pond (Horn Pond Reservoir)	Source Entire pond to outlet in Becket and those	_	A	Public Water			
	tributaries thereto			SupplyPWS ORW			
Huntington Reservoir (Cold Brook	Source-Entire reservoir to outlet in Huntington	_	A	Public Water			
Reservoir)	Blandford and those tributaries thereto			SupplyORW			

Formatted: No underline

<u>TF-</u> **151** | P a g e

4.06: continued

	TABLE 427 WESTFIELD RIVER BASIN (continued)						
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Russell Reservoir (Lower Black	Source Entire reservoir to outlet in Russell and those	-	A	Public Water		Formatted: No underline	
Brook Reservoir)	tributaries thereto			SupplyPWS ORW			
Bearhole Reservoir (Bearhole	Source Entire reservoir to outlet in West Springfield	-	A	Public Water		Formatted: No underline	
Brook Reservoir, Prudys Pond)	and those tributaries thereto			SupplyPWS ORW			
Granville Reservoir	Source-Entire reservoir to outlet in Granville and	_	A	Public Water		Formatted: No underline	
	those tributaries thereto			SupplyPWS ORW			
Cobble Mt. Reservoir	Source Entire reservoir to outlet in Russell and those	-	A	Public Water		Formatted: No underline	
	tributaries thereto			Supply PWS ORW			
Intake Reservoir	Entire reservoir Atto outlet of hydroelectric dam in		A	Public Water		Formatted: No underline	
	Russell and those tributaries thereto			SupplyPWS ORW			
Unnamed Pond (Sedimentation	Entire pond northeast of the intersection of Gorge Rd		A	Public Water		Formatted: No underline	
Basin, Westfield Mountain Pond)	and Granville Road in Westfield Aand those tributaries thereto			Supply PWS ORW			
Ashley Reservoir (Ashley Pond,	Source Entire reservoir to outlet in Holyoke and those	-	A	Public Water		Formatted: No underline	
Wright Pond, Cedar Reservoir)	tributaries thereto			SupplyPWS ORW			
McLean Reservoir	Source-Entire reservoir to outlet in Holyoke and those	_	A	Public Water		Formatted: No underline	
	tributaries thereto			SupplyPWS ORW			

<u>TF-</u> **152** | P a g e

4.06: continued

	TABLE 427 WESTFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Unnamed Reservoir (Upper Black	Entire reservoir on Black Brook just west of Martin	_	A	Public Water				
Brook Reservoir)	Phelps Road to outlet in Blandford and those tributaries thereto			SupplyPWS ORW				
Austin Brook Reservoir	and tributaries thereto		A	Public Water				
				Supply				
Littleville Lake (Littleville	and tributaries thereto		A	Public Water				
Reservoir)				Supply				
Abbott Brook	Entire length, Chester		<u>B</u>	Cold Water				
Arm Brook	Source to inlet of unnamed impoundment upstream of Rte. 90 highway crossing, Southampton/Westfield		<u>B</u>	Cold Water				
Ashley Brook	Source to confluence with Jacks Brook, Westfield		<u>B</u>	Cold Water				
Austin Brook	Source in Becket to the inlet of Unnamed Reservoir (Austin Brook Reservoir)		A	Cold Water PWS ORW				
Austin Brook (cont.)	From the outlet of Unnamed Reservoir (Austin Brook Reservoir) to confluence with Walker Brook, Chester		<u>B</u>	Cold Water				
Barry Brook	Entire length, Holyoke/West Springfield/Westfield	entire length	<u>B</u>	Cold Water				
Bartlett Brook	Entire length, Plainfield/Cummington	entire length	<u>B</u>	Cold Water				

Formatted: No underline

Formatted: No underline

Formatted: No underline

4.00: Continued	TABLE 427 WESTFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Bearden Brook	Souce in Montgomery to confluence with Westfield River, Montgomery		<u>B</u>	Cold Water				
Blair Brook	Source in Chester to confluence with West Branch Westfield River, Chester		<u>B</u>	Cold Water				
Bronson Brook	Entire length, Cummington/Worthington	entire length	<u>B</u>	Cold Water				
Bush Brook	Entire length, Westfield	entire length	<u>B</u>	Cold Water				
<u>Clear Brook</u>	Source in Savoy to confluence with Windsor Jambs Brook, Windsor		<u>B</u>	Cold Water				
Cone Brook	Source in Peru to confluence with Tuttle Brook, Peru (this brook is a tributary to a PWS)		<u>A</u>	Cold Water PWS ORW				
Crow Brook	Source in Montgomery to confluence with Roaring Brook, Montgomery		<u>B</u>	Cold Water				
Depot Brook	Entire length, Washington/Becket	entire length	<u>B</u>	Cold Water				
Dickerson Dickinson Brook	Entire length, Granville	entire length	<u>B</u>	Cold Water				
Factory Brook	Entire length, Peru/Middlefield	entire length	<u>B</u>	Cold Water				
Florida Brook	Source in Huntington to confluence with Westfield River, Huntington		<u>B</u>	Cold Water				

	4.00. Continued	TABLE 427 WESTFIELD RIVER BASIN (continued)							
	SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Ī	Freeland Brook	Source in Blanford to confluence with Stage Brook, Russell		<u>B</u>	Cold Water				
	Fuller Brook	Entire length, Peru/Worthington	entire length	<u>A</u>	Cold Water PWS ORW				
:	Geer Brook	Entire length, Peru/Middlefield	entire length	<u>B</u>	Cold Water				
	Hamilton Brook	Source in Becket to confluence with Walker Brook, Becket		<u>B</u>	Cold Water				
	Hollister Brook	Source in Granville to inlet of Granville Reservoir, Granville (this brook is a tributary to a PWS)		<u>A</u>	Cold Water PWS ORW				
	Horse Hill Brook	Source in Huntington to confluence with Roaring Brook, Huntington		<u>B</u>	Cold Water				
	Hume Brook	Source in Windsor to confluence with Westfield Brook, Windsor		<u>B</u>	Cold Water				
•	Hundred Acre Brook	Source in Westfield to confluence with Little River, Westfield		<u>B</u>	Cold Water				
	Kearney Brook	Entire length, Cummington/Worthington	entire length	<u>B</u>	Cold Water				
	Kellog Brook	Entire length, Southwick/Westfield	entire length	<u>B</u>	Cold Water				

4.00. Commucu	TABLE 427 WESTFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Kinne Brook	Entire length, Worthington/Chester	entire length	<u>A</u>	Cold Water PWS ORW				
Mica Mill Brook	Source in Chester to confluence with West Branch Westfield River, Chester		<u>B</u>	Cold Water				
Mill Brook (1)	Entire length in Plainfield/Cummington to confluence with the Westfield River	entire length	<u>B</u>	Cold Water				
Miller Brook	Entire length, Agawam	entire length	<u>B</u>	Cold Water				
Mongue Meadow Brook	Source in Windsor to confluence with Alder Meadow Brook, Windsor		<u>B</u>	Cold Water				
Munn Brook	Entire length, Granville/Southwick/Westfield	entire length	<u>B</u>	Cold Water				
Otis Wait Brook	Source in Chester to confluence with West Branch Westfield River, Chester		<u>B</u>	Cold Water				
Pittsinger Brook	Source in Huntington to confluence with Dead Branch Brook, Huntington		<u>B</u>	Cold Water				
Pixley Brook	Source in Blandford to confluence with Peebles Brook, Blanford (this brook is a tributary to a PWS)		<u>A</u>	Cold Water PWS ORW				
Pond Brook	Entire length, Huntington	entire length	<u>B</u>	Cold Water				

4.06: continued

	TABLE 427 WESTFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*				
Potash Brook	Entire length, Blandford/Russell	entire length	<u>B</u>	Cold Water				
Powell Brook	Source in Cummington to confluence with Kearnery Brook, Cummington		<u>B</u>	Cold Water				
Roaring Brook (1)	Entire length in Huntington/Montgomery to confluence with the Westfield River	entire length	<u>B</u>	Cold Water				
Roaring Brook (2)	2) Entire length in Chester/Huntington to confluence with the West Branch Westfield River		<u>B</u>	Cold Water				
Shaker HMill Brook	Entire length, Washington/Becket	entire length	<u>B</u>	Cold Water				
Shaw Brook	Entire length, Windsor	entire length	<u>B</u>	Cold Water				
Skunk Brook	Source in Chester to confluence with Kinne Brook, Chester (this brook is a tributary to a PWS)		<u>A</u>	Cold Water PWS ORW				
Smith Brook	Source to confluence with Middle Branch Westfield River, Chester (this brook is a tributary to a PWS)		<u>A</u>	Cold Water PWS ORW				
Sodum Brook	Source in Russell to confluence with Little River, Russell		<u>B</u>	Cold Water				
Stage Brook	Entire length, Russell	entire length	<u>B</u>	Cold Water				
Steep Bank Brook	Entire length, Windsor	entire length	<u>B</u>	Cold Water				

<u>TF-</u> **157** | P a g e

TABLE 4 <u>27</u> WESTFIELD RIVER BASIN (continued)							
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	<u>CLASS</u>	QUALIFIERS*			
Stones Brook	Entire length, Ashfield/Goshen	entire length	<u>B</u>	Cold Water			
Swift River	Entire length, Hawley/Ashfield/Goshen/Cummington	entire length	<u>B</u>	Cold Water			
Swift River North Branch	Entire length, Plainfield/Ashfield/Cummington	entire length	<u>B</u>	Cold Water			
Sykes Brook	Source in Chester to confluence with Westfield River, Huntington		<u>B</u>	Cold Water			
Tannery Brook	Source in Blanford to confluence with Bedlam Brook, Blandford (this brook is a tributary to a PWS)		<u>A</u>	Cold Water PWS ORW			
Tower Brook	Entire length, Cummington/Worthington/Chesterfield	entire length	<u>B</u>	Cold Water			
Walker Brook	Entire length, Becket/Chester	entire length	<u>B</u>	Cold Water			
West Branch (Brook)	Entire length, Worthington/Chesterfield	entire length	<u>B</u>	Cold Water			
Westfield Brook	Entire length, Windsor/Cummington	entire length	<u>B</u>	Cold Water			
White Brook	Entire length, Agawam	entire length	<u>B</u>	Cold Water			
Whitmarsh Brook	Source in Cummington to confluence with Bronson Brook, Worthington		<u>B</u>	Cold Water			
Wolf Brook	Source in Cummington to confluence with Westfield Brook, Cummington		<u>B</u>	Cold Water			

4.06: continued

1.00. Commuca						
TABLE 427						
	WESTFIELD RIVER BASIN (continued	a)				
SURFACE WATER NAME ¹	SURFACE WATER OR SEGMENT BOUNDARY*	MILE POINT:	CLASS	QUALIFIERS*		
Yokum Brook	Entire length, Becket	entire length	<u>B</u>	Cold Water		

Names cited in parentheses are unofficial, locally-used names

*Acronyms:

ORW = Outstanding Resource Water

PWS = Public Water Supply

† Mile Point values represent the approximate distance in miles of each end of a given surface water or segment from its mouth (assigned a value of "0"). Mile Points are provided where available for convenience in locating the upstream and downstream ends of segments. Narrative descriptions of surface water or segment boundaries, however, always control over boundaries based upon Mile Points.

4.06: continued

TABLE 28 SITE SPECIFIC CRITERIA					
BASIN/DRAINAGE AREA &	SURFACE WATER*	BOUNDARY-OR, TOWN OR RIVER MILE	SITE-SPEC	CIFIC CRITERIA	
WATERBODY	SURFACE WATER	**+	Pollutant	Criteria††	
BLACKSTONE RIVER BASIN	Auburn Pond	Auburn	Total	0.025 mg/L	
			Phosphorus		
	Blackstone River	From the Upper Blackstone POTW discharge 45.2 to 20.0 (the MA-RI state line (river mile 45.2 to 20.0)	Copper	Aecute ¹ : 25.7 μg/L Cehronic ² : 18.1 μg/L	
	Brierly Pond	Millbury	Total Phosphorus	0.025 mg/L	
	Curtis Pond North	Worcester	Total Phosphorus	0.025 mg/L	
	Curtis Pond South	Worcester	Total Phosphorus	0.025 mg/L	
	Dorothy Pond	Millbury	Total Phosphorus	0.025 mg/L	
	Eddy Pond	Auburn	Total Phosphorus	0.015 mg/L	
	Flint Pond	Grafton, Worcester, Shrewsbury	Total Phosphorus Shrewsbury	0.012 mg/L	

Formatted: No underline

4.06: continued				
	Green Hill Pond	Worcester	Total	0.025 mg/L
			Phosphorus	l
				I



Ī	TABLE 28 SITE SPECIFIC CRITERIA (continued)						
_	BASIN/DRAINAGE AREA &	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE		CIFIC CRITERIA		
	WATERBODY NAME OF THE PARTY OF		***	Pollutant	Criteria††		
	BLACKSTONE RIVER BASIN (cont.)	Howe Reservoir (West Basin)	Millbury	Total Phosphorus	0.025 mg/L		
		Indian Lake	Worcester	Total Phosphorus	0.027 mg/L		
		Jordan Pond	Shrewsbury	Total Phosphorus	0.025 mg/L		
		Lake Quinsigamond	Worcester, Shrewsbury	Total Phosphorus	0.012 mg/L		
		Leesville Pond	Auburn, Worcester	Total Phosphorus	0.040 mg/L		
		Mill Pond	Shrewsbury	Total Phosphorus	0.025 mg/L		
		Mumford River	From the Douglas POTW discharge (to confluence with the Blackstone River) (river mile 9.0 to 0.0)	Copper	Aacute ¹ : 25.7 μg/L Cehronic ² : 18.1 μg/L		
		Newton Pond	Shrewsbury	Total Phosphorus	0.025 mg/L		
		Pondville Pond	Auburn	Total Phosphorus	0.025 mg/L		

4.06: continued

Ì	TABLE 28							
	SITE SPECIFIC CRITERIA (continued)							
	BASIN/DRAINAGE AREA &	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPEC	CIFIC CRITERIA			
	WATERBODY		**†	<u>Pollutant</u>	Criteria††			
	BLACKSTONE RIVER BASIN	Salisbury Pond	Worcester	Total	0.0455 mg/L			
l	(cont.)			Phosphorus				
		Shirley Pond	Shrewsbury	Total	0.025 mg/L			
				Phosphorus				
		Smiths Pond	Leicester	Total	0.020 mg/L			
				Phosphorus				
		Southwick Pond	Leicester	Total	0.010 mg/L			
				Phosphorus				
		Stoneville Pond	Auburn	Total	0.025 mg/L			
				Phosphorus				
		Unnamed tributary to	Upton	Copper	acute 25.7 ug/L			
		West River	0.2 0.0		chronic 18.1 μg/L			
		West River	8.8 to 0.0 From the Upton POTW discharge	Copper	<u>Aacute¹:</u> 25.7			
			to (confluence with Blackstone River (river mile 8.8 to 0.0)		μg/L Cehronic ² : 18.1			
l			(Hver time 8.8 to 0.0)		<u>ce</u> monic <u>.</u> 18.1 μg/L			
	BUZZARDS BAY COASTAL	Unnamed Brook	River mile 0.75 to 0.0 (The unnamed brook	Copper	<u>Aacute¹:</u> 25.7			
	DRAINAGE AREA		located approximately ¼-mile northeast of	(confluence	μg/L			
			and parallel to Aucoot Creek, from the	with Aucoot	<u>Cehronic²:</u> 18.1			
			Marion POTW discharge in Marion to confluence with Aucoot Cove)	Cove)	μg/L			
			(river mile 0.75 to 0.0)					
'			(11. 52 mile 61/8 to 610)					

<u>TF-</u> **163** | P a g e

4.06: continued

TABLE 28 SITE SPECIFIC CRITERIA (continued)						
BASIN/DRAINAGE AREA & WATERBODY	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE **+	SITE-SPE	CIFIC CRITERIA Criteria††		
CAPE COD DRAINAGE AREA Stage Harbor System	Little Mill Pond	Chatham	Nitrogen	0.38 mg/L		
CAPE COD COASTAL DRAINAGE AREA Stage Harbor System	Mill Pond	Chatham. Criterion applies at mid-channel of the outlet of Mill Pond (which is a part of the Mitchell River), approximately 350 meters upstream of Bridge Street Bridge (Lat. 41.67191; Long69.95974167). If criterion is met, it will also protect Little Mill Pond and Mitchell River.	Total Nitrogen	0.38 mg/L		
	Oyster Pond	Chatham. Criterion applies at approximately mid-channel between Long Point and the point off the end of Woodcarver Knoll Rd (Lat. 41.6787192; Long69.97749022). If criterion is met, it will also protect Stetson Cove, Oyster Pond River and Stage Harbor.	Total Nitrogen	0.38 mg/L		
	Mitchell River	Chatham	Nitrogen	0.38 mg/L		
	Oyster River	Chatham	Nitrogen	0.38 mg/L		
	Stage Harbor	Chatham.	Nitrogen	0.38 mg/L		
Sulphur Springs System	Bucks Creek	Chatham	Nitrogen	0.38 mg/L		
	Cockle Cove Creek	Chatham	Nitrogen	0.38 mg/L		
CAPE COD COASTAL DRAINAGE AREA Sulphur Springs System	Harding Beach Pond (locally known as Sulphur Springs)	Pond to outlet to Bucks Creek, Chatham. Criterion applies at lower end of Harding Beach Pond in open water, near the outlet to	Total Nitrogen	0.38 mg/L		

<u>TF-</u> **164** | P a g e

		TABLE 28		
	SITE SPE	CIFIC CRITERIA (continued)		
BASIN/DRAINAGE AREA&	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPEC	CIFIC CRITERIA
WATERBODY	SURFACE WATER	**+	Pollutant	Criteria††
		Bucks Creek (Lat. 41.67365; Long.		
		-70.00000278). If criterion is met, it will also		
		protect Bucks Creek.		
Taylors Pond System	Mill Creek	Chatham	Nitrogen	0.38 mg/L
<u>CAPE COD COASTAL</u>	Taylors Pond	Chatham. Criterion applies at the eastern side	<u>Total</u>	0.38 mg/L
<u>DRAINAGE AREA</u>		of the pond, approximately 60 meters from	Nitrogen	
<u>Taylors Pond System</u>		shore (Lat. 41.677769; Long70.016989). If		
		criterion is met, it will also protect Mill		
		<u>Creek.</u>		
Danis - Hadan Cartan	Dania - Hadaa	Chathan	Nitara	0.527.0.552/I
Bassing Harbor System	Bassing Harbor	Chatham Chatham	Nitrogen	0.527 0.552 mg/L
	Crows Pond	Chatham Chatham	Nitrogen	0.527 0.552 mg/L
CARE COD COASTAI	Frost Fish Creek	Chatham	Nitrogen	0.527 0.552 mg/L
CAPE COD COASTAL	Ryder Cove (Inner and	Chatham. Criterion applies at two locations:	Bioactive	0. 527 <u>160</u> 0.552
DRAINAGE AREA	Outer Ryder Cove)	50 meters from the eastern shore, adjacent to	Nitrogen <u>‡</u>	mg/L <u>*</u>
Bassing Harbor System		Woodland Way Circle (Lat. 41.708384; Long69.981777) and Mid-channel of Ryder Cove		
		at narrows (adjacent to Rover Run Rd)		
		approximately 0.6 kilometers upstream of		
		outlet to Bassing Harbor (Lat. 41.706554;		
		Long69.973544). If criterion is met at these		
		two locations, it will also protect Bassing		
		Harbor, Crows Pond, and Frost Fish Creek.		

^{*} The nitrogen criteria for the Bassing Harbor System are interim criteria unless, based on its assessment of Pleasant Bay, the Department determines that the nitrogen criteria for the Bassing Harbor System should remain in effect.

	SITE SPE	TABLE 28 CCIFIC CRITERIA (continued)			
BASIN/DRAINAGE AREA & WATERBODY	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE **†	SITE-SPEO Pollutant	SITE-SPECIFIC CRITERIA Pollutant Criteria††	
CAPE COD COASTAL DRAINAGE AREA Muddy Creek System	Lower-Muddy Creek	Outlet of small unnamed pond south of Countryside Drive and north-northeast of Old Queen Anne Road to mouth at Pleasant Bay, Chatham. Criterion applies at mid-channel, approximately 200 meters upstream of Orleans Road Bridge (Lat. 41.71109; Long69.99653472)	Bioactive Nitrogen‡	0.552210_mg/L	
	Upper Muddy Creek	Chatham	Nitrogen	0.552 mg/L	
CHARLES RIVER BASIN	Charles River	From the Milford POTW discharge to (new Charles Riverthe Watertown Delam)(river mile 73.4 to 9.8)	Copper	<u>A</u> acute ¹ : 25.7 μg/L <u>C</u> ehronic ² : 18.1 μg/L	
	Unamed Tributary to Stop River	1.5 to 0.0	Copper acute 25.7 με μg/L	/L chronic 18.1	
CHARLES RIVER BASIN (cont.)	Stop River	From MCI-Norfolk Water Pollution Control Facility discharge to (confluence with Charles River (river mile 4.4 to 0.0)	Copper	<u>A</u> acute¹: 25.7 μg/L <u>C</u> ehronic²: 18.1 μg/L	
	Unnamed tributary to Charles River	Weston 0.3 to 0.0	Copper acute	25.7 μg/L chronic	

4.06: continued

TABLE 28 SITE SPECIFIC CRITERIA (continued)							
BASIN/DRAINAGE AREA&	PASIN/DDAINAGE ADEA & POLINDADY OF TOWN OF DIVER MILE SITE SPECIFIC CRITERIA						
WATERBODY	SURFACE WATER*	**+	Pollutant	Criteria††			
CHICOPEE RIVER BASIN	Browning Pond	Oakham	Total	0.015 mg/L			
			Phosphorus				
	Dunn Brook	3.7 to 0.0 (confluence with Quaboag River)	Copper acute	25.7 μg/L chronic			
	Long Pond	Springfield	Total Phosphorus	0.030 mg/L			
	Mona Lake	Springfield	Total Phosphorus	0.030 mg/L			
	Minechoag Pond	Ludlow	Total Phosphorus	0.030 mg/L			
	Spectacle Pond	Wilbraham	Total Phosphorus	0.020 mg/L			
	Sugden Reservoir	Spencer	Total Phosphorus	0.015 mg/L			
	Wickaboag Pond	West Brookfield	Total Phosphorus	0.015 mg/L			
CONNECTICUT RIVER BASIN	Aldrich Lake East	Granby	Total	0.030 mg/L			
			Phosphorus				
	Aldrich Lake West	Granby	Total	0.030 mg/L			

Formatted: No underline

Formatted: No underline

<u>TF-</u> **167** | P a g e

4.06: continued

.oo. continucu	CUTE CIDE	TABLE 28		
BASIN/DRAINAGE AREA&		CIFIC CRITERIA (continued) BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPEC	CIFIC CRITERIA
WATERBODY	SURFACE WATER*	**†	Pollutant	Criteria††
			Phosphorus	
	Bachelor Brook	12.4 to 0.0 (<u>its mouth at the confluence with Connecticut River</u> , <u>South Hadley</u>)	Copper	Aacute¹: 25.7 μg/L Cehronic²: 18.1 μg/L
	Lake Warner	Hadley	Total Phosphorus	0.030 mg/L
	Lake Wyola	Shutesbury	Total Phosphorus	0.015 mg/L
	Leverett Pond	Leverett	Total Phosphorus	0.015 mg/L
	Loon Pond	Springfield	Total Phosphorus	0.030 mg/L
FRENCH RIVER BASIN	Buffumville Lake	Charlton	Total Phosphorus	0.015 mg/L
	Cedar Meadow Pond	Leicester	Total Phosphorus	0.015 mg/L
FRENCH RIVER BASIN (cont.)	Dresser Hill Pond	Charlton	Total Phosphorus	0.035 mg/L
	Dutton Pond	Leicester	Total Phosphorus	0.025 mg/L

Formatted: Font: No underline

<u>TF-</u> **168** | P a g e

4.06: continued

oo. continued	TABLE 28 SITE SPECIFIC CRITERIA (continued)								
BASIN/DRAINAGE AREA	BASIN/DRAINAGE AREA								
WATERBODY	SURFACE WATER*	**+	<u>Pollutant</u>	Criteria††					
	Gore Pond	Charlton, Dudley	Total Phosphorus	0.014 mg/L					
	French River	River mile 27.3 to 7.0 (at the MA-CT state line, Dudley/Webster)	Copper	<u>Aacute¹:</u> 25.7 <u>μg/L Ce</u> hronic²: 18.1 μg/L					
	Granite Reservoir	Charlton	Total Phosphorus	0.015 mg/L					
	Greenville Pond	Leicester	Total Phosphorus	0.025 mg/L					
	Hudson Pond	Oxford	Total Phosphorus	0.015 mg/L					
	Jones Pond	Charlton, Spencer	Total Phosphorus	0.015 mg/L					
	Larner Pond	Dudley	Total Phosphorus	0.014 mg/L					
FRENCH RIVER BASIN (cont.)	Lowes Pond	Oxford	Total Phosphorus	0.015 mg/L					
	McKinstry Pond	Oxford	Total Phosphorus	0.015 mg/L					

<u>TF-</u> **169** | P a g e

4.06: continued

.oo. commuca	TABLE 28 SITE SPECIFIC CRITERIA (continued)								
BASIN/DRAINAGE AREA	CLIDEA CE WATED*	BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPECIFIC CRITERIA						
WATERBODY	SURFACE WATER*	**+	<u>Pollutant</u>	Criteria††					
	New Pond	Dudley	Total Phosphorus	0.014 mg/L					
	Peter Pond	Dudley	Total Phosphorus	0.010 mg/L					
	Pikes Pond	Charlton	Total Phosphorus	0.015 mg/L					
	Robinson Pond	Oxford	Total Phosphorus	0.012 mg/L					
	Rochdale Pond	Leicester	Total Phosphorus	0.025 mg/L					
	Shepherd Pond	Dudley	Total Phosphorus	0.014 mg/L					
	Texas Pond	Oxford	Total Phosphorus	0.025 mg/L					
FRENCH RIVER BASIN (cont.)	Tobins (Mosquito) Pond	Dudley	Total Phosphorus	0.014 mg/L					
	Wallis Pond	Dudley	Total Phosphorus	0.014 mg/L					

<u>TF-</u> **170** | Page

4.06: continued

ĺ	TABLE 28									
		SITE SPE	CIFIC CRITERIA (continued)							
	BASIN/DRAINAGE AREA SURFACE WATER* BOUNDARY, OR TOWN OR RIVER MILE SITE-SPECIFIC									
	WATERBODY	SURFACE WATER*	**+	Pollutant	Criteria††					
	HUDSON RIVER BASIN	Hoosic River (South	From Adams POTW discharge to 15.4 to 10.3	Copper	<u>Aacute¹:</u> 25.7					
		Branch Hoosic River)	(state line)		<u>μg/L Cehronic²:</u>					
			(confluence with the North Branch Hoosic		18.1 μg/L					
			River, North Adams							
			(river mile 15.4 to 10.3)							
	HOUSATONIC RIVER BASIN	Housatonic River	From Pittsfield POTW discharge to the MA-	Copper	<u>Aacute¹:</u> 25.7					
			CT (state line, Sheffield		ug/L Cehronic ² :					
			(river mile 50.9 to 0.0)		18.1 μg/L					
,	IDCWICH DIVIED DACIN	TT	En as Inspecial DOTW Endouge to	C	A =+-1: 25.7					
	IPSWICH RIVER BASIN	Unnamed tributary	From Ipswich POTW discharge to (confluence with the Ipswich River, Ipswich	Copper	Aacute: 25.7					
		(Greenwood Creek)	(river mile 0.7 to 0.0)		μg/L Cehronic ² : 18.1 μg/L					
l			(HVer lime 0.7 to 0.0)		16.1 μg/L					
1	MILLERS RIVER BASIN	Beaver Flowage Pond	Royalston	Total	0.0125 mg/L					
				Phosphorus						
				1						
		Bents Pond	Gardner	Total	0.015 mg/L					
				Phosphorus						
		Bourne-Hadley Pond	Templeton	Total	0.015 mg/L					
				Phosphorus						
	MILLEDG DIVED DAGINA	D 11 D 1	T. 1.	TD 4.1	0.015 //					
	MILLERS RIVER BASIN (cont.)	Brazell Pond	Templeton	Total	0.015 mg/L					
				Phosphorus						
		Cowee Pond	Gardner	Total	0.0127 mg/L					
		Cowec I oliu	Gardiei	Phosphorus	0.012/ mg/L					
I				1 Hospitorus						

Formatted: No underline

Formatted: No underline

<u>TF-</u> **171** | Page

4.06: continued

TABLE 28 SITE SPECIFIC CRITERIA (continued)									
BASIN/DRAINAGE AREA	BASIN/DRAINAGE AREA SUDEA CE WATER* BOUNDARY, OR TOWN OR RIVER MILE								
WATERBODY	SURFACE WATER*	<u>**†</u>	<u>Pollutant</u>	Criteria††					
	Davenport Pond	Petersham, Athol	Total Phosphorus	0.0127 mg/L					
	Depot Pond	Templeton	Total Phosphorus	0.015 mg/L					
	Ellis Pond	Athol	Total Phosphorus	0.015 mg/L					
	Greenwood Pond	Templeton	Total Phosphorus	0.015 mg/L					
	Greenwood Pond	Westminster	Total Phosphorus	0.0139 mg/L					
	Hilchey Pond	Gardner	Total Phosphorus	0.019 mg/L					
	Lake Denison	Winchendon	Total Phosphorus	0.015 mg/L					
MILLERS RIVER BASIN (cont.)	Lake Monomonac	Winchendon	Total Phosphorus	0.0133 mg/L					
	Lower Naukeag Lake	Ashburnham	Total Phosphorus	0.0145 mg/L					

Formatted: No underline

	TABLE 28 SITE SPECIFIC CRITERIA (continued)							
BASIN/DRAINAGE AREA & WATERBODY	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE **†	SITE-SPECIFIC CRITERIA Pollutant Criteria††					
WITERBODT	Millers River	38.5 to 0.0 (confluence with Connecticut River)	Copper acute 25.7 µg/L chronic 18.1 µg/L	CHICHATT				
	Minott Pond	Westminster	Total Phosphorus	0.015 mg/L				
	Minott Pond South	Westminster	Total Phosphorus	0.011 mg/L				
	Otter River	9.5 to 0.0	Copper acute 25.7 µg/L chronic 18.1 µg/L					
	Parker Pond	Gardner	Total Phosphorus	0.015 mg/L				
	Ramsdall Pond	Gardner	Total Phosphorus	0.015 mg/L				
	Reservoir No. 1	Athol	Total Phosphorus	0.015 mg/L				
	Reservoir No. 2	Phillipston, Athol	Total Phosphorus	0.0051 mg/L				

.oo. continued		TABLE 28			
	SITE SPE	CIFIC CRITERIA (continued)			
BASIN/DRAINAGE AREA&	CLIDEA CE WATED*	BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPECIFIC CRITERIA		
WATERBODY	SURFACE WATER*	**+	Pollutant	Criteria††	
	Riceville Pond	Petersham, Athol	Total Phosphorus	0.015 mg/L	
MILLERS RIVER BASIN (cont.)	South Athol Pond	Athol	Total Phosphorus	0.015 mg/L	
	Stoddard Pond	Winchendon	Total Phosphorus	0.015 mg/L	
	Wallace Pond	Ashburnham	Total Phosphorus	0.0137 mg/L	
	Ward Pond	Athol	Total Phosphorus	0.015 mg/L	
	Whites Mill Pond	Winchendon	Total Phosphorus	0.015 mg/L	
	Whitney Pond	Winchendon	Total Phosphorus	0.015 mg/L	
	Wrights Reservoir	Gardner, Westminster	Total Phosphorus	0.0135 mg/L	

4.06: continued

	TABLE 28 SITE SPECIFIC CRITERIA (continued)								
BASIN/DRAINAGE AREA	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPECIFIC CRITERIA						
WATERBODY	SURFACE WATER	**+	<u>Pollutant</u>	Criteria††					
NASHUA RIVER BASIN	Bare Hill Pond	Harvard	Total	0.030 mg/L					
			Phosphorus						
NASHUA RIVER BASIN (cont.)	North Branch, Nashua	River mile 36.5 to 0.0 (its mouth at the	Copper	<u>Aacute¹:</u> 25.7					
	River	confluence with the Nashua River, Lancaster)		μg/L <u>Ce</u> hronic <u>2:</u> 18.1 μg/L					
	Nashua River (South	The portion of the Nashua River from its	Copper	<u>Aacute¹:</u> 25.7					
	Branch), Squannacook	confluence with the North Branch Nashua	Zinc-acute	μg/L <u>C</u> ehronic <u>2:</u>					
	River	River, Lancaster, to 3.3 miles upstream,	226.40	18.1 μg/L					
		Clinton	ug/L@	chronic 228.25					
		3.3 to 0.0 3.3 to 0.0	hardness 72	ug/L @ hardness					
		(confluence with Nashua River)	mg/L	72 mg/L					
	Squannacook River	From 500 feet downstream of the outlet of the Squannacook River Reservoir Dam to	Zinc	<u>Acute¹: 167.2</u> μg/L					
		confluence with the Nashua River,		@ 60 mg/L					
		Shirley/Groton		hardness					
		(river mile 3.3 to 0.0)		Chronic ² : 168.6					
				μg/L @ 60 mg/L hardness					
	Nashua River	(confluence with Nashua River)		nardiicss					

Formatted: Font: No underline

4.06: continued

TABLE 28 SITE SPECIFIC CRITERIA (continued)								
BASIN/DRAINAGE AREA& WATERBODY	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE **†	SITE-SPEC Pollutant	CIFIC CRITERIA Criteria††				
PARKER RIVER BASIN	Mill River	2.54 to 0.0 (confluence with Parker River)	Copper acute 18.1 µg/L	25.7 μg/L chronic				
	Unnamed tributary to Mill River	Byfield (Governor's Academy WWTF discharge to confluence with Mill River)		25.7 ug/L chronic				
QUINEBAUG RIVER BASIN	Cady Brook	From the Charlton POTW discharge to (confluence with the Quinebaug River, Southbridge (river mile 5.1 to 0.0)	Copper	Aecute ¹ : 25.7 μg/L Cehronic ² : 18.1 μg/L				
QUINEBAUG RIVER BASIN	Quinebaug River	River mile 19.7 to 7.9 (at the MA-CT state line, Dudley)	Copper	<u>A</u> acute¹: 25.7 μg/L <u>C</u> ehronic²: 18.1 μg/L				
SHAWSHEEN RIVER BASIN	Unnamed tributary to Elm Brook	Lincoln 0.5 to 0.0	Copper acute chronic18.1 u					
SOUTH COASTAL DRAINAGE	French Stream	River mile 19.03.3 to 15.70.0 (its mouth at the	Copper	<u>Aacute¹:</u> 25.7				
AREA		confluence with the Drinkwater River. Hanover)		μg/L <u>C</u> ehronic <u>2:</u> 18.1 μg/L				
SUASCO RIVER BASIN	Assabet River	River mile 30.4 to 0.0 (its mouth at the	Copper	<u>Aacute¹:</u> 25.7				
		confluence with the Sudbury River, Concord)		μg/L <u>C</u> ehronic ² : 18.1 μg/L				
	Unnamed tributary to	Sudbury	Copper acute	25.7 μg/L ehronie				
	Hop Brook	(Marlborough East WWTF discharge to confluence with Hop Brook)	18.1 μg/L					
	Hop Brook	13.1 to 0.0	Copper acute	25.7 μg/L chronic				

Formatted: No underline

Formatted: No underline

<u>TF-</u> **176** | Page

4.06: continued

	SITE SPE	TABLE 28 CIFIC CRITERIA (continued)		
BASIN/DRAINAGE AREA & WATERBODY	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE **†	SITE-SPEO Pollutant	CIFIC CRITERIA Criteria††
	Spencer Brook	(confluence with Sudbury River) 1.8 to 0.0 (confluence with Assabet River)	18.1 μg/L Copper acute 18.1 μg/L	25.7 μg/L chronic
	Sudbury River	10.6 to 0.0 (confluence with Assabet River)	Copper acute 18.1 µg/L	25.7 μg/L chronic
	Lake Boon	Hudson, Stow	Total Phosphorus	0.020 mg/L
TAUNTON RIVER BASIN	Nemasket River	River mile 5.5 to 0.0 (its mouth at the confluence with the Taunton River, Middleborough)	Copper	<u>A</u> acute ¹ : 25.7 μg/L <u>C</u> ehronic ² : 18.1 μg/L
	Salisbury Plain River	River mile 2.0 to 0.0 (its mouth at the confluence with Beaver Brook, both surface waters forming the headwaters of the Matfield Taunton-River, East Bridgewater)	Copper	Aacute¹: 25.7 μg/L Cehronic²: 18.1 μg/L
	Sawmill Brook	Bridgewater 1.6 to 0.0	Copper acute 18.1 µg/L	25.7 μg/L chronic
	Three Mile River	River mile 6.0 to 0.0 (its mouth at the confluence with Mill-the Taunton River, Dighton/Taunton)	Copper	<u>A</u> acute ¹ : 25.7 μg/L <u>C</u> ehronic ² : 18.1 μg/L
	Town River	River mile 2.2 to 0.0 (its mouth at the confluence with the Matfield River, both surface waters forming the headwaters of with the Taunton River, Bridgewater)	Copper	Aacute¹: 25.7 μg/L Cehronic²: 18.1 μg/L

<u>TF-</u> **177** | P a g e

4.06: continued

	TABLE 28							
SITE SPECIFIC CRITERIA (continued)								
BASIN/DRAINAGE AREA&	SURFACE WATER*	BOUNDARY, OR TOWN OR RIVER MILE	SITE-SPEC	CIFIC CRITERIA				
WATERBODY	SURFACE WATER	**+	Pollutant	Criteria††				
TEN MILE RIVER BASIN	Ten Mile River	River mile 14.0 to 0.0 (at the MA-RI state line, Seekonk)	Copper	<u>A</u> ecute ¹ : 25.7 μg/L <u>C</u> ehronic ² : 18.1 μg/L				
WESTFIELD RIVER BASIN	Westfield River	River mile 10.8 to 0.0 (its mouth at the confluence with the Connecticut River)	Copper	Aacute ¹ : 25.7 μg/L Cehronic ² : 18.1 μg/L				

*Names cited in parentheses are unofficial, locally-used names

**Acronyms:

MWRA = Massachusetts Water Resources Authority

POTW = Publicly-Owned Treatment Works

¹ The average ambient surface water pollutant concentration over any 1-hour period shall not exceed the acute criterion (Criterion Maximum Concentration or CMC) more than once during any three year period.

² The average ambient surface water pollutant concentration over any 4-day period shall not exceed the chronic criterion (Criterion Continuous Concentration or CCC) more than once during any three year period.

†A River Mile is a linear measurement that begins at the mouth of the river ("0.0" River Mile zero), and increases in an upstream direction along its path.

††Copper and zinc criteria are dissolved concentrations

‡ Bioactive Nitrogen consists of ammonia, nitrate, nitrite, and particulate organic nitrogen (composed primarily of live and dead phytoplankton)

4.06: continued

The metals criteria listed above are for dissolved copper and dissolved zinc. TABLE 29: GENERALLY APPLICABLE CRITERIA

	29a: AQUATIC LIFE CRITERIA									
	7.1	2	FRESH	FRESH WATER		<u>& MARINE</u>				
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	CMC ³ µg/L	<u>ССС⁴</u> µg/ <u>L</u>	<u>NOTES</u>			
<u>Acrolein</u>	107028	<u>P</u>	<u>3</u>	<u>3</u>	H	=				
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration						
Aesthetics			See 3	14 CMR 4.05(5)(a) n	arrative Minimum Co	<u>riteria</u>				
<u>Aldrin</u>	<u>309002</u>	<u>P</u>	<u>1.5</u>	l:	<u>0.65</u>	Н				
			Standard CMC Frequency & Duration		Standard CMC Frequency & Duration					

<u>TF-</u> **179** | P a g e

Chemical Abstracts Service (CAS) Numbers, which are maintained in the CAS registry, are unique numeric identifiers for chemical substances. CAS is a division of the American Chemical Society.
 The Priority Pollutants are a subset of toxic pollutants for which EPA has published analytical test methods (see https://www.epa.gov/eg/toxic-and-priority-pollutants-under-clean-water-act). When

The Priority Pollutants are a subset of toxic pollutants for which EPA has published analytical test methods (see https://www.epa.gov/eg/toxic-and-priority-pollutants-under-clean-water-act). When they were originally established, such pollutants had to have been found in water with a frequency of occurrence of at least 2.5 percent, and had to have been produced in significant quantities, as reported in Stanford Research Institute's "1976 Directory of Chemical Producers, USA". The list of Priority Pollutants are published at 40 CFR Part 423, Appendix A.

³ Unless otherwise noted, the average ambient surface water pollutant concentration over any 1-hour period shall not exceed the CMC more than once during any three year period ("Standard CMC Frequency & Duration").

⁴ Unless otherwise noted, the average ambient surface water pollutant concentration over any 4-day period shall not exceed the CCC more than once during any three year period ("Standard CCC Frequency & Duration").

			29a:	AQUATIC LIF	E CRITERIA		
	TJI	2	FRESH	WATER COASTAL &		<u>& MARINE</u>	
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ ug/L	CMC ³ μg/L	CCC ⁴ μg/L	<u>NOTES</u>
<u>Alkalinity</u>			=	20,000	=	=	
				Where the background condition of alkalinity is lower than this value, the criterion cannot be lower than 25% of the background level.			

	29a: AQUATIC LIFE CRITERIA											
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ ug/L	Criterion Continuous Concentration (CCC) ⁴ ug/L	<u>COASTAL</u> <u>CMC³</u> µg/L	& MARINE CCC⁴ μg/L	<u>NOTES</u>					
Aluminum	7429905		the default concentration for the applicable watershed specified in Appendix A or the calculated concentration using EPA's Aluminum Criteria Calculator V2.0 (Excel) However the criterion is determined, the Standard CMC Frequency and Duration applies.	the default concentration for the applicable watershed specified in Appendix A or the calculated concentration using EPA's Aluminum Criteria Calculator V2.0 (Excel) However the criterion is determined, the Standard CCC Frequency and Duration applies.		=	1. Criteria are expressed as total recoverable metal in the water column. 2. EPA's Aluminum Criteria Calculator V2.0 (Excel) (the "Aluminum Calculator") shall mean the version of the Aluminum Calculator made available on DEP's website on linsert effective date of regulationsl. 3. The Aluminum Calculator is a model used to develop criteria for aluminum. The input parameters for each calculation using this model shall consist of a concurrently collected set of pH, hardness and dissolved organic carbon (DOC) data, for the relevant location. 4. If the applicable default criterion is available in Appendix A and a calculated concentration is determined using the Aluminum Calculator for a relevant location, the calculated concentration determined by the Aluminum Calculator shall be the criteria.					

The default criteria concentrations were derived using EPA's Final Aquatic Life Ambient Water Quality Criteria for Aluminum 2018 model (EPA-822-R-18-001).
 At the time of promulgation of this regulation, EPA's website also contains a copy of the Aluminum Calculator.
 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

			29a:	AQUATIC LIF	E CRITERIA		
	- 1		FRESH	WATER	COASTAL	& MARINE	
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ ug/L	Criterion Continuous Concentration (CCC) ⁴ μg/L	CMC³ µg/L	<u>CCC⁴</u> µg/L	<u>NOTES</u>
Ammonia	7664417		the concentration determined using Tables 5a or 5b, as applicable, of EPA's "Aquatic Life Ambient Water Quality Criteria for Ammonia - Freshwater — 2013". EPA 822-R-18-002 (Ammonia Criteria, 2013) ^{8,9} or the calculated concentration using the applicable equation provided in Appendix B However the criterion is determined, the Standard CMC Frequency & Duration applies	the concentration determined using Tables 5a or 5b of EPA's Ammonia Criteria, 2013 ^{8,9} or the calculated concentration using the applicable equation provided in Appendix B However the criterion is determined, the average ambient surface water concentration over any 30-day period shall not exceed the criterion more than once during any three year period and the average concentration over any 4-day period within those 30 days	0.233 mg/L (as un-ionized (NH ₃) ammonia) or the concentration of total ammonia (NH ₃ + NH ₄ *) as provided in Table 2 of EPA's "Ambient Water Quality Criteria for Ammonia (Saltwater) – 1989", EPA 440/5- 88-004 (Ammonia Criteria, 1989) ⁸ However the criterion is determined, the Standard CMC Frequency & Duration applies	0.035 mg/L (as un-ionized (NH ₃) ammonia) or the concentration of total ammonia (NH ₃ + NH ₄), as provided in Table 3 of EPA's Ammonia Criteria, 1989 ⁸ However the criterion is determined, the Standard CCC Frequency & Duration applies	1. Fresh Water Criteria are expressed as total ammonia nitrogen (TAN). 2. Fresh Water criteria derivation requires collection of a set of pH and temperature measurements for the relevant location. 3. Coastal and Marine criteria derivation using Table 2 or 3 of EPA's Ammonia Criteria, 1989 document requires collection of a set of pH, temperature and salinity measurements for the relevant location. 4. Conversion of Coastal and Marine un-ionized ammonia concentrations to total ammonia may be performed using the procedure described in the introduction to EPA's Ammonia Criteria, 1989, document.
				is not to exceed 2.5 times the criterion.			

 ⁸ A copy of each referenced EPA publication may be located by searching by the referenced EPA document number on MassDEP's website.
 9 The following are examples of criteria calculated using a pH of 7.0 and a temperature of 20°C: CMC = 17 mg/L, CCC = 1.9 mg/L.
 10 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

	29a: AQUATIC LIFE CRITERIA												
	ار <u>ة</u>	2	FRESH WATER		COASTAL & MARINE								
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	<u>CMC³</u> µg/L	<u>CCC</u> ⁴ µg/L	<u>NOTES</u>						
<u>Arsenic</u>	<u>7440382</u>		<u>340</u>	<u>150</u>	<u>69</u>	<u>36</u>	1. These criteria are expressed as total recoverable concentrations.						
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Criteria may be adjusted using the water effects ratio (WER) procedure as described in Appendix E.						
BHC-gamma (Lindane)	<u>58899</u>	<u>P</u>	0.48 Standard CMC Frequency & Duration	II	0.08 Standard CMC Frequency & Duration								
Bottom Pollutants or Alterations				See 314 CMR 4.05(5)									

	29a: AQUATIC LIFE CRITERIA										
	- 1		FRESH	WATER	COASTAL	& MARINE					
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ μg/L	CMC ³ µg/L	CCC ⁴ µg/L	<u>NOTES</u>				
<u>Cadmium</u>	7440439	<u>P</u>	The calculated	The calculated	<u>33</u>	<u>7.9</u>	1. These criteria are expressed as				
			concentration using	concentration using			dissolved metal in the water column.				
			the hardness- dependent equation	the hardness- dependent equation	Standard CMC Frequency &	Standard CCC Frequency &	2. Hardness-dependent equations are				
			as provided in	as provided in	Duration	Duration	used to develop the Fresh Water criteria				
			Appendix C. 11,12	Appendix C. 11,12			for cadmium. The input parameters for				
			Standard CMC	Standard CCC			each calculation using these equations shall consist of ambient surface water				
			Frequency &	Frequency &			data for hardness, collected for the				
			<u>Duration</u>	<u>Duration</u>			relevant location, and other parameters as provided in Appendix C.				
							3. In certain contexts, use of a criterion				
							may require applying a conversion				
							factor to translate dissolved concentrations to total recoverable metal				
							concentrations, or vice versa.				
							Conversion factors for specified metals				
							and the method for their application are set forth in Appendix G.				
							Sectional In Appendix G.				
							4. Criteria may be adjusted using the				
							water effects ratio (WER) as described in Appendix E.				

 $[\]frac{11}{2}$ The following are examples of criteria calculated using a hardness of 25 mg/L as CaCO3: CMC = 0.49 µg/L and CCC = 0.09 µg/L. $\frac{12}{3}$ 14 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

	29a: AQUATIC LIFE CRITERIA											
	- 1	2	FRESH	WATER	COASTAL & MARINE							
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	<u>CMC³</u> µg/L	<u>ССС⁴</u> µg/L	<u>NOTES</u>					
Carbaryl	<u>63252</u>		<u>2.1</u>	2.1	<u>1.6</u>	=						
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration							
<u>Chlordane</u>	<u>57749</u>	<u>P</u>	1.213	0.0043 ¹⁴	0.045^{13}	0.004^{14}						
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration						
<u>Chloride</u>	<u>16887006</u>		860,000	<u>230,000</u>	=	=						
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration								
<u>Chlorine</u>	<u>7782505</u>		<u>19</u>	<u>11</u>	<u>13</u>	<u>7.5</u>						
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration						
<u>Chlorpyrifos</u>	<u>2921882</u>		0.083	<u>0.041</u>	<u>0.011</u>	<u>0.0056</u>						
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration						

¹³ The 1980 EPA CMC criterion was divided by 2 to obtain values more comparable to derivations using the 1985 EPA Guidelines.

¹⁴ The CCCs are based on the Final Residue Value (FRV) procedure.

	29a: AQUATIC LIFE CRITERIA										
	=1	2	FRESH	WATER	COASTAL	& MARINE					
<u>POLLUTANT</u>	CAS NUMBER	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	CMC³ µg/L	CCC ⁴ μg/L	<u>NOTES</u>				
Chromium (III)	16065831	P	the calculated concentration using the hardness-dependent equation as provided in Appendix C ^{15,16} Standard CMC Frequency & Duration	the calculated concentration using the hardness-dependent equation as provided in Appendix C ^{15,16} Standard CCC Frequency & Duration			1. These criteria are expressed as dissolved metal in the water column. 2. Hardness-dependent equations are used to develop the Fresh Water criteria for chromium (III). The input parameters for each calculation using these equations shall consist of ambient surface water data for hardness, collected for the relevant location, and other parameters as provided in Appendix C. 3. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable metal concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G. 4. Criteria may be adjusted using the water effects ratio (WER) procedure as described in Appendix E.				

¹⁵ The following are examples of chromium (III) criteria calculated using a hardness of 25 mg/L as CaCO₃: CMC = 183 and CCC = 24.

16 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00, 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria

	29a: AQUATIC LIFE CRITERIA										
	7.1	2	FRESH	WATER	COASTAL	<u>& MARINE</u>					
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ ug/L	CMC³ µg/L	CCC ⁴ µg/L	<u>NOTES</u>				
Chromium (VI)	<u>18540299</u>	<u>P</u>	<u>16</u>	11	<u>1,100</u>	<u>50</u>	1. These criteria are expressed as dissolved metal in the water column.				
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	2. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G. 3. Criteria may be adjusted using the water effects ratio (WER) as described in Appendix E.				
Color and Turbidity	_		See 314 CMR 4	.05(3) and (4) for nar	rative criteria for eac	h class of water.					

			29a:	AQUATIC LIF	E CRITERIA		
<u>POLLUTANT</u>	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ ug/L	Criterion Continuous Concentration (CCC) ⁴ ug/L	COASTAL CMC³ µg/L	CCC ⁴ µg/L	<u>NOTES</u>
Copper	7440508	P	the default calculated concentration using the hardness- dependent equation as set forth in Appendix C or the calculated concentration using the Biotic Ligand Model (BLM) as set forth in Appendix D. However the criterion is determined, the Standard CMC Frequency & Duration applies.	the default calculated concentration using the hardness- dependent equation as set forth in Appendix C or the calculated concentration using the BLM as set forth in Appendix D. However the criterion is determined, the Standard CCC Frequency & Duration applies.	4.8 ¹⁷ Standard CMC Frequency & Duration	3.1 ¹⁷ Standard CCC Frequency & Duration	1. These criteria are expressed as dissolved metal in the water column. 2. Hardness-dependent equations are used to develop the Fresh Water criteria for copper. The input parameters for each calculation using these equations shall consist of ambient surface water data for hardness, collected for the relevant location, and other parameters as provided in Appendix C. 18 3. The BLM is a model used to develop Fresh Water criteria for copper. The input parameters for each criteria calculation using the copper BLM shall consist of a set of pH, DOC, alkalinity, temperature, calcium, magnesium, sodium, potassium, sulfate, and chloride data, for the relevant location. 18 4. If both a hardness-dependent and a BLM criteria are calculated or are able to be calculated for a relevant location, the BLM criteria will apply. 5. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G.

¹⁷ Criteria may be adjusted using the water effects ratio (WER) procedure as described in Appendix E.

¹⁸ 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

29a: AQUATIC LIFE CRITERIA											
	7.1	2	FRESH	<u>WATER</u>	COASTAL	& MARINE					
<u>POLLUTANT</u>	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	CMC³ µg/L	<u>CCC</u> ⁴ µg/L	<u>NOTES</u>				
Cyanide	<u>57125</u>	<u>P</u>	22	5.2	1	<u>1</u>	These criteria are expressed as μg free cvanide (CN/L).				
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	etame (C. V.D.)				
4,4'-DDT	50293	<u>P</u>	O.4 ¹⁹ Standard CMC Frequency & Duration	O.001 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	0.07 ¹⁹ Standard CMC Frequency & Duration	O.001 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	Each criterion applies to 4,4'-DDT and also applies to the combined total of 4,4'DDT and its metabolites (i.e., TDE and DDE).				
Demeton	8065483			0.1 Standard CCC Frequency & Duration	=	0.1 Standard CCC Frequency & Duration					
Diazinon	333415		0.17 Standard CMC Frequency & Duration	0.17 Standard CCC Frequency & Duration	0.82 Standard CMC Frequency & Duration	0.82 Standard CCC Frequency & Duration					

^{19 —}The 1980 EPA CMC criterion was divided by 2 to obtain a value more comparable to derivations using the 1985 EPA Guidelines.

TF- 189 | Page

4.06: continued

			<u>29a:</u>	AQUATIC LIF	E CRITERIA		
	7.1	2	FRESH	WATER	COASTAL	& MARINE	
POLLUTANT	CAS NUMBER	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	CMC³ μg/L	<u>ССС</u> ⁴ µg/L	<u>NOTES</u>
<u>Dieldrin</u>	<u>60571</u>	<u>P</u>	0.12^{20}	0.056^{21}	0.36^{20}	0.0019^{21}	
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	
Endosulfan (alpha- and beta-)	959988 (alpha) 33213659 (beta)	<u>P</u>	0.11 ²⁰ Standard CMC Frequency & Duration	0.056 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	0.017 ²⁰ Standard CMC Frequency & Duration	O.0087 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	These criteria apply to the sum of alphaendosulfan and beta-endosulfan.
Endrin	72208	<u>P</u>	0.086 Standard CMC Frequency & Duration	0.036 ²² Standard CCC Frequency & Duration	0.018 Standard CMC Frequency & Duration	O.0023 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	

²⁰ The 1980 EPA CMC criterion was divided by 2 to obtain values more comparable to derivations using the 1985 EPA Guidelines. ²¹ The CCC did not consider exposure through the diet, which is probably important for aquatic life occupying upper trophic levels.

TF- 190 | Page

4.06: continued

			<u>29a:</u>	AQUATIC LIF	E CRITERIA		
	7.1	2	FRESH	WATER	COASTAL	<u>& MARINE</u>	
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	<u>СМС³</u> µg/L	<u>CCC</u> ⁴ µg/L	<u>NOTES</u>
Gases, Total Dissolved	=		<110% saturation	=	<110% saturation	=	Criteria apply for gases at the existing atmospheric and hydrostatic pressures.
Guthion	<u>86500</u>		=	0.01^{23}	=	0.01^{23}	
				Standard CCC Frequency & Duration		Standard CCC Frequency & Duration	
<u>Heptachlor</u>	<u>76448</u>	<u>P</u>	0.3^{24}	0.0038	0.03^{24}	0.0036	
	1024573		Standard CMC Frequency & Duration	The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	Standard CMC Frequency & Duration	The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	
Heptachlor Epoxide	1024573	<u>P</u>	0.3 ²⁴ Standard CMC Frequency & Duration	O.0038 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	0.03 ²⁴ Standard CMC Frequency & Duration	0.0036 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	

The Fresh Water CCC did not consider exposure through the diet, which is probably important for aquatic life occupying upper trophic levels.
 Criterion was developed using an 0.1 application factor applied to the 96-hour LC50.
 The 1980 EPA CMC criterion was divided by 2 to obtain values more comparable to derivations using the 1985 EPA Guidelines.

TF- 191 | Page

	29a: AQUATIC LIFE CRITERIA								
<u>POLLUTANT</u>	CAS NUMBER ¹	PRIORITY (P) ²	FRESH Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ ug/L	COASTAL CMC³ μg/L	& MARINE CCC ⁴ μg/L	<u>NOTES</u>		
Iron	7439896		=	1.000 Standard CCC Frequency & Duration	=	=			
Lead	7439921	P	the calculated concentration using the hardness-dependent equation as set forth in Appendix C ²⁵ Standard CMC Frequency & Duration	the calculated concentration using the hardness-dependent equation as set forth in Appendix C ²⁵ Standard CCC Frequency & Duration	210 Standard CMC Frequency & Duration	8.1 Standard CCC Frequency & Duration	1. Criteria are expressed as dissolved metal in the water column. 2. Hardness-dependent equations are used to develop the Fresh Water criteria for lead. The input parameters for each calculation using these equations shall consist of ambient surface water data for hardness, collected for the relevant location, and other parameters as provided in Appendix C. ²⁶ 3. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable metal concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G. 4. Criteria may be adjusted using the water effects ratio (WER) as described in Appendix E.		

 $[\]frac{25}{26}$ The following are examples of lead criteria calculated using a hardness of 25 mg/L as CaCO3: CMC = 14 μ g/L and CCC = 0.54 μ g/L. $\frac{26}{314}$ CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

	29a: AQUATIC LIFE CRITERIA								
	ار <u>ة</u>	2	FRESH	<u>WATER</u>	COASTAL	<u>& MARINE</u>			
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ μg/L	CMC³ μg/L	CCC⁴ µg/L	<u>NOTES</u>		
<u>Malathion</u>	<u>121755</u>		=	<u>0.1</u>	=	<u>0.1</u>			
				Standard CCC Frequency & Duration		Standard CCC Frequency & Duration			
Mercury	<u>7439976</u>	<u>P</u>	<u>1.4</u>	<u>0.77</u>	1.8	0.94	1. These criteria are expressed as dissolved metal in the water column.		
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	2. Criteria may be adjusted using the water effects ratio (WER) as described in Footnote E.		
<u>Methoxychlor</u>	<u>72435</u>		=	<u>0.03</u>	=	<u>0.03</u>			
				Standard CCC Frequency & Duration		Standard CCC Frequency & Duration			
Mirex	<u>2385855</u>		=	0.001		<u>0.001</u>			
				Standard CCC Frequency & Duration		Standard CCC Frequency & Duration			

			<u>29a:</u>	AQUATIC LIF	E CRITERIA		
	12	2	FRESH		COASTAL	<u>& MARINE</u>	
POLLUTANT	CAS NUMBER	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ μg/L	CMC³ μg/L	<u>ССС⁴</u> <u>µg/L</u>	<u>NOTES</u>
<u>Nickel</u>	7440020	<u>P</u>	the calculated concentration using	the calculated concentration using	<u>74</u>	8.2	1. Criteria are expressed as dissolved metal in the water column.
			the hardness- dependent equation as set forth in Appendix C ²⁷ Standard CMC Frequency & Duration	the hardness- dependent equation as set forth in Appendix C ²⁷ Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	2. Hardness-dependent equations are used to develop the Fresh Water criteria for nickel. The input parameters for each calculation using these equations shall consist of ambient surface water data for hardness, collected for the relevant location, and other parameters as provided in Appendix C. ²⁸
							3. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable metal concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G.
							4. Criteria may be adjusted using the water effects ratio (WER) as described in Appendix E.
<u>Nonylphenol</u>	84852153		<u>28</u>	<u>6.6</u>	<u>7</u>	<u>1.7</u>	
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	
Nutrients			S	ee 314 CMR 4.05(5)	(c) Minimum Criteria	<u>l.</u>	

 $[\]frac{27}{28}$ The following are examples of nickel criteria calculated using a hardness of 25 mg/L as CaCO3: CMC = 140 μg/L and CCC = 16 μg/L. $\frac{28}{314}$ CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

	29a: AQUATIC LIFE CRITERIA								
	E.J	2	FRESH	WATER	COASTAL	<u>& MARINE</u>			
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	CMC ³ µg/L	<u>CCC</u> ⁴ µg/L	<u>NOTES</u>		
Oil and Grease	=			See 314 CMR 4.05(3) criteria for each class of water.		(4) criteria for each water.			
Oxygen, Dissolved	7782447		See 314 CMR 4.05		See 314 CMR 4.05				
511, gail, 21330110d	7732117		class of		class of				
Parathion	<u>56382</u>		0.065	0.013		=			
			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration					
Pentachlorophenol	<u>87865</u>	<u>P</u>	the calculated concentration using the equation as set forth in Note 1.a. ²⁹ Standard CMC Frequency & Duration	the calculated concentration using the equation as set forth in Note 1.b. ²⁹ Standard CCC Frequency & Duration	13 Standard CMC Frequency & Duration	7.9 Standard CCC Frequency & Duration	1. Two equations are used to develop the Fresh Water criteria for pentachlorophenol. The input parameter for each calculation using the equations shall consist of pH data for the relevant location. ³⁰ The equations used to calculate the criteria are as follows: a. CMC = exp(1.005(pH)-4.869); and b. CCC = exp(1.005(pH)-5.134).		
<u>pH</u>	=		See 314 CMR 4.05 class of		See 314 CMR 4.05 class of				
Phosphorus, Elemental (also known as "P4", "white phosphorus" and historically known as "yellow phosphorus")				а	=	0.1 Standard CCC Frequency & Duration			

²⁹ The following are examples of pentachlorophenol criteria corresponding to a pH of 7: CMC = 8.7 μg/L, CCC = 6.7 μg/L.

³⁰ 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

	29a: AQUATIC LIFE CRITERIA									
	72	2	FRESH	<u>WATER</u>	COASTAL	<u>& MARINE</u>				
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	<u>CMC³</u> µg/L	<u>ССС⁴</u> µg/L	<u>NOTES</u>			
Polychlorinated Biphenyls (PCBs)		<u>P</u>	=	O.014 The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.		The average ambient surface water concentration over any 24-hour period shall not exceed the criterion more than once during any three year period.	These criteria apply to total PCBs (the sum of all homolog, all isomer, all congener, or all Aroclor analyses).			
Radioactivity			<u>S</u>	ee 314 CMR 4.05(5)	(d) Minimum Criteria	<u>a.</u>				

	29a: AQUATIC LIFE CRITERIA								
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ μg/L	COASTAL CMC³ μg/L	& MARINE CCC⁴ μg/L	<u>NOTES</u>		
Selenium	7782492	P	the calculated concentration using the equation as set forth in Note 3 Standard CMC Frequency & Duration	5.0 Standard CCC Frequency & Duration	290 Standard CMC Frequency & Duration	71 ³¹ Standard CCC Frequency & Duration	1. Fresh Water criteria are expressed as total recoverable metal in the water column. 2. Coastal and Marine criteria are expressed as dissolved metal in the water column. 3. The freshwater CMC selenium equation is used to develop the criterion for selenium. The input parameters for each calculation using this equation shall consist of data for the fractions of total selenium as selenite and selenate, collected for the relevant location. The freshwater CMC selenium equation is the following: 1/(f1/CMC1) + (f2/CMC2), where f1 and f2 are the fractions of total selenium as selenite and selenate, respectively, and CMC1 = 185.9 μg/l and CMC2 = 12.82 μg/l. 4. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable metal concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G.		

³¹ The CCC does not take into account uptake via the food chain; therefore, it is recommended that the status of the fish community be monitored whenever the concentration of selenium exceeds 5.0 µg/L.

³² 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water

³² 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

	29a: AQUATIC LIFE CRITERIA								
	= 11	2	FRESH '	WATER	COASTAL	& MARINE			
POLLUTANT	CAS NUMBER	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	CMC³ μg/L	<u>ССС⁴</u> <u>µg/L</u>	<u>NOTES</u>		
Silver	7440224	P	the calculated concentration using the hardness-based equation as set forth in Appendix C ³³ Standard CMC Frequency & Duration	=	0.95 ³⁴ Standard CMC Frequency & Duration		1. These criteria are expressed as dissolved metal in the water column. 2. The hardness-dependent equation is used to develop the Fresh Water criterion for silver. The input parameters for the calculation using this equation shall consist of ambient surface water data for hardness, collected for the relevant location, and other parameters as provided in Appendix C. 35 3. In certain contexts, use of a criterion may require applying a conversion factor to translate dissolved concentrations to total recoverable metal concentrations, or vice versa. Conversion factors for specified metals and the method for their application are set forth in Appendix G. 4. Criteria may be adjusted using the water effects ratio (WER) as described in Appendix E.		
Solids and Turbidity	П		See 314 CMR 4.05(3 each class		See 314 CMR 4.05(4 each class				

³³ The following is an example of a criterion applying a hardness of 25 mg/L as CaCO3: CMC = 0.30 μg/L.

³⁴ The 1980 EPA CMC criterion was divided by 2 to obtain a value more comparable to derivations using the 1985 EPA Guidelines.

³⁵ 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

			29a:	AQUATIC LIFT	E CRITERIA		
	= J	2	FRESH '	WATER	COASTAL	& MARINE	
POLLUTANT	CAS NUMBER!	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	<u>СМС³</u> <u>µg/L</u>	<u>CCC⁴</u> µg/L	<u>NOTES</u>
Sulfide-Hydrogen Sulfide	<u>7783064</u>		=	<u>2.0</u>	=	<u>2.0</u>	
				Standard CCC Frequency & Duration		Standard CCC Frequency & Duration	
Taste and Odor	=		See 314 CMR 4.05(3) each class		See 314 CMR 4.05(4) narrative criteria for each class of water.		
<u>Temperature</u>	=		See 314 CMR 4.05 class of	(3) criteria for each	See 314 CMR 4.05(4) criteria for each class of water.		
<u>Toxaphene</u>	8001352	<u>P</u>	0.73	0.0002	0.21	0.0002	
Tributakia (TDT)			Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	Standard CMC Frequency & Duration	Standard CCC Frequency & Duration	
Tributyltin (TBT)	=		0.46 Standard CMC Frequency & Duration	0.072 Standard CCC Frequency & Duration	0.42 Standard CMC Frequency & Duration	0.0074 Standard CCC Frequency & Duration	

	29a: AQUATIC LIFE CRITERIA								
	7.1	2	FRESH	WATER	COASTAL	& MARINE			
POLLUTANT	CAS NUMBER ¹	PRIORITY (P) ²	Criterion Maximum Concentration (CMC) ³ µg/L	Criterion Continuous Concentration (CCC) ⁴ µg/L	<u>CMC³</u> µg/L	<u>CCC</u> ⁴ µg/L	<u>NOTES</u>		
Zinc	7440666	<u>P</u>	the calculated	the calculated	<u>90</u>	<u>81</u>	1. Criteria are expressed as dissolved		
			concentration using	concentration using			metal in the water column.		
			the applicable hardness-dependent	the applicable hardness-dependent	Standard CMC	Standard CCC	2. Hardness-dependent equations are		
			equation as set forth	equation as set forth	Frequency & Duration	Frequency & Duration	used to develop the Fresh Water criteria		
			in Appendix C ³⁶	in Appendix C ³⁶	<u>Duration</u>	<u>Duration</u>	for zinc. The input parameters for each		
							calculation using these equations shall		
			Standard CMC Frequency &	Standard CCC Frequency &			consist of ambient surface water data for hardness, collected for the relevant		
			Duration	Duration			location, and other parameters as		
							provided in Appendix C. ³⁷		
							3. In certain contexts, use of a criterion		
							may require applying a conversion		
							factor to translate dissolved		
							concentrations to total recoverable metal		
							concentrations, or vice versa. Conversion factors for specified metals		
							and the method for their application are		
							set forth in Appendix G.		
							4.0%		
							4. Criteria may be adjusted using the water effects ratio (WER) as described		
							in Appendix E.		

 $[\]frac{36}{37}$ The following are examples of criteria applying a hardness of 25 mg/L as CaCO3: CMC = $\frac{36}{4}$ µg/L and CCC = $\frac{37}{4}$ µg/L. discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX A: Default Freshwater Aluminum Criteria by Watershed (River Basin or Coastal Drainage Area)*

Default Freshwater Aluminum Criteria by Watershed (River Basin or Coastal Drainage Area)*									
River Basin or Coastal Drainage Area	CMC† (Acute) µg/L	CCC† (Chronic) µg/L							
Blackstone	542	270							
Boston Harbor/Charles	970	<u>390</u>							
Buzzards Bay/Mt Hope Bay/Narragansett Bay/Taunton/Ten-Mile	<u>490</u>	<u>260</u>							
Cape Cod Coastal	**	**							
<u>Chicopee (5th percentile)</u>	<u>291</u>	<u>171</u>							
Connecticut (5 th percentile)	<u>630</u>	<u>300</u>							
<u>Deerfield</u>	<u>450</u>	<u>220</u>							
Farmington/Westfield (5 th percentile)	<u>309</u>	<u>180</u>							
French/Quinebaug	<u>580</u>	<u>280</u>							
<u>Housatonic/Hudson</u>	<u>1400</u>	<u>520</u>							
Ipswich/North Coastal/Parker	<u>954</u>	<u>406</u>							
<u>Islands Coastal</u>	**	**							
Merrimack/Shawsheen (5 th percentile)	<u>470</u>	<u>259</u>							
Millers	<u>340</u>	<u>210</u>							
Nashua (5 th percentile)	<u>350</u>	<u>200</u>							
South Coastal	<u>1200</u>	<u>460</u>							
Sudbury, Assabet, and Concord (SuAsCo)	<u>954</u>	<u>394</u>							
*Defaults are based on 10 th percentile criteria calculated from concurrent pH, DC	OC, and hardness data, except watershe	ds marked as 5 th percentile to protect							

state and federal endangered species.

** Insufficient data are available to calculate watershed-based default criteria.

†The CMC = Criterion Maximum Concentration and the CCC = Criterion Continuous Concentration

4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX B: Freshwater Ammonia Criteria Calculations

Criteria for ammonia as total ammonia nitrogen (mg/L TAN) are pH- and temperature-dependent. Criteria are derived in accordance with the formulas set forth below, where MIN indicates the lesser of the two values separated by a comma and T is temperature in degrees Celsius. The criterion maximum concentration (CMC or acute) formula differs according to the presence or absence of fish in the family Salmonidae.

1. The CMC (acute) calculation:

a. The following equation shall be used when Salmonidae species are present. Salmonidae species are presumed present in surface waters designated Cold Waters in 314

CMR 4.00; in MA Division of Fisheries and Wildlife's designated Cold Water Fisheries Resources (CFR); in surface waters where applicable data indicate the definition of a Cold Water Fishery is met ("Cold Water Fishery existing use"); and, as a rebuttable presumption, in any tributary to such designated Cold Waters, CFRs, or Cold Water Fishery existing uses:

$$CMC\ present = MIN\left(\left(\frac{0.275}{1+10^{7.204-pH}} + \frac{39.0}{1+10^{pH-7.204}}\right), \left(0.7249\ x\ \left(\frac{0.0114}{1+10^{7.204-pH}} + \frac{1.6181}{1+10^{pH-7.204}}\right)x\ \left(23.12\ x\ 10^{0.036\ x\ (20-T)}\right)\right)\right), \text{or}$$

b. The following equation shall be used when Salmonidae species are absent. Salmonidae species are presumed absent in surface waters designated Warm Waters in 314 CMR 4.00; and in surface waters that are not designated Cold Waters, CFRs or indicated Cold Water Fisheries or tributary to such designated Cold Waters, CFRs or indicated Cold Water Fisheries:

$$\textit{CMC} \; absent = \; 0.7249 \; \times \; \left(\frac{0.0114}{10^{7.204-pH}} \; + \; \; \frac{1.6181}{1+10^{pH-7.204}} \right) \times \; \text{MIN}(51.93, 23.12 \; \times \; 10^{0.036 \times (20-T)})$$

2. The following Criterion Continuous Concentration (CCC or chronic) calculation shall be used in all surface waters;

$$CCC = 0.8876 \ x \left(\frac{0.0278}{1 + 10^{7.688 - pH}} + \frac{1.1994}{1 + 10^{pH - 7.688}} \right) \ x \left(2.126 \ x \ 10^{0.028x(20 - MAX(T,7))} \right)$$

Formatted: Indent: Left: 0.25", Numbered + Level: 1 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 1" + Indent at: 1.25"

4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX C: Equations and Parameters for Calculating Hardness-Dependent Freshwater Dissolved Metals Criteria

- Fresh Water criteria for various ambient surface water hardness values shall be calculated using the following hardness-dependent equations:
 - a. For CMC using the equation: CMC (dissolved) = $\exp\{m_A[\ln (\text{hardness})] + b_A\}$ (CF)
 - b. For CCC using the equation: CCC (dissolved) = $\exp\{m_c[\ln (\text{hardness})] + b_c\}$ (CF)
- The hardness parameter used in the foregoing equations shall be obtained from the ambient surface water for the relevant location³⁸, except that when the hardness is greater than 400mg/L a default hardness of 400 mg/L may be used or, alternatively, the following procedures may be used:
 - a. for all metals listed in the following table, with the exception of copper, the actual hardness in the applicable hardness-dependent equation, where the resultant criteria. is then adjusted by a WER calculated in accordance with Appendix E; or
 - b. for copper only, the Biotic Ligand Model (BLM) as set forth in Appendix D, in place of the hardness-dependent equations.
- 3. The other parameters used in the foregoing hardness-dependent equations shall be obtained from the applicable entries in the following table:

<u>Parar</u>	Parameters for Calculating Freshwater Dissolved Metals Criteria That Are Hardness-Dependent									
Chamiaal		h. m-		h	Freshwater Conversion Factors (CF)					
<u>Chemical</u>	<u>m</u> <u>A</u>	<u>b</u> _A	<u>m</u> _C	<u>b</u> <u>c</u>	<u>CMC</u>	CCC				
<u>Cadmium³⁹</u>	0.9789	<u>-3.866</u>	0.7977	<u>-3.909</u>	1.136672-[(ln hardness)(0.041838)]	1.101672-[(ln hardness)(0.041838)]				
Chromium III	0.8190	<u>3.7256</u>	0.8190	0.6848	0.316	0.860				
<u>Copper</u>	0.9422	<u>-1.700</u>	0.8545	<u>-1.702</u>	0.960	0.960				
Lead ⁴⁰	1.273	<u>-1.460</u>	<u>1.273</u>	<u>-4.705</u>	1.46203-[(ln hardness)(0.145712)]	1.46203-[(ln hardness)(0.145712)]				
<u>Nickel</u>	0.8460	2.255	0.8460	0.0584	0.998	0.997				
Silver	<u>1.72</u>	<u>-6.59</u>	=	=	0.85	=				
Zinc	0.8473	0.884	0.8473	0.884	0.978	0.986				

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Numbered + Level: 1 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.5" + Indent at:

Formatted: Numbered + Level: 1 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.5" + Indent at:

TF- 203 | Page

^{38 314} CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

³⁹ When an ambient hardness of less than 25 mg/L is used to establish criteria for cadmium or lead, if the calculated hardness-dependent Conversion Factor (CF) is greater than one, it shall default to

4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX D: Calculation of Copper Criteria Using the Biotic Ligand Model

Criteria for copper in fresh waters calculated using the BLM shall be subject to the following 40:

- 1. In fresh waters only, criteria for aquatic life shall be determined in accordance with the procedure published in EPA's "Aquatic Life Ambient Freshwater Quality Criteria Copper, 2007 Revision" (EPA-822-R-07-001), which consists of a computational method referred to as "the Biotic Ligand Model for copper" ("the copper BLM"), and which shall be implemented only through software developed for that purpose and approved by MassDEP.
- For calculating copper aquatic life criteria in freshwater using the copper BLM, MassDEP has approved the copper BLM software version 2.2.3 ("Model 2.2.3"), published by EPA in 2007 and available from MassDEP's website at www.mass.gov.
- 3. Software updates to Model 2.2.3 may be approved without amendment of this regulation, subject to the following:
 - a. MassDEP's advance written approval is required;
 - b. all updates shall use the toxicity data and water quality criteria calculations referenced in EPA-822-R-07-001, without modification; and
 - all updates shall only be made for demonstrated purposes of improving compatibility with current computer operating systems, usability or computational efficiency.
- 4. Updates to Model 2.2.3 that do not comply with all of the requirements listed in Appendix D.3. to Table 29a: Aquatic Life Criteria, shall only be implemented by amending this regulation.
- 5. Model 2.2.3 and updates approved pursuant to Appendix D.3. to Table 29a: Aquatic Life Criteria shall be published on MassDEP's website at www.mass.gov or be made available by request to MassDEP.

TF- 204 | Page

⁴⁰ 314 CMR 4.05(5)(e)2.d. specifies required methods of data collection and final criteria derivation for equation- and model-based criteria where discharge of a toxic pollutant requires a surface water discharge permit under 314 CMR 3.00. 314 CMR 4.03(1)(a) requires consideration of downstream uses when applying these criteria.

4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX E: Adjustment of Criteria Using the WER or the Streamlined WER (Copper Only)

1. For specified metals (as noted in Table 29a: Aquatic Life Criteria), criteria may be adjusted in accordance with the procedure published in EPA's "Interim Guidance on Determination and Use of Water-Effect Ratios for Metals, February 1994" (EPA-823-B-94-001) and as clarified and updated by EPA's Aquatic Life Guidelines Committee memo titled "Modifications to Guidance Site-Specific Criteria" dated December 3, 1997 (collectively, the WER). A workplan and/or sampling plan and quality assurance project plan (QAPP) is required for use of the WER and shall be subject to MassDEP's advance written approval.

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

2. For copper in salt waters (also as noted in Table 29a: Aquatic Life Criteria) only, the criteria may, in the alternative, be adjusted in accordance with the procedure published in EPA's "Streamlined Water-Effect Ratio Procedure for Discharges of Copper" (Streamlined WER, EPA-822-R-01-005), as applicable. A workplan and/or sampling plan and quality assurance project plan (QAPP) is required for either procedure and shall be subject to MassDEP's advance written approval.



4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX F: Determining the Applicability of Freshwater and Coastal and Marine Criteria

The fresh water and coastal and marine aquatic life criteria apply to a specific location as follows:

- 1. for water in which the salinity is equal to or less than 1 part per thousand (ppt) 95% or more of the time, the applicable criteria are the fresh water criteria;
- 2. for water in which the salinity is equal to or greater than 10 ppt 95% or more of the time, the applicable criteria are the coastal and marine criteria; and
- 3. for water in which the salinity is between 1 and 10 ppt 95% or more of the time, the applicable criteria are the more stringent of the Fresh Water or Coastal and Marine criteria; or, alternatively, the criteria may be selected based on scientifically defensible information demonstrating that the biology of the surface water at the location is dominated by Fresh Water aquatic life and that Fresh Water criteria are more appropriate; or conversely, the biology of the water body is dominated by Coastal and Marine aquatic life and that Coastal and Marine criteria are more appropriate.

4.06: continued

29a: AQUATIC LIFE CRITERIA

APPENDIX G: Conversion Factors (CF) to Convert from Total to Dissolved or from Dissolved to Total Concentrations

	Conversion Factors (CF) to Convert from Total to Dissolved Concentrations (multiply by CF) or Convert from Dissolved to Total Concentrations (divide by CF)									
<u>Metal</u>	CF for Freshwater CMC	CF for Freshwater CCC	CF for Saltwater CMC	CF for Saltwater CCC						
Arsenic	1.000	1.000	1.000	1.000						
Cadmium	1.136672-[(ln hardness)(0.041838)]	1.101672-[(ln hardness)(0.041838)]	0.994	0.994						
Chromium III	0.316	0.860	=	_						
Chromium VI	0.982	0.962	0.993	0.993						
Copper	0.960	0.960	0.83	0.83						
<u>Lead</u>	1.46203-[(ln hardness)(0.145712)]	1.46203-[(ln hardness)(0.145712)]	0.951	0.951						
Mercury	0.85	<u>0.85</u>	0.85	0.85						
<u>Nickel</u>	0.998	0.997	0.990	0.990						
<u>Selenium</u>	0.996	0.922	0.998	0.998						
Silver	0.85	=	0.85	=						
Zinc	0.978	0.986	0.946	0.946						

	29b: HUMAN HEALTH CRITERIA†										
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>					
Acenaphthene	83329	<u>P</u>	<u>70</u>	90	<u>20</u>						
Acrolein	<u>107028</u>	<u>P</u>	<u>3</u>	<u>400</u>							
Acrylonitrile	<u>107131</u>	<u>P</u>	<u>0.061</u>	<u>7.0</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.					
Aldrin	309002	<u>P</u>	0.00000077	0.0000077		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.					
Ammonia	7664417		II	=	30 mg/L*	*Taste Threshold—From EPA's 2018 Edition of the Drinking Water Standards and Health Advisories Tables, March 2018 (EPA 822-F-18-001)					
Anthracene (polycyclic aromatic hydrocarbon or PAH)	120127	<u>P</u>	300	400							
Antimony	7440360	P	5.6	640		Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day as applicable.					
Arsenic	7440382	<u>P</u>	0.018	0.14		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. These recommended water quality criteria refer only to the inorganic form of arsenic. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.					
Asbestos	1332214	<u>P</u>	7 million fibers/L	П		Criterion was determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day.					

29b: HUMAN HEALTH CRITERIA†									
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR)	<u>NOTES</u>			
Bacteria (Pathogens)			*	*1		*See 314 CMR 4.05(5)(f) for Minimum Criteria and 314 CMR 4.05(3) and (4) for criteria applicable to each class of water. Criteria are based on primary recreation exposure.			
Barium	7440393		1,000			Criterion was determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day.			
Benzene	<u>71432</u>	<u>P</u>	0.58-2.1	<u>16-58</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Benzidine	<u>92875</u>	<u>P</u>	0.00014	0.011		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Benzo(a)anthracene (PAH)	<u>56553</u>	<u>P</u>	0.0012	0.0013		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Benzo(a)pyrene (PAH)	<u>50328</u>	<u>P</u>	0.00012	0.00013		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Benzo(b)fluoranthene (PAH) (also known as 3,4- benzofluoranthene)	205992	<u>P</u>	0.0012	0.0013		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Benzo(k)fluoranthene (PAH)	207089	<u>P</u>	0.012	0.013		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Beryllium	7440417		3.7 ng/L	<u>64 ng/L</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Bis(2-Chloroethyl) Ether	111444	<u>P</u>	0.03	<u>2.2</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Bis(Chloromethyl) Ether	<u>542881</u>		0.00015	<u>0.017</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Bis(2-Chloro-1-methylethyl) Ether (also known as Bis(2- Chloroisopropyl) Ether)	108601	<u>P</u>	200	4,000					
Bis(2-Ethylhexyl) Phthalate (also known as Di(2-Ethylhexyl)- Phthalate)	117817	<u>P</u>	0.32	0.37		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			

	29b: HUMAN HEALTH CRITERIA†									
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>				
Bromoform* (also known as tribromomethane)	<u>75252</u>	<u>P</u>	<u>7.0</u>	120		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. *See also total trihalomethanes.				
Butylbenzyl Phthalate	<u>85687</u>	<u>P</u>	<u>0.10</u>	0.10		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
Cadmium	7440439	<u>P</u>	5	=		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1993). Criterion was determined assuming a human body weight of 70- kilograms and a drinking water consumption rate of 2 liters/day.				
Carbon Tetrachloride	<u>56235</u>	<u>P</u>	<u>0.4</u>	<u>5</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
Chlordane	<u>57749</u>	<u>P</u>	0.00031	0.00032		The exposure criteria are based on carcinogenicity of 10-6 risk.				
<u>Chlorobenzene</u> (also known as monochlorobenzene)	108907	<u>P</u>	<u>100</u>	800	<u>20</u>					
Chlorodibromomethane* (also known as dibromochloromethane)	124481	<u>P</u>	0.80	<u>21</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. *See also total trihalomethanes.				
Chloroform* (also known as trichloromethane)	<u>67663</u>	<u>P</u>	<u>60</u>	2,000		*See also total trihalomethanes.				
2-Chloronaphthalene	<u>91587</u>	<u>P</u>	<u>800</u>	<u>1,000</u>						
2-Chlorophenol	<u>95578</u>	<u>P</u>	<u>30</u>	<u>800</u>	0.1					
3-Chlorophenol	106400				0.1					
4-Chlorophenol Chlorophenoxy Herbicide (also known as 2,4-D)	<u>106489</u> <u>94757</u>		70	<u></u> <u>12,000</u>	0.1	Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1993) and was determined assuming a 70 kg adult ingests 2 liters/day of drinking water.				

4.06: continued

	29b: HUMAN HEALTH CRITERIA†										
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>					
Chlorophenoxy Herbicide (also known as 2,4,5-TP or Silvex)	93721		<u>50</u>	400		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1996) and was determined assuming a 70 kg adult ingests 2 liters/day of drinking water.					
Chromium (total)	7440473	<u>P</u>	100			Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1993) and was determined assuming a 70 kg adult ingests 2 L/day of drinking water and that 0.71 of the total exposure to chromium is through drinking water.					
Chrysene (PAH)	<u>218019</u>	<u>P</u>	0.12	0.13		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. EPA has issued a Maximum Contaminant Level for this chemical which may be more stringent.					
Copper	7440508	<u>P</u>	1,300	П	1,000	The exposure criterion is based on carcinogenicity of 10 ⁻⁶ risk. The exposure criterion was determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day.					
Cyanide	<u>57125</u>	<u>P</u>	4	<u>400</u>		These recommended water quality criteria are expressed as µg total cyanide (i.e., zincpotassium cyanide, free potassium cyanide and hydrocyanic acid).					
Dibenzo(a,h)anthracene 1,2-Dichlorobenzene (also known as o-DCB)	<u>53703</u> <u>95501</u>	<u>P</u> <u>P</u>	<u>0.00012</u> <u>600</u>	<u>0.00013</u> <u>3.000</u>		The exposure criteria are based on carcinogenicity of 10 frisk. Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1993) and was determined by assuming that a 70 kg adult ingests 2 liters/day of water.					

<u>TF-</u> **211** | P a g e

4.06: continued

29b: HUMAN HEALTH CRITERIA†										
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>				
1,3-Dichlorobenzene	541731	P	7	10						
1,4-Dichlorobenzene (also known as p-DCB)	106467	<u>P</u>	<u>5*</u>	900		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1993).				
3,3'-Dichlorobenzidine	<u>91941</u>	<u>P</u>	0.049	0.15		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
Dichlorobromomethane* (also known as Bromodichloromethane)	<u>75274</u>	<u>P</u>	0.95	27		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. *See also total trihalomethane.				
<u>p.p'-</u> <u>Dichlorodiphenyldichloroethane</u> (<u>also known as DDD)</u>	72548	<u>P</u>	0.00012	0.00012		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
p.p'- Dichlorodiphenyldichloroethylene (also known as DDE)	72559	<u>P</u>	0.000018	0.000018		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
p.p'- Dichlorodiphenyltrichloroethane (also known as DDT)	50293	<u>P</u>	0.000030	0.000030		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
1,2-Dichloroethane	107062	<u>P</u>	<u>5</u>	650		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
						Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1989). The criterion is based on the 1.2-dichloroethane practical quantitation limit (PQL)				
1,1-Dichloroethylene	75354	<u>P</u>	7	20,000		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1989). The criterion is based on the 1,1-dichloroethylene PQL.				
2,3-Dichlorophenol	<u>=</u>		=	=	0.04					
2,4-Dichlorophenol	<u>120832</u>	<u>P</u>	<u>10</u>	<u>60</u>	0.3					
2.5-Dichlorophenol			=	=	<u>0.5</u>					

<u>TF-</u> **212** | P a g e

29b: HUMAN HEALTH CRITERIA†									
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>			
2,6-Dichlorophenol			Ш	H	<u>0.2</u>				
3,4-Dichlorophenol			==	=	<u>0.3</u>				
1,2-Dichloropropane	<u>78875</u>	<u>P</u>	<u>0.90</u>	<u>31</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
1,3-Dichloropropene	<u>542756</u>	<u>P</u>	0.27	<u>12</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
<u>Dieldrin</u>	<u>60571</u>	<u>P</u>	0.0000012	0.0000012		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Diethyl Phthalate	<u>84662</u>	<u>P</u>	600	600		,			
2,4-Dimethylphenol	105679	<u>P</u>	<u>100</u>	3,000	<u>400</u>				
Dimethyl Phthalate	<u>131113</u>	<u>P</u>	2,000	2,000					
Di-n-Butyl Phthalate	84742	<u>P</u>	<u>20</u>	<u>30</u>					
<u>Dinitrophenols</u>	<u>25550587</u>		<u>10</u>	1,000					
2,4-Dinitrophenol	<u>51285</u>	<u>P</u>	<u>10</u>	<u>300</u>					
2,4-Dinitrotoluene	<u>121142</u>	<u>P</u>	<u>0.049</u>	1.7		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Dioxin (also known as 2,3,7,8-Tetrachloro-dibenzo-p-dioxin or TCDD)	<u>1746016</u>	<u>P</u>	5.0E-9	5.1E-9		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
sidents y distant is 1650)						Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.			
1,2-Diphenylhydrazine	122667	<u>P</u>	0.03	0.2		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Endosulfan-alpha	959988	<u>P</u>	<u>20</u>	<u>30</u>					
Endosulfan-beta	33213659	<u>P</u>	<u>20</u>	<u>40</u>					
Endosulfan Sulfate	<u>1031078</u>	<u>P</u>	<u>20</u>	<u>40</u>					
<u>Endrin</u>	<u>72208</u>	<u>P</u>	0.03	<u>0.03</u>					
Endrin Aldehyde	7421934	<u>P</u>	<u>1</u>	<u>1</u>					
<u>Ethylbenzene</u>	<u>100414</u>	<u>P</u>	<u>68</u>	<u>130</u>					
<u>Fluoranthene</u>	206440	<u>P</u>	<u>20</u>	<u>20</u>					

. continued			29b: HUMAN H	EALTH CRITE	RIA†	
		-	EXPOSU		<u> </u>	Г
POLLUTANT	<u>CAS</u> NUMBER	PRIORITY (P)	DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>
Fluorene (PAH)	<u>86737</u>	<u>P</u>	<u>50</u>	<u>70</u>		
<u>Heptachlor</u>	<u>76448</u>	<u>P</u>	0.0000059	0.0000059		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
Heptachlor Epoxide	1024573	<u>P</u>	0.000032	0.000032		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
<u>Hexachlorobenzene</u>	<u>118741</u>	<u>P</u>	0.000079	0.000079		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
<u>Hexachlorobutadiene</u>	<u>87683</u>	<u>P</u>	<u>0.01</u>	0.01		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
Hexachlorocyclohexane—alpha (also known as alpha-HCH)	319846	<u>P</u>	0.00036	0.00039		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
Hexachlorocyclohexane-beta (also known as beta-HCH)	<u>319857</u>	<u>P</u>	0.008	0.014		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
Hexachlorocyclohexane-gamma (also known as gamma-HCH or Lindane)	58899	<u>P</u>	0.2	4.4		The Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1991) and was determined assuming a human body weight of 70-kilograms and a drinking water ingestion rate of 2 liters/day.
Hexachlorocyclohexane – Technical (also known as technical HCH)	<u>608731</u>		0.0066	0.010		The exposure criteria are based on carcinogenicity of 10-6 risk.
<u>Hexachlorocyclopentadiene</u>	<u>77474</u>		<u>4</u>	<u>4</u>	1	
<u>Hexachloroethane</u>	<u>67721</u>	<u>P</u>	<u>0.1</u>	<u>0.1</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
Indeno(1,2,3-cd) pyrene (PAH)	<u>193395</u>	<u>P</u>	0.0012	0.0013		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.
<u>Iron</u>	7439896				<u>300</u>	
<u>Isophorone</u>	78591	<u>P</u>	<u>34</u>	<u>1,800</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.

	29b: HUMAN HEALTH CRITERIA†										
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>					
<u>Manganese</u>	7439965		<u>50</u>	100		The Drinking Water Plus Fish and Shellfish Consumption criterion for manganese is not based on toxic effects, but rather is intended to minimize qualities such as laundry stains and objectionable tastes in beverages. The Fish & Shellfish Consumption Only criterion was determined assuming a human body weight of 70-kilograms, and a fish consumption rate of 17.5 grams/day.					
Mercury (inorganic)	=		2	=		The Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (2004) and was determined assuming a human body weight of 70-kilograms and a drinking water ingestion rate of 2 liters/day.					
<u>Methylmercury</u>	<u>22967926</u>	<u>P</u>	=	0.3 mg/kg		The Fish and Shellfish Consumption Only criterion was determined assuming a human body weight of 70-kilograms, and a fish consumption rate of 17.5 grams/day.					
<u>Methoxychlor</u>	<u>72435</u>		<u>0.02</u>	<u>0.02</u>							
2-Methyl-4-Chlorophenol	=		=	<u>=</u>	<u>1,800</u>						
3-Methyl-4-Chlorophenol (also known as p-chloro-m-cresol)	<u>59507</u>	<u>P</u>	<u>500</u>	2,000	<u>3,000</u>						
3-Methyl-6-Chlorophenol	==				<u>20</u>						
2-Methyl-4,6-Dinitrophenol	<u>534521</u>	<u>P</u>	<u>2</u>	<u>30</u>							
Methyl Bromide	<u>74839</u>	<u>P</u>	<u>100</u>	<u>10,000</u>							

	29b: HUMAN HEALTH CRITERIA†									
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY ug/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>				
Methyl tertiary butyl ether (MTBE)	<u>1634044</u>		70		20*	The Drinking Water Plus Fish and Shellfish Consumption criterion is based on the ORSG††. This ORSG is derived assuming that a 70 kg adult ingests 2 liters/day of water. *Odor Threshold – From EPA's 2018 Edition of the Drinking Water Standards and Health Advisories Tables, March 2018 (EPA 822-F- 18-001)				
Methylene Chloride (also known as Dichloromethane)	75092	<u>P</u>	<u>5</u>	1,000		The Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1995) and was derived based on the Practical Quantitation Limit (PQL) for Methylene Chloride. The Fish and Shellfish Consumption Only criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
Monochlorobenzene Nickel	108907 7440020	<u>P</u>	100	<u></u> <u>4.600</u>	<u>20</u>	The Drinking Water Plus Fish and Shellfish Consumption criterion is based on the ORSG††. This ORSG is derived assuming that an adult ingests 2 L/day of water. The criteria were determined assuming a human body weight of 70-kilograms and a fish consumption rate of 17.5 grams/day.				
Nitrate (as N) (criterion also applies to total nitrate/nitrite)	14797558		10,000			Criterion was determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day.				

<u>POLLUTANT</u>	CAS NUMBER	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) ug/L	<u>NOTES</u>
Nitrite	14797650		1,000	=		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1996) and was derived assuming that a 4 kg infant ingests 0.64 L of formula per day.
Nitrobenzene	<u>98953</u>	<u>P</u>	<u>10</u>	<u>600</u>	<u>30</u>	
<u>Nitrosamines</u>	П		0.0008	1.24		The exposure criteria are based on carcinogenicity of 10-6 risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.
Nitrosodibutylamine	924163		0.0063	0.22		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.
Nitrosodiethylamine	55185		0.0008	1.24		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.

4.06: continued

29b: HUMAN HEALTH CRITERIA†										
	~		EXPOSU DRINKING WATER							
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	PLUS FISH & SHELLFISH CONSUMPTION; µg/L	FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) ug/L	<u>NOTES</u>				
Nitrosopyrrolidine	930552		0.016	34		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a				
			0.050.10			fish consumption rate of 17.5 grams/day, as applicable.				
N-Nitrosodimethylamine (also known as NDMA)	62759	<u>P</u>	0.00069	3.0		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.				
N-Nitrosodi-n-Propylamine	621647	<u>P</u>	0.0050	0.51		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.				
N-Nitrosodiphenylamine	86306	<u>P</u>	3.3	<u>6.0</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk. Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.				
Pentachlorophenol Pentachlorophenol	608935 87865	<u>P</u>	<u>0.1</u> <u>0.03</u>	<u>0.1</u> <u>0.04</u>	<u>30</u>	The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				

<u>TF-</u> **218** | Page

	29b: HUMAN HEALTH CRITERIA†										
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	NOTES					
<u>pH</u>	=		See 314 CMR 4.0								
Phenol Polychlorinated Biphenyls (PCBs)	108952	<u>P</u> P	4,000 0,000064	300,000 0.000064	300	The exposure criteria are based on					
rotemormated Diplicity's (FEBS)		<u> </u>	0.00004	<u> </u>		Carcinogenicity of 10 ⁶ risk. This criterion applies to total PCBs (e.g., the sum of all congener or all isomer or homolog or Aroclor analyses).					
						Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.					
Pyrene (PAH) Radioactivity	129000	<u>P</u>	20 See 314 CMR 4.0	30 5(5)(d) Additional							
			Minimum	Criteria.							
Selenium	7782492	<u>P</u>	<u>50</u>	4.200		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (1996) and was determined assuming a human body weight of 70-kilograms and a drinking water consumption rate of 2 liters/day. Fish and Shellfish Consumption Only Criterion was determined assuming a human body weight of 70-kilograms and a fish consumption rate of 17.5 grams/day.					
Sodium	7440235		=	==	30-60 mg/L*	*Taste Threshold – From EPA's 2018 Edition of the Drinking Water Standards and Health Advisories Tables, March 2018 (EPA 822-F-18-001)					

29b: HUMAN HEALTH CRITERIA†									
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	PRIORITY (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>			
Solids (Dissolved) and Salinity	=		250,000	=		This criterion applies to the total of chlorides and sulfates.			
Sulfate			=	=	250 mg/L*	*Taste Threshold – From EPA's 2018 Edition of the Drinking Water Standards and Health Advisories Tables, March 2018 (EPA 822-F-18-001)			
1,2,4,5-Tetrachlorobenzene	95943		0.03	0.03					
Tetrachloroethylene	127184	<u>P</u>	<u>10</u>	<u>29</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
1,1,2,2-Tetrachloroethane	<u>79345</u>	<u>P</u>	0.2	<u>3</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
2,3,4,6-Tetrachlorophenol	=		=	=	<u>1</u>				
<u>Thallium</u>	7440280	P	0.24	0.47		Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.			
<u>Toluene</u>	108883	<u>P</u>	<u>57</u>	<u>520</u>					
Total Trihalomethanes (TTHM) (the sum of bromodichloromethane, dibromochloromethane, bromoform (tribromomethane) and chloroform (trichloromethane))			80	=		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL (2004).			
<u>Toxaphene</u>	8001352	<u>P</u>	0.00070	<u>0.00071</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
<u>Trans-1,2-Dichloroethylene</u>	<u>156605</u>	<u>P</u>	<u>100</u>	<u>4,000</u>					
1,2,4-Trichlorobenzene	120821	<u>P</u>	0.071	<u>0.076</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			
Trichloroethylene	<u>79016</u>	<u>P</u>	0.6	7		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.			

4.06: continued

29b: HUMAN HEALTH CRITERIA†										
POLLUTANT	<u>CAS</u> <u>NUMBER</u>	<u>PRIORITY</u> (P)	EXPOSU DRINKING WATER PLUS FISH & SHELLFISH CONSUMPTION; µg/L	RE TYPE FISH & SHELLFISH CONSUMPTION ONLY µg/L	ORGANOLEPTIC EFFECT (TASTE AND ODOR) µg/L	<u>NOTES</u>				
1,1,1-Trichloroethane	71556	<u>P</u>	<u>200</u>	200,000		Drinking Water Plus Fish and Shellfish Consumption criterion is based on the MMCL and assumes a human body weight of 70-kilograms and a drinking water consumption rate of 2 liters/day.				
1,1,2-Trichloroethane	<u>79005</u>	<u>P</u>	0.55	8.9		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
2,4,5-Trichlorophenol	<u>95954</u>		<u>300</u>	<u>600</u>	1					
2,4,6-Trichlorophenol	<u>88062</u>	<u>P</u>	1.5	<u>2.8</u>	2	The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
Vinyl Chloride	<u>75014</u>	<u>P</u>	0.022	<u>1.6</u>		The exposure criteria are based on carcinogenicity of 10 ⁻⁶ risk.				
Zinc	7440666	<u>P</u>	7,400	<u>26,000</u>	5,000*	Criteria were determined assuming a human body weight of 70-kilograms, a drinking water consumption rate of 2 liters/day, and a fish consumption rate of 17.5 grams/day, as applicable.				

[†] Metals criteria are expressed as total concentrations. To identify Massachusetts Maximum Contaminant Levels (MMCL) for pollutants not listed in this table, see 310 CMR 22.00: *Drinking Water*.

†† The MassDEP Office of Research and Standards (ORS) issues guidance for chemicals other than those with Massachusetts MCLs in drinking water. These ORS guidance values are known as ORS Guidelines or ORSG and are usually developed for use by Departmental programs in the absence of any other federal standards or guidance. ORS uses methodologies similar to that used by the EPA's Office of Groundwater and Drinking Water (OGWDW) when setting guidelines for chemicals in drinking water.

‡Unless otherwise noted, criteria are based on a human body weight of 80 kilograms, a water intake rate of 2.4 liters/day (representing the per capita estimate of combined direct and indirect household tapwater ingestion at the 90th percentile for U.S. adults ages 21 and older), and an organism ingestion rate of 22 grams/day (representing the 90th percentile consumption rate of finfish and shellfish from inland and nearshore waters for U.S. adults ages 21 and older).

4.06: continued

REGULATORY AUTHORITY

31<u>04</u> CMR 4.00: M.G.L. c. 21, § 27.

